

**Drill Results Released January 27, 2021**

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC078</b>	Sewum			no significant results		520197	626036	83	120	-60	270
<b>SWRC079</b>	Sewum	207.0	209.0	2.0	0.37	520334	626242	104	120	-60	294
and		260.0	262.0	2.0	1.78						
and		278.0	284.0	6.0	0.98						
<b>SWRC080</b>	Sewum	149.0	159.0	<b>10.0</b>	<b>1.35</b>	520405	626279	113	120	-60	204
and		166.0	168.0	2.0	0.49						
<b>SWRC081</b>	Sewum			no significant results		520380	626293	104	120	-60	250
<b>SWRC082</b>	Sewum	36.0	60.0	<b>24.0</b>	<b>2.02</b>	520483	626291	115	120	-50	246
and		96.0	111.0	15.0	0.40						
and		222.0	224.0	2.0	0.55						
<b>SWRC083</b>	Sewum	86.0	108.0	<b>22.0</b>	<b>1.97</b>	520459	626301	124	120	-60	252
and		140.0	141.0	1.0	0.83						
<b>SWRC084</b>	Sewum	115.0	134.0	<b>19.0</b>	<b>1.41</b>	520472	626357	114	120	-60	250
<b>SWRC085</b>	Sewum	4.0	12.0	8.0	0.43	521395	628651	191	120	-50	100
and		42.0	44.0	2.0	0.36						
and		63.0	64.0	1.0	0.31						
<b>SWRC086</b>	Sewum	131.0	133.0	2.0	0.46	521353	628672	198	120	-50	150
<b>SWRC087</b>	Sewum	0.0	1.0	1.0	0.66	521415	628352	145	120	-50	120
and		84.0	86.0	2.0	0.48						
<b>SWRC088</b>	Sewum	7.0	18.0	11.0	0.32	521366	628375	145	120	-50	180
and		34.0	36.0	2.0	0.29						
and		56.0	63.0	7.0	0.35						

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC089</b>	Sewum	12.0	13.0	1.0	0.33	521412	628244	127	120	-50	102
and		43.0	45.0	2.0	0.31						
and		47.0	49.0	2.0	0.30						
and		60.0	62.0	2.0	0.38						
<b>SWRC090</b>	Sewum	0.0	1.0	1.0	0.52	521370	628269	137	120	-50	156
and		66.0	68.0	2.0	0.29						
and		114.0	116.0	2.0	0.46						
and		119.0	121.0	2.0	0.73						
<b>SWRC091</b>	Sewum	4.0	5.0	1.0	0.32	521371	628158	107	120	-50	100
and		60.0	61.0	1.0	0.30						
and		81.0	82.0	1.0	0.40						
and		95.0	99.0	4.0	0.81						
<b>SWRC092</b>	Sewum	90.0	91.0	1.0	0.71	521270	627986	106	120	-50	220
and		140.0	148.0	8.0	0.37						
and		196.0	198.0	2.0	0.43						
<b>KKRC026</b>	Kwakyekrom	20.0	24.0	<b>4.0</b>	<b>1.32</b>	528614	634705	128	298	-60	162
and		70.0	73.0	3.0	0.44						
and		80.0	94.0	<b>14.0</b>	<b>1.69</b>						
and		120.0	121.0	1.0	0.44						
and		126.0	128.0	2.0	0.63						
and		138.0	141.0	3.0	0.31						
<b>KKRC027</b>	Kwakyekrom	1.0	3.0	2.0	0.29	528611	634689	128	298	-60	168
and		49.0	51.0	2.0	0.42						
and		78.0	81.0	3.0	0.39						
and		84.0	101.0	<b>17.0</b>	<b>0.91</b>						

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KKRC028</b>	Kwakyekrom	111.0	137.0	<b>26.0</b>	<b>1.43</b>	528632	634668	126	298	-60	213
including		115.0	124.0	<b>9.0</b>	<b>3.31</b>						
and		149.0	157.0	8.0	0.34						
and		162.0	167.0	5.0	0.69						
and		176.0	180.0	4.0	0.39						
<b>KKRC029</b>	Kwakyekrom	21.0	45.0	<b>24.0</b>	<b>0.89</b>	528574	634699	133	298	-60	126
and		54.0	56.0	2.0	0.41						
and		116.0	118.0	2.0	0.35						
and		123.0	125.0	2.0	0.43						
<b>KKRC030</b>	Kwakyekrom	65.0	66.0	1.0	0.42	528653	634733	127	298	-60	180
and		68.0	69.0	1.0	0.46						
and		109.0	127.0	<b>18.0</b>	<b>0.97</b>						
and		145.0	147.0	2.0	0.43						
<b>KKRC031</b>	Kwakyekrom	30.0	32.0	2.0	0.78	528682	634774	131	298	-60	186
and		114.0	124.0	<b>10.0</b>	<b>2.97</b>						
and		162.0	168.0	<b>6.0</b>	<b>0.88</b>						
and		181.0	184.0	3.0	0.36						
<b>KKRC032</b>	Kwakyekrom	14.0	24.0	10.0	0.32	528570	634723	134	298	-60	114
and		56.0	63.0	7.0	0.40						
<b>KKRC033</b>	Kwakyekrom	26.0	28.0	2.0	0.33	528569	634584	109	298	-60	126
and		47.0	49.0	2.0	0.41						
and		69.0	75.0	<b>6.0</b>	<b>1.19</b>						
<b>KKRC034</b>	Kwakyekrom	14.0	46.0	<b>32.0</b>	<b>0.68</b>	528517	634607	124	298	-60	102
and		67.0	74.0	7.0	0.58						
and		90.0	95.0	5.0	0.34						

**Previously Released Drill Results**

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC138</b>	Boin	92.0	96.0	4.0	1.05	518408	632972	147	114	-60	97
<b>KBRC138A</b>	Boin	133.0	135.0	2.0	0.57	518405	632976	147	114	-60	216
and		146.0	148.0	2.0	0.65						
<b>KBRC139</b>	Boin	1.0	17.0	<b>16.0</b>	<b>0.69</b>	518700	633234	130	120	-60	80
<b>KBRC140</b>	Boin	4.0	7.0	3.0	0.31	519121	633708	155	120	-60	80
and		13.0	14.0	1.0	0.44						
<b>KBRC141</b>	Boin	10.0	21.0	11.0	0.34	519018	633704	156	114	-50	120
and		48.0	95.0	<b>47.0</b>	<b>1.67</b>						
including		49.0	58.0	<b>9.0</b>	<b>2.96</b>						
and incl.		75.0	85.0	<b>10.0</b>	<b>3.63</b>						
<b>KBRC142</b>	Boin	1.0	4.0	3.0	0.27	518558	633239	129	114	-50	156
and		131.0	150.0	<b>19.0</b>	<b>0.43</b>						
including		131.0	142.0	11.0	0.60						
<b>KBRC142B</b>	Boin	121.0	130.0	9.0	0.30	518573	633233	137	114	-50	238
<b>KBRC143</b>	Boin	3.0	17.0	14.0	0.56	519395	634172	120	114	-60	108
<b>KBRC144</b>	Boin	146.0	148.0	2.0	0.51	519378	634178	120	120	-60	150
<b>KBRC145</b>	Boin	48.0	55.0	7.0	0.54	520325	635410	117	120	-60	150
<b>KBRC146</b>	Boin	7.0	10.0	3.0	0.24	520456	635619	124	114	-50	100
and		30.0	62.0	<b>32.0</b>	<b>0.92</b>						
including		42.0	54.0	<b>12.0</b>	<b>1.78</b>						
and incl.		59.0	61.0	2.0	0.52						
<b>KBRC147</b>	Boin	50.0	59.0	9.0	0.52	520424	635582	124	114	-50	102
<b>KBRC148</b>	Boin	56.0	58.0	2.0	0.69	520391	635546	122	114	-50	108
and		75.0	77.0	2.0	0.30						
<b>KBRC149</b>	Boin	38.0	41.0	3.0	0.36	520378	635496	120	114	-50	100

**Newcore Gold Ltd. | Enchi Gold Project**

2020 - 2021 Drill Results



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC150</b>	Boin	59.0	94.0	35.0	0.57	520335	635517	125	114	-65	148
including		65.0	91.0	26.0	0.70						
and		130.0	135.0	5.0	0.59						
and		141.0	148.0	7.0	0.42						
<b>KBRC150A</b>	Boin	72.0	74.0	2.0	0.59	520338	635514	122	114	-65	174
and		87.0	108.0	<b>21.0</b>	<b>1.19</b>						
and		136.0	139.0	3.0	1.01						
and		145.0	162.0	17.0	0.44						
<b>KBRC151</b>	Boin	9.0	20.0	<b>11.0</b>	<b>2.30</b>	519349	634402	131	120	-60	156
and		62.0	65.0	3.0	0.63						
and		136.0	144.0	8.0	0.55						
<b>KBRC152</b>	Boin	73.0	74.0	1.0	1.20	519292	634429	117	120	-60	258
and		209.0	213.0	4.0	1.56						
and		234.0	235.0	1.0	2.55						
<b>KBRC153</b>	Boin	7.0	11.0	4.0	0.68	519317	634201	122	120	-60	258
and		28.0	33.0	5.0	0.42						
and		42.0	60.0	<b>18.0</b>	<b>1.21</b>						
and		67.0	71.0	<b>4.0</b>	<b>1.40</b>						
and		110.0	114.0	4.0	0.82						
and		155.0	158.0	3.0	0.33						
and		191.0	194.0	3.0	0.39						
<b>KBRC154</b>	Boin	88.0	95.0	7.0	0.61	519086	633928	157	120	-60	178
and		149.0	152.0	3.0	0.27						
<b>KBRC155</b>	Boin	85.0	89.0	4.0	0.22	518896	633582	155	120	-60	138
and		103.0	105.0	2.0	0.89						
and		118.0	134.0	<b>16.0</b>	<b>0.57</b>						

**Newcore Gold Ltd. | Enchi Gold Project**

2020 - 2021 Drill Results



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC155A</b>	Boin	95.0	97.0	2.0	0.68	518900	633578	163	120	-60	204
and		110.0	113.0	3.0	0.64						
and		127.0	135.0	8.0	0.37						
<b>KBRC156A</b>	Boin	156.0	174.0	<b>18.0</b>	<b>0.69</b>	518480	633164	130	114	-55	270
and		187.0	191.0	<b>4.0</b>	<b>1.20</b>						
<b>KBRC157B</b>	Boin	150.0	162.0	12.0	0.70	518457	633065	128	114	-65	180
<b>KBRC158</b>	Boin	77.0	91.0	<b>14.0</b>	<b>1.41</b>	518379	632992	126	114	-60	260
<b>KBRC159</b>	Boin	178.0	240.0	<b>62.0</b>	<b>0.73</b>	518423	633075	127	114	-65	240
including		187.0	206.0	<b>19.0</b>	<b>1.76</b>						
and incl.		199.0	206.0	<b>7.0</b>	<b>3.18</b>						
<b>KBRC160</b>	Boin		no significant results			518358	632778	124	114	-60	120
<b>KBRC161</b>	Boin	124.0	126.0	2.0	0.37	518330	632898	128	114	-55	200
and		144.0	151.0	7.0	0.36						
and		163.0	166.0	3.0	0.31						
<b>KBRC162</b>	Boin	65.0	69.0	4.0	0.53	518321	632793	120	114	-60	156
and		88.0	91.0	3.0	0.68						
and		101.0	107.0	<b>6.0</b>	<b>1.67</b>						
<b>KBRC163</b>	Boin	11.0	14.0	3.0	0.34	519678	634811	141	114	-60	102
and		27.0	54.0	<b>27.0</b>	<b>1.27</b>						
<b>KBRC164</b>	Boin	19.0	25.0	<b>6.0</b>	<b>1.23</b>	519649	634822	164	114	-60	144
and		102.0	114.0	<b>12.0</b>	<b>0.69</b>						
and		128.0	132.0	4.0	0.47						
<b>KBRC165</b>	Boin	78.0	80.0	2.0	0.41	519895	635045	120	114	-60	102
<b>KBRC166</b>	Boin		no significant results			519886	635049	126	114	-60	140
<b>KBRC167</b>	Boin		no significant results			519836	634974	123	114	-60	120

**Newcore Gold Ltd. | Enchi Gold Project**

2020 - 2021 Drill Results



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC168</b>	Boin	1.0	6.0	5.0	0.56	519816	634986	121	114	-60	140
<b>KBRC169</b>	Boin	55.0	69.0	<b>14.0</b>	<b>1.41</b>	519973	635110	128	114	-60	138
including		62.0	68.0	<b>6.0</b>	<b>2.86</b>						
and		84.0	86.0	2.0	0.53						
and		90.0	92.0	2.0	0.53						
and		125.0	131.0	6.0	0.31						
<b>KBRC170</b>	Boin	45.0	49.0	4.0	0.31	520050	635185	141	114	-60	156
and		70.0	72.0	2.0	0.49						
<b>KBRC171</b>	Boin	77.0	78.0	1.0	1.07	520030	635195	129	114	-60	150
and		119.0	129.0	10.0	0.44						
<b>KBRC172</b>	Boin	78.0	84.0	6.0	0.57	520131	635252	125	114	-60	150
and		128.0	138.0	<b>10.0</b>	<b>0.92</b>						
<b>KBRC173</b>	Boin	85.0	87.0	2.0	0.76	520105	635265	126	114	-60	186
and		154.0	158.0	4.0	0.32						
and		166.0	179.0	13.0	0.30						
<b>KBRC174</b>	Boin	91.0	93.0	2.0	0.41	519957	635121	130	114	-60	162
and		153.0	154.0	1.0	0.76						
<b>KBRC175</b>	Boin	67.0	89.0	<b>22.0</b>	<b>0.65</b>	520291	635396	119	114	-60	150
<b>KBRC176</b>	Boin	70.0	77.0	7.0	0.39	520369	635575	130	114	-60	182
and		95.0	105.0	<b>10.0</b>	<b>0.64</b>						
and		130.0	140.0	10.0	0.44						

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC177</b>	Boin	81.0	84.0	2.0	0.47	520320	635523	123	114	-65	228
and		108.0	109.0	1.0	0.46						
and		116.0	120.0	4.0	0.81						
and		204.0	206.0	2.0	1.39						
<b>KBRC178</b>	Boin	134.0	140.0	6.0	0.57	520297	635532	117	114	-65	220
		147.0	149.0	2.0	0.90						
<b>KBRC179</b>	Boin	92.0	97.0	5.0	0.56	520436	635631	133	114	-50	150
<b>KBRC180</b>	Boin	108.0	110.0	2.0	0.33	520415	635637	134	114	-55	170
and		126.0	129.0	3.0	0.47						
<b>KBRC181</b>	Boin	127.0	138.0	<b>11.0</b>	<b>0.45</b>	520393	635648	138	114	-60	216
and		142.0	145.0	3.0	0.29						
and		155.0	162.0	<b>7.0</b>	<b>1.05</b>						
<b>KBRC182</b>	Boin	64.0	68.0	4.0	0.35	520570	635717	137	114	-60	108
and		78.0	82.0	4.0	0.68						
and		87.0	91.0	4.0	0.70						
<b>KBRC183</b>	Boin	93.0	96.0	3.0	0.49	520544	635724	131	114	-60	144
and		105.0	121.0	16.0	0.30						
<b>KBRC184</b>	Boin	86.0	88.0	2.0	0.44	520234	635422	114	114	-60	216
and		102.0	111.0	<b>9.0</b>	<b>0.82</b>						
and		125.0	128.0	3.0	0.45						
and		145.0	166.0	<b>21.0</b>	<b>0.94</b>						



**Newcore Gold Ltd. | Enchi Gold Project**

2020 - 2021 Drill Results



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC068</b>	Sewum	3.0	5.0	2.0	0.28	521494	629230	193	120	-70	100
and		23.0	31.0	8.0	0.30						
and		39.0	42.0	3.0	0.35						
and		46.0	62.0	<b>16.0</b>	<b>0.54</b>						
including		51.0	57.0	6.0	0.93						
and		74.0	76.0	2.0	1.03						
<b>SWRC069</b>	Sewum	39.0	41.0	2.0	0.30	521442	629252	198	120	-70	125
and		50.0	59.0	9.0	0.55						
and		63.0	70.0	7.0	0.47						
and		98.0	114.0	<b>16.0</b>	<b>1.20</b>						
<b>SWRC070</b>	Sewum	43.0	45.0	2.0	1.41	521392	629273	193	120	-70	180
and		141.0	148.0	7.0	0.98						
<b>SWRC071</b>	Sewum	3.0	16.0	13.0	0.45	521347	628986	193	120	-55	100
and		38.0	43.0	5.0	0.46						
and		95.0	100.0	5.0	0.55						
<b>SWRC072</b>	Sewum	3.0	22.0	<b>19.0</b>	<b>0.67</b>	521408	628860	199	120	-60	150
and		46.0	84.0	<b>38.0</b>	<b>0.42</b>						
<b>SWRC073</b>	Sewum	0.0	28.0	<b>28.0</b>	<b>1.52</b>	520472	626241	119	130	-50	100
including		15.0	25.0	<b>10.0</b>	<b>3.58</b>						
and		36.0	42.0	6.0	1.21						
<b>SWRC074</b>	Sewum	7.0	38.0	<b>31.0</b>	<b>0.84</b>	520416	626193	105	130	-50	100
including		8.0	17.0	<b>9.0</b>	<b>1.47</b>						
and		48.0	60.0	12.0	0.71						
and		92.0	94.0	2.0	0.36						

**Newcore Gold Ltd. | Enchi Gold Project**

2020 - 2021 Drill Results



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC075</b>	Sewum	169.0	177.0	8.0	0.56	520355	626219	102	130	-60	220
<b>SWRC076</b>	Sewum	1.0	12.0	11.0	0.48	521308	627853	118	120	-50	120
and		39.0	88.0	<b>49.0</b>	<b>0.91</b>						
and		104.0	120.0	<b>16.0</b>	<b>3.04</b>						
<b>SWRC077</b>	Sewum	29.0	35.0	6.0	0.49	521268	627871	112	120	-50	180
and		54.0	56.0	2.0	0.36						
and		68.0	83.0	<b>15.0</b>	<b>0.76</b>						
and		89.0	92.0	3.0	0.62						
and		117.0	119.0	2.0	0.40						
and		126.0	131.0	5.0	0.40						
and		138.0	140.0	2.0	0.28						
and		151.0	153.0	2.0	0.35						
and		163.0	165.0	2.0	0.40						
<b>NBRC016</b>	Nyam	23.0	29.0	6.0	1.03						
and		50.0	54.0	4.0	0.40						
and		68.0	86.0	18.0	0.63						
and		97.0	100.0	3.0	0.48						
and		109.0	112.0	3.0	0.55						
<b>NBRC017</b>	Nyam	8.0	53.0	<b>45.0</b>	<b>1.38</b>	530241	637278	69	300	-60	150
including		8.0	30.0	<b>22.0</b>	<b>0.74</b>						
and incl.		47.0	53.0	<b>6.0</b>	<b>6.25</b>						
and		64.0	66.0	2.0	1.88						
and		83.0	93.0	10.0	0.41						
and		102.0	107.0	5.0	0.54						
and		135.0	137.0	2.0	0.34						

**Newcore Gold Ltd. | Enchi Gold Project**

2020 - 2021 Drill Results



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>NBRC018</b>	Nyam	10.0	12.0	2.0	0.25	530180	637314	76	300	-60	84
and		36.0	42.0	6.0	0.32						
<b>NBRC019</b>	Nyam	80.0	82.0	2.0	0.35	530845	638277	81	300	-60	156
and		91.0	108.0	<b>17.0</b>	<b>1.20</b>						
<b>NBRC020</b>	Nyam	51.0	60.0	<b>9.0</b>	<b>1.14</b>	530506	637714	86	300	-60	150
and		73.0	102.0	<b>29.0</b>	<b>0.94</b>						
and		110.0	120.0	<b>10.0</b>	<b>1.18</b>						
and		139.0	143.0	4.0	0.41						
<b>NBRC021</b>	Nyam	15.0	17.0	2.0	0.33	530474	637679	93	300	-60	130
and		32.0	34.0	2.0	0.73						
and		50.0	54.0	4.0	1.56						
and		63.0	84.0	<b>21.0</b>	<b>1.42</b>						
and		90.0	96.0	<b>6.0</b>	<b>1.26</b>						
and		102.0	105.0	3.0	0.36						
and		109.0	119.0	10.0	0.52						
and		126.0	129.0	3.0	0.65						
<b>NBRC022</b>	Nyam	8.0	10.0	2.0	1.96	530435	637610	102	300	-60	150
and		70.0	90.0	<b>20.0</b>	<b>1.72</b>						
and		116.0	119.0	3.0	0.36						
<b>NBRC023</b>	Nyam	49.0	51.0	2.0	0.19	530712	638187	98	300	-60	80
<b>NKRC001</b>	Nkwanta		no significant results			525094	633089	101	300	-55	100
<b>KKRC017A</b>	Kwakyekrom	45.0	48.0	3.0	0.52	528698	634833	127	298	-60	150
and		69.0	70.0	1.0	1.17						
and		89.0	120.0	<b>31.0</b>	<b>0.46</b>						
including		107.0	120.0	<b>13.0</b>	<b>0.72</b>						

**Newcore Gold Ltd. | Enchi Gold Project**

2020 - 2021 Drill Results



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KKRC018</b>	Kwakyekrom	35.0	39.0	4.0	0.29	528658	634784	129	298	-60	120
and		86.0	92.0	6.0	0.80						
and		99.0	110.0	<b>11.0</b>	<b>2.35</b>						
<b>KKRC019</b>	Kwakyekrom	4.0	7.0	3.0	0.36	528611	634738	128	298	-60	120
and		58.0	78.0	20.0	0.36						
including		59.0	63.0	4.0	0.50						
and incl.		70.0	76.0	6.0	0.64						
and		88.0	92.0	4.0	0.38						
and		102.0	104.0	2.0	0.50						
<b>KKRC020</b>	Kwakyekrom	26.0	28.0	2.0	0.79	528598	634714	133	298	-60	110
and		44.0	47.0	3.0	0.43						
and		60.0	75.0	15.0	0.48						
and		79.0	83.0	4.0	1.04						
<b>KKRC021</b>	Kwakyekrom	52.0	69.0	<b>17.0</b>	<b>0.57</b>	528592	634693	132	298	-60	114
and		97.0	104.0	7.0	0.94						
<b>KKRC022</b>	Kwakyekrom	41.0	67.0	<b>26.0</b>	<b>0.51</b>	528555	634617	124	298	-60	114
including		59.0	66.0	5.0	1.59						
and		101.0	104.0	3.0	0.57						
<b>KKRC023</b>	Kwakyekrom	34.0	40.0	<b>6.0</b>	<b>4.71</b>	528542	634595	117	298	-60	122
and		60.0	66.0	6.0	0.34						
<b>KKRC024</b>	Kwakyekrom	35.0	38.0	3.0	0.77	528550	634557	104	298	-60	130
and		59.0	74.0	15.0	0.44						
and		104.0	113.0	9.0	0.23						

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KKRC025</b>	Kwakyekrom	0.0	18.0	<b>18.0</b>	<b>0.45</b>	528502	634580	103	298	-60	100
including		13.0	17.0	4.0	1.00						
and		23.0	29.0	6.0	0.57						
and		69.0	77.0	8.0	0.21						
and		89.0	100.0	11.0	0.63						
<b>KJRC011</b>	Kojina Hill			no significant results		528887	637281	110	300	-65	170
<b>KJRC012</b>	Kojina Hill	218.0	222.0	<b>4.0</b>	<b>1.34</b>	528887	637281	110	300	-75	252
and		229.0	230.0	1.0	0.83						
<b>KJRC013</b>	Kojina Hill	6.0	13.0	7.0	0.33	528897	637243	123	300	-60	170
and		83.0	113.0	<b>30.0</b>	<b>0.39</b>						
including		83.0	91.0	<b>8.0</b>	<b>0.51</b>						
and incl.		94.0	99.0	5.0	0.56						
and incl.		109.0	113.0	4.0	0.57						
<b>KJRC014</b>	Kojina Hill	57.0	60.0	3.0	0.37	528897	637243	123	300	-75	288
and		209.0	212.0	3.0	0.37						
<b>KJRC015</b>	Kojina Hill	126.0	127.0	1.0	0.40	528867	637240	130	300	-60	192
and		139.0	140.0	1.0	0.42						
<b>KJRC016</b>	Kojina Hill	174.0	175.0	1.0	0.31	528871	637239	127	300	-75	252
and		208.0	209.0	1.0	0.30						
and		244.0	246.0	2.0	0.33						
<b>KJRC017</b>	Kojina Hill	108.0	112.0	4.0	0.86	528838	637203	149	300	-65	162
and		119.0	122.0	3.0	0.28						
and		125.0	145.0	<b>20.0</b>	<b>1.09</b>						
including		125.0	129.0	<b>4.0</b>	<b>2.52</b>						
and		155.0	156.0	1.0	0.47						

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KJRC018</b>	Kojina Hill	48.0	50.0	2.0	0.30	528860	637219	141	300	-65	150
and		98.0	102.0	4.0	0.68						
<b>KJRC019</b>	Kojina Hill	81.0	89.0	8.0	0.50	528871	637239	129	270	-70	282
and		121.0	122.0	1.0	0.60						

1. Intervals reported are core lengths with true width estimated to be 75 - 85%.

2. Length-weighted averages from uncut assays.

3. All drilling completed by independent contractor.

4. All drilling samples sealed on site and delivered directly to independent lab Intertek Mineral Limited located in Tarkwa, Ghana for preparation and 50g Fire Assay with AAS finish.

5. QA/QC procedures include industry standard inclusion of standards, blanks, and duplicates in all sample batches.