

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 30, 2025



Drill Results Released January 30, 2025

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC171	Sewum	1.0	4.0	3.0	0.21	521265	628718	225	120	-50	78
and		8.0	11.0	3.0	0.19						
and		56.0	74.0	18.0	0.60						
SWRC172	Sewum	1.0	27.0	26.0	0.61	521293	628770	225	120	-50	70
including		12.0	21.0	9.0	1.09						
and		30.0	31.0	1.0	0.29						
and		53.0	57.0	4.0	0.33						
SWRC173	Sewum	25.0	33.0	8.0	0.49	521320	628836	233	120	-60	60
and		44.0	45.0	1.0	0.22						
and		52.0	53.0	1.0	0.36						
SWRC174	Sewum	2.0	6.0	4.0	0.25	521304	628813	232	120	-60	60
and		24.0	30.0	6.0	0.23						
SWRC175	Sewum	1.0	8.0	7.0	0.50	521491	628830	228	120	-60	60
and		23.0	29.0	6.0	0.25						
and		35.0	47.0	12.0	0.45						
SWRC176	Sewum	12.0	57.0	45.0	0.30	521475	628780	220	120	-60	72
including		12.0	21.0	9.0	0.51						
including		48.0	55.0	7.0	0.49						
and		62.0	64.0	2.0	0.89						
SWRC177	Sewum	12.0	13.0	1.0	0.18	521446	628754	221	120	-60	72
SWRC178	Sewum	0.0	9.0	9.0	0.78	521482	628875	235	120	-50	80
and		13.0	16.0	3.0	0.57						
and		20.0	24.0	4.0	0.53						
and		35.0	41.0	6.0	0.34						
SWRC179	Sewum	2.0	12.0	10.0	0.32	521450	628801	227	120	-60	84
and		36.0	51.0	15.0	0.46						
and		64.0	83.0	19.0	0.35						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 30, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC180	Sewum	0.0	26.0	26.0	0.66	521321	628958	235	120	-50	80
including		16.0	23.0	7.0	1.46						
and		35.0	41.0	6.0	0.19						
SWRC181	Sewum	1.0	9.0	8.0	0.24	521341	629045	240	120	-50	60
and		56.0	57.0	1.0	0.21						
SWRC182	Sewum	7.0	8.0	1.0	0.21	521411	629166	235	120	-50	80
and		13.0	14.0	1.0	0.30						
and		52.0	62.0	10.0	2.45						
including		52.0	55.0	3.0	7.44						
and		66.0	68.0	2.0	0.35						
SWRC183	Sewum	0.0	2.0	2.0	0.17	521719	629772	234	120	-60	102
and		26.0	27.0	1.0	0.29						
and		30.0	32.0	2.0	0.21						
and		42.0	43.0	1.0	0.22						
and		74.0	77.0	3.0	0.24						
and		91.0	92.0	1.0	0.37						
and		98.0	100.0	2.0	0.31						
SWRC184	Sewum	12.0	14.0	2.0	0.20	521764	629828	233	120	-60	105
and		74.0	80.0	6.0	0.37						
SWRC185	Sewum	45.0	47.0	2.0	0.74	521730	629842	234	120	-60	144
and		59.0	62.0	3.0	0.19						
and		96.0	97.0	1.0	0.20						
and		100.0	108.0	8.0	0.32						
and		134.0	136.0	2.0	0.69						
SWRC186	Sewum	2.0	5.0	3.0	0.26	521392	629219	235	120	-60	80
SWRC187	Sewum	2.0	4.0	2.0	0.19	521365	629237	230	120	-60	80
SWRC188	Sewum	29.0	31.0	2.0	0.27	521365	629197	220	120	-50	80
and		70.0	71.0	1.0	0.22						
SWRC189	Sewum	47.0	50.0	3.0	0.65	521749	629765	222	120	-60	72
and		54.0	57.0	3.0	0.22						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 30, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC190	Sewum	28.0	29.0	1.0	0.30	521804	629833	216	120	-50	72
and		33.0	35.0	2.0	0.66						
and		50.0	51.0	1.0	0.25						
SWRC191	Sewum	42.0	44.0	2.0	0.26	521791	629797	220	120	-60	60
SWRC192	Sewum	10.0	14.0	4.0	0.31	521772	629848	225	120	-50	120
and		59.0	60.0	1.0	0.28						
and		64.0	67.0	3.0	0.44						
and		78.0	80.0	2.0	0.20						
SWRC193	Sewum	2.0	17.0	15.0	0.33	521435	628727	218	120	-60	90
and		25.0	27.0	2.0	0.29						
and		47.0	48.0	1.0	0.33						
SWRC194	Sewum	1.0	63.0	62.0	1.85	521352	627847	158	120	-50	167
including		13.0	23.0	10.0	8.36						
and		74.0	79.0	5.0	0.23						
and		99.0	167.0	68.0	0.75						
including		102.0	116.0	14.0	1.15						
SWRC195	Sewum	0.0	9.0	9.0	0.77	521289	627794	172	120	-50	66
and		20.0	58.0	38.0	0.80						
SWRC196	Sewum	21.0	23.0	2.0	0.64	520826	626252	156	120	-55	96
and		63.0	66.0	3.0	2.31						
and		78.0	82.0	4.0	0.24						
and		90.0	91.0	1.0	0.20						
SWRC197	Sewum	No significant results				520771	626290	147	120	-55	108
SWRC198	Sewum	25.0	26.0	1.0	0.37	520670	626267	155	120	-55	90
SWRC199	Sewum	53.0	57.0	4.0	0.56	520759	626222	160	120	-55	120
and		72.0	76.0	4.0	1.24						
and		97.0	98.0	1.0	0.22						
and		102.0	104.0	2.0	0.30						
and		108.0	111.0	3.0	0.21						
and		115.0	116.0	1.0	0.25						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 30, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC200	Sewum	20.0	34.0	14.0	0.81	520741	626162	161	120	-55	126
and		81.0	83.0	2.0	0.23						
and		91.0	92.0	1.0	0.27						
and		107.0	108.0	1.0	1.87						
and		118.0	121.0	3.0	1.58						
SWRC201	Sewum	20.0	24.0	4.0	0.56	520704	626103	158	120	-55	102
and		45.0	48.0	3.0	0.38						
and		72.0	99.0	27.0	1.07						
including		73.0	81.0	8.0	2.82						
SWRC202	Sewum	0.0	5.0	5.0	1.65	520648	626033	131	120	-55	78
and		28.0	41.0	13.0	2.39						
and		48.0	49.0	1.0	0.23						
and		60.0	76.0	16.0	0.39						
SWRC203	Sewum	11.0	12.0	1.0	0.20	521761	629918	222	120	-50	108
and		20.0	25.0	5.0	0.76						
and		45.0	48.0	3.0	0.32						
and		51.0	56.0	5.0	0.39						
and		72.0	73.0	1.0	0.25						
and		77.0	79.0	2.0	0.29						
and		84.0	90.0	6.0	0.42						

1. Intervals reported are hole lengths with true width estimated to be 75 - 85%.

2. Length-weighted averages from uncut assays.

3. All drilling completed by independent contractor.

4. All drilling samples sealed on site and delivered directly to independent lab Intertek Mineral Limited located in Tarkwa, Ghana for preparation and 50g Fire Assay with AAS finish.

5. QA/QC procedures include industry standard inclusion of standards, blanks, and duplicates in all sample batches.

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 30, 2025



Previously Released Drill Results

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC288	Boin	86.0	87.0	1.0	0.85	519558	634796	132	114	-60	201
and		93.0	98.0	5.0	0.47						
and		139.0	201.0	62.0	1.96						
including		139.0	164.0	25.0	2.31						
including		171.0	199.0	28.0	2.23						
KBRC289	Boin	0.0	3.0	3.0	0.17	519608	634766	132	114	-60	151
and		17.0	18.0	1.0	0.25						
and		66.0	77.0	11.0	0.65						
and		97.0	107.0	10.0	1.46						
KBRC290	Boin	33.0	38.0	5.0	0.40	519453	634446	130	114	-60	103
KBRC291	Boin	11.0	17.0	6.0	1.16	519374	634438	132	114	-60	140
and		49.0	50.0	1.0	0.18						
and		56.0	63.0	7.0	0.77						
and		98.0	100.0	2.0	0.27						
and		102.0	103.0	1.0	0.42						
and		118.0	119.0	1.0	1.61						
and		122.0	139.0	17.0	0.56						
KBRC292	Boin	8.0	10.0	2.0	0.30	519415	634419	133	114	-60	110
and		55.0	62.0	7.0	0.50						
KBRC293	Boin	10.0	29.0	19.0	0.46	519452	634401	133	114	-60	101
including		10.0	14.0	4.0	1.28						
including		23.0	28.0	5.0	0.56						
and		33.0	34.0	1.0	0.21						
and		43.0	47.0	4.0	0.62						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 30, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC294	Boin	107.0	113.0	6.0	3.24	519498	634729	125	114	-55	204
including		109.0	110.0	1.0	16.52						
and		120.0	121.0	1.0	0.27						
and		139.0	141.0	2.0	0.35						
and		150.0	204.0	54.0	0.94						
including		151.0	158.0	7.0	2.11						
including		170.0	181.0	11.0	2.08						
KBRC295	Boin	45.0	47.0	2.0	0.34	519533	634699	127	114	-60	157
and		54.0	56.0	2.0	0.31						
and		83.0	91.0	8.0	0.19						
and		113.0	115.0	2.0	0.30						
and		127.0	128.0	1.0	0.97						
and		130.0	154.0	24.0	1.25						
KBRC296	Boin	31.0	56.0	25.0	1.44	519553	634666	125	114	-60	103
and		67.0	74.0	7.0	2.26						
and		90.0	93.0	3.0	0.37						
KBRC297	Boin	0.0	7.0	7.0	0.95	519581	634684	127	114	-60	100
and		12.0	26.0	14.0	0.45						
and		33.0	34.0	1.0	0.22						
and		64.0	68.0	4.0	0.57						
KBRC298	Boin	55.0	67.0	12.0	0.43	519301	634381	130	114	-55	220
and		76.0	78.0	2.0	0.24						
and		154.0	155.0	1.0	0.24						
and		159.0	220.0	61.0	0.53						
and		173.0	185.0	12.0	1.07						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 30, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC299	Boin	1.0	3.0	2.0	0.21	519399	634338	136	114	-60	60
and		16.0	24.0	8.0	0.48						
and		32.0	34.0	2.0	0.89						
KBRC300	Boin	38.0	41.0	3.0	0.85	519344	634361	135	114	-60	140
and		51.0	52.0	1.0	0.20						
and		62.0	68.0	6.0	2.34						
and		72.0	74.0	2.0	0.79						
and		98.0	102.0	4.0	0.69						
and		126.0	128.0	2.0	0.27						
KBRC301	Boin	59.0	60.0	1.0	204.27	519281	634351	132	114	-60	193
and		60.0	62.0	2.0	1.46						
and		64.0	66.0	2.0	0.22						
and		79.0	85.0	6.0	0.22						
and		98.0	99.0	1.0	0.33						
and		133.0	134.0	1.0	0.51						
and		161.0	163.0	2.0	1.77						
and	181.0	183.0	2.0	0.19							
KBRC302	Boin	0.0	1.0	1.0	0.22	519261	634273	138	114	-60	220
and		39.0	42.0	3.0	0.78						
and		111.0	112.0	1.0	0.51						
and		116.0	125.0	9.0	0.43						
and		130.0	131.0	1.0	0.40						
and		139.0	150.0	11.0	0.40						
and		185.0	186.0	1.0	0.40						
and		199.0	201.0	2.0	0.68						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 30, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC303A	Boin	52.0	54.0	2.0	0.67	519293	634294	130	114	-60	200
and		68.0	70.0	2.0	0.44						
and		80.0	82.0	2.0	0.21						
and		114.0	145.0	31.0	0.94						
and		160.0	181.0	21.0	0.46						
and		187.0	189.0	2.0	0.20						
and		196.0	197.0	1.0	0.29						
KBRC304	Boin	20.0	24.0	4.0	0.71	519090	634045	134	114	-50	81
and		35.0	36.0	1.0	0.35						
and		41.0	59.0	18.0	0.73						
KBRC305	Boin	68.0	70.0	2.0	0.21	519248	634321	135	114	-55	252
and		105.0	115.0	10.0	0.61						
and		121.0	123.0	2.0	0.43						
and		151.0	199.0	48.0	1.01						
including		173.0	187.0	14.0	1.86						
and		212.0	229.0	17.0	0.86						
KBRC306	Boin	190.0	204.0	14.0	0.82	519192	634299	147	114	-55	250
and		236.0	237.0	1.0	0.32						
and		242.0	247.0	5.0	1.64						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 30, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC307A	Boin	17.0	25.0	8.0	0.74	519252	634200	139	114	-60	190
and		35.0	36.0	1.0	0.61						
and		57.0	66.0	9.0	0.27						
and		120.0	148.0	28.0	3.36						
including		132.0	143.0	11.0	7.76						
and incl.		133.0	135.0	2.0	37.58						
and		156.0	190.0	34.0	0.33						
KBRC308	Boin	132.0	153.0	21.0	1.04	519205	634212	135	114	-60	222
including		139.0	141.0	2.0	2.66						
and		164.0	202.0	38.0	0.50						
including		197.0	201.0	4.0	2.03						
and		207.0	209.0	2.0	0.49						
and		214.0	217.0	3.0	0.51						
KBRC309A	Boin	63.0	65.0	2.0	0.50	519178	634148	119	114	-60	220
and		110.0	119.0	9.0	0.32						
and		126.0	152.0	26.0	0.59						
and		171.0	179.0	8.0	0.29						
and		183.0	185.0	2.0	0.31						
KBRC310	Boin	16.0	17.0	1.0	0.59	519161	634010	126	114	-60	200
and		39.0	40.0	1.0	0.34						
and		97.0	99.0	2.0	0.47						
and		101.0	104.0	3.0	0.41						
and		108.0	110.0	2.0	0.27						
and		116.0	118.0	2.0	0.30						
and		191.0	193.0	2.0	0.39						
KBRC311	Boin	143.0	146.0	3.0	0.19	519171	634107	127	114	-60	200
and		159.0	161.0	2.0	1.25						
KBRC312	Boin	86.0	87.0	1.0	0.28	519119	633968	133	114	-50	210
and		93.0	109.0	16.0	1.04						
and		115.0	117.0	2.0	0.30						
and		130.0	210.0	80.0	0.54						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 30, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC313	Boin	127.0	208.0	81.0	1.06	518956	633618	154	0	-90	240
including		132.0	149.0	17.0	2.50						
including		184.0	191.0	7.0	2.15						
and		215.0	217.0	2.0	0.22						
and		229.0	237.0	8.0	0.29						
KBRC314	Boin	141.0	143.0	2.0	0.50	518935	633580	156	0	-90	230
and		151.0	154.0	3.0	0.99						
and		161.0	223.0	62.0	0.86						
including		210.0	219.0	9.0	2.24						
KBRC315	Boin	139.0	190.0	51.0	0.58	518914	633556	154	0	-90	240
including		144.0	148.0	4.0	1.71						
and		203.0	240.0	37.0	1.32						
KBRC316	Boin	100.0	196.0	96.0	0.97	518900	633506	133	0	-90	220
including		163.0	173.0	10.0	2.05						
and		200.0	202.0	2.0	0.52						
and		217.0	219.0	2.0	0.35						
KBRC317	Boin	88.0	89.0	1.0	0.30	518874	633478	133	0	-90	200
and		109.0	182.0	73.0	0.70						
and		192.0	199.0	7.0	1.52						
KBRC318	Boin	65.0	72.0	7.0	1.17	518804	633406	137	114	-50	100

1. Intervals reported are hole lengths with true width estimated to be 65 - 85%.

2. Length-weighted averages from uncut assays.

3. All drilling completed by independent contractor.

4. All drilling samples sealed on site and delivered directly to independent lab Intertek Mineral Limited located in Tarkwa, Ghana for preparation and 50g Fire Assay with AAS finish.

5. QA/QC procedures include industry standard inclusion of standards, blanks, and duplicates in all sample batches.