

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated April 22, 2025



## Drill Results Released April 22, 2025

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>NBRC108</b>	Nyam	16.0	17.0	1.0	0.28	530218	637234	98	300	-60	108
and		33.0	34.0	1.0	0.91						
and		<b>45.0</b>	<b>60.0</b>	<b>15.0</b>	<b>2.50</b>						
and		75.0	77.0	2.0	0.96						
and		105.0	108.0	3.0	0.42						
<b>NBRC109</b>	Nyam	7.0	8.0	1.0	0.78	530243	637218	99	300	-60	138
and		63.0	77.0	14.0	0.37						
and		88.0	97.0	9.0	0.93						
and		111.0	114.0	3.0	0.97						
and		133.0	137.0	4.0	0.43						
<b>NBRC110</b>	Nyam	36.0	37.0	1.0	0.21	530293	637299	100	300	-60	147
and		52.0	53.0	1.0	0.49						
and		97.0	98.0	1.0	0.33						
and		<b>104.0</b>	<b>114.0</b>	<b>10.0</b>	<b>3.00</b>						
and		126.0	144.0	18.0	0.50						
<b>NBRC111</b>	Nyam	9.0	23.0	14.0	0.51	530260	637325	97	300	-60	84
and		28.0	31.0	3.0	0.30						
and		36.0	38.0	2.0	0.55						
and		45.0	48.0	3.0	0.40						
and		53.0	76.0	23.0	0.27						
<b>NBRC112</b>	Nyam	48.0	54.0	6.0	0.76	530610	637824	104	300	-60	80
and		62.0	67.0	5.0	0.46						
<b>NBRC113</b>	Nyam	86.0	89.0	3.0	0.29	530604	637746	116	300	-60	108
and		100.0	101.0	1.0	0.34						
and		105.0	106.0	1.0	0.63						
<b>NBRC114</b>	Nyam	<b>78.0</b>	<b>90.0</b>	<b>12.0</b>	<b>1.68</b>	530615	637788	110	300	-60	96

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated April 22, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>NBRC115</b>	Nyam	48.0	49.0	1.0	0.31	530792	638222	103	300	-60	108
and		57.0	69.0	12.0	0.49						
and		84.0	86.0	2.0	0.31						
and		97.0	104.0	7.0	0.43						
<b>NBRC116</b>	Nyam	41.0	48.0	7.0	1.00	530768	638196	107	300	-60	120
and		56.0	57.0	1.0	0.48						
and		61.0	66.0	5.0	0.44						
and		86.0	108.0	22.0	0.46						
and		117.0	119.0	2.0	0.41						
<b>NBRC117</b>	Nyam	6.0	7.0	1.0	0.65	530816	638271	99	300	-60	102
and		38.0	42.0	4.0	0.66						
and		47.0	78.0	31.0	0.51						
and		95.0	96.0	1.0	0.23						
<b>NBRC118</b>	Nyam	53.0	72.0	19.0	0.64	530837	638302	99	300	-55	120
and		80.0	85.0	5.0	1.12						
and		90.0	92.0	2.0	0.60						
<b>NBRC119</b>	Nyam	<b>2.0</b>	<b>8.0</b>	<b>6.0</b>	<b>0.96</b>	530170	637212	96	300	-60	60
and		12.0	19.0	7.0	0.32						
and		<b>45.0</b>	<b>53.0</b>	<b>8.0</b>	<b>2.36</b>						
<b>NBRC120</b>	Nyam	57.0	58.0	1.0	0.21	530209	637190	95	300	-60	144
and		71.0	72.0	1.0	2.00						
and		97.0	101.0	4.0	1.90						
and		113.0	120.0	7.0	0.87						
and		127.0	129.0	2.0	0.57						
<b>KJRC025</b>	Kojina Hill	12.0	14.0	2.0	0.40	529138	637394	98	120	-55	100
and		24.0	26.0	2.0	0.20						
and		31.0	32.0	1.0	3.53						
and		44.0	45.0	1.0	0.34						
and		51.0	53.0	2.0	0.26						
and		79.0	80.0	1.0	0.29						
and		96.0	97.0	1.0	0.22						

## Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated April 22, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KJRC026</b>	Kojina Hill	25.0	26.0	1.0	0.32	528814	637355	105	120	-55	130
and		60.0	62.0	2.0	0.33						
and		<b>69.0</b>	<b>106.0</b>	<b>37.0</b>	<b>0.67</b>						
including		<b>70.0</b>	<b>90.0</b>	<b>20.0</b>	<b>1.05</b>						
<b>KJRC027</b>	Kojina Hill	87.0	89.0	2.0	0.25	528806	637083	186	120	-55	180
<b>KJRC028</b>	Kojina Hill	15.0	17.0	2.0	0.23	528833	636835	173	120	-55	150
and		44.0	46.0	2.0	0.46						
and		72.0	77.0	5.0	0.34						
<b>KJRC029</b>	Kojina Hill	12.0	14.0	2.0	0.53	528579	636781	118	120	-55	132
and		75.0	76.0	1.0	0.30						
<b>KJRC030</b>	Kojina Hill	1.0	8.0	7.0	0.45	528475	636835	126	120	-55	108
and		15.0	26.0	11.0	0.29						
and		45.0	49.0	4.0	0.57						
and		57.0	59.0	2.0	0.44						
and		82.0	83.0	1.0	1.04						
<b>KJRC031</b>	Kojina Hill	0.0	1.0	1.0	0.20	528423	636863	117	120	-55	144
and		<b>5.0</b>	<b>7.0</b>	<b>2.0</b>	<b>6.80</b>						
and		9.0	10.0	1.0	0.29						
and		14.0	16.0	2.0	0.22						
and		32.0	33.0	1.0	0.27						
and		50.0	58.0	8.0	0.69						
and		64.0	68.0	4.0	0.41						
and		102.0	103.0	1.0	0.22						
and		115.0	136.0	21.0	0.49						

1. Intervals reported are hole lengths with true width estimated to be 75 - 85%.

2. Length-weighted averages from uncut assays.

3. All drilling completed by independent contractor.

4. All drilling samples sealed on site and delivered directly to independent lab Intertek Mineral Limited located in Tarkwa, Ghana for preparation and 50g Fire Assay with AAS finish.

5. QA/QC procedures include industry standard inclusion of standards, blanks, and duplicates in all sample batches.

## Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated April 22, 2025



### Previously Released Drill Results

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC288</b>	Boin	86.0	87.0	1.0	0.85	519558	634796	132	114	-60	201
and		93.0	98.0	5.0	0.47						
and		<b>139.0</b>	<b>201.0</b>	<b>62.0</b>	<b>1.96</b>						
including		<b>139.0</b>	<b>164.0</b>	<b>25.0</b>	<b>2.31</b>						
including		<b>171.0</b>	<b>199.0</b>	<b>28.0</b>	<b>2.23</b>						
<b>KBRC289</b>	Boin	0.0	3.0	3.0	0.17	519608	634766	132	114	-60	151
and		17.0	18.0	1.0	0.25						
and		<b>66.0</b>	<b>77.0</b>	<b>11.0</b>	<b>0.65</b>						
and		<b>97.0</b>	<b>107.0</b>	<b>10.0</b>	<b>1.46</b>						
<b>KBRC290</b>	Boin	33.0	38.0	5.0	0.40	519453	634446	130	114	-60	103
<b>KBRC291</b>	Boin	<b>11.0</b>	<b>17.0</b>	<b>6.0</b>	<b>1.16</b>	519374	634438	132	114	-60	140
and		49.0	50.0	1.0	0.18						
and		<b>56.0</b>	<b>63.0</b>	<b>7.0</b>	<b>0.77</b>						
and		98.0	100.0	2.0	0.27						
and		102.0	103.0	1.0	0.42						
and		118.0	119.0	1.0	1.61						
and		122.0	139.0	17.0	0.56						
<b>KBRC292</b>	Boin	8.0	10.0	2.0	0.30	519415	634419	133	114	-60	110
and		55.0	62.0	7.0	0.50						
<b>KBRC293</b>	Boin	10.0	29.0	19.0	0.46	519452	634401	133	114	-60	101
including		<b>10.0</b>	<b>14.0</b>	<b>4.0</b>	<b>1.28</b>						
including		23.0	28.0	5.0	0.56						
and		33.0	34.0	1.0	0.21						
and		<b>43.0</b>	<b>47.0</b>	<b>4.0</b>	<b>0.62</b>						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated April 22, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC294</b>	Boin	<b>107.0</b>	<b>113.0</b>	<b>6.0</b>	<b>3.24</b>	519498	634729	125	114	-55	204
including		<b>109.0</b>	<b>110.0</b>	<b>1.0</b>	<b>16.52</b>						
and		120.0	121.0	1.0	0.27						
and		139.0	141.0	2.0	0.35						
and		<b>150.0</b>	<b>204.0</b>	<b>54.0</b>	<b>0.94</b>						
including		<b>151.0</b>	<b>158.0</b>	<b>7.0</b>	<b>2.11</b>						
including		<b>170.0</b>	<b>181.0</b>	<b>11.0</b>	<b>2.08</b>						
<b>KBRC295</b>	Boin	45.0	47.0	2.0	0.34	519533	634699	127	114	-60	157
and		54.0	56.0	2.0	0.31						
and		83.0	91.0	8.0	0.19						
and		113.0	115.0	2.0	0.30						
and		127.0	128.0	1.0	0.97						
and		<b>130.0</b>	<b>154.0</b>	<b>24.0</b>	<b>1.25</b>						
<b>KBRC296</b>	Boin	<b>31.0</b>	<b>56.0</b>	<b>25.0</b>	<b>1.44</b>	519553	634666	125	114	-60	103
and		<b>67.0</b>	<b>74.0</b>	<b>7.0</b>	<b>2.26</b>						
and		90.0	93.0	3.0	0.37						
<b>KBRC297</b>	Boin	0.0	7.0	7.0	0.95	519581	634684	127	114	-60	100
and		12.0	26.0	14.0	0.45						
and		33.0	34.0	1.0	0.22						
and		64.0	68.0	4.0	0.57						
<b>KBRC298</b>	Boin	55.0	67.0	12.0	0.43	519301	634381	130	114	-55	220
and		76.0	78.0	2.0	0.24						
and		154.0	155.0	1.0	0.24						
and		<b>159.0</b>	<b>220.0</b>	<b>61.0</b>	<b>0.53</b>						
and		<b>173.0</b>	<b>185.0</b>	<b>12.0</b>	<b>1.07</b>						
<b>KBRC299</b>	Boin	1.0	3.0	2.0	0.21	519399	634338	136	114	-60	60
and		16.0	24.0	8.0	0.48						
and		32.0	34.0	2.0	0.89						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated April 22, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC300</b>	Boin	38.0	41.0	3.0	0.85	519344	634361	135	114	-60	140
and		51.0	52.0	1.0	0.20						
and		<b>62.0</b>	<b>68.0</b>	<b>6.0</b>	<b>2.34</b>						
and		72.0	74.0	2.0	0.79						
and		98.0	102.0	4.0	0.69						
and		126.0	128.0	2.0	0.27						
<b>KBRC301</b>	Boin	<b>59.0</b>	<b>60.0</b>	<b>1.0</b>	<b>204.27</b>	519281	634351	132	114	-60	193
and		<b>60.0</b>	<b>62.0</b>	<b>2.0</b>	<b>1.46</b>						
and		64.0	66.0	2.0	0.22						
and		79.0	85.0	6.0	0.22						
and		98.0	99.0	1.0	0.33						
and		133.0	134.0	1.0	0.51						
and		161.0	163.0	2.0	1.77						
and	181.0	183.0	2.0	0.19							
<b>KBRC302</b>	Boin	0.0	1.0	1.0	0.22	519261	634273	138	114	-60	220
and		39.0	42.0	3.0	0.78						
and		111.0	112.0	1.0	0.51						
and		116.0	125.0	9.0	0.43						
and		130.0	131.0	1.0	0.40						
and		139.0	150.0	11.0	0.40						
and		185.0	186.0	1.0	0.40						
and		199.0	201.0	2.0	0.68						
<b>KBRC303A</b>	Boin	52.0	54.0	2.0	0.67	519293	634294	130	114	-60	200
and		68.0	70.0	2.0	0.44						
and		80.0	82.0	2.0	0.21						
and		<b>114.0</b>	<b>145.0</b>	<b>31.0</b>	<b>0.94</b>						
and		160.0	181.0	21.0	0.46						
and		187.0	189.0	2.0	0.20						
and		196.0	197.0	1.0	0.29						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated April 22, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC304</b>	Boin	20.0	24.0	4.0	0.71	519090	634045	134	114	-50	81
and		35.0	36.0	1.0	0.35						
and		<b>41.0</b>	<b>59.0</b>	<b>18.0</b>	<b>0.73</b>						
<b>KBRC305</b>	Boin	68.0	70.0	2.0	0.21	519248	634321	135	114	-55	252
and		105.0	115.0	10.0	0.61						
and		121.0	123.0	2.0	0.43						
and		<b>151.0</b>	<b>199.0</b>	<b>48.0</b>	<b>1.01</b>						
including		<b>173.0</b>	<b>187.0</b>	<b>14.0</b>	<b>1.86</b>						
and	<b>212.0</b>	<b>229.0</b>	<b>17.0</b>	<b>0.86</b>							
<b>KBRC306</b>	Boin	190.0	204.0	14.0	0.82	519192	634299	147	114	-55	250
and		236.0	237.0	1.0	0.32						
and		242.0	247.0	5.0	1.64						
<b>KBRC307A</b>	Boin	17.0	25.0	8.0	0.74	519252	634200	139	114	-60	190
and		35.0	36.0	1.0	0.61						
and		57.0	66.0	9.0	0.27						
and		<b>120.0</b>	<b>148.0</b>	<b>28.0</b>	<b>3.36</b>						
including		<b>132.0</b>	<b>143.0</b>	<b>11.0</b>	<b>7.76</b>						
and incl.		<b>133.0</b>	<b>135.0</b>	<b>2.0</b>	<b>37.58</b>						
and	156.0	190.0	34.0	0.33							
<b>KBRC308</b>	Boin	<b>132.0</b>	<b>153.0</b>	<b>21.0</b>	<b>1.04</b>	519205	634212	135	114	-60	222
including		139.0	141.0	2.0	2.66						
and		<b>164.0</b>	<b>202.0</b>	<b>38.0</b>	<b>0.50</b>						
including		197.0	201.0	4.0	2.03						
and		207.0	209.0	2.0	0.49						
and	214.0	217.0	3.0	0.51							
<b>KBRC309A</b>	Boin	63.0	65.0	2.0	0.50	519178	634148	119	114	-60	220
and		110.0	119.0	9.0	0.32						
and		126.0	152.0	26.0	0.59						
and		171.0	179.0	8.0	0.29						
and		183.0	185.0	2.0	0.31						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated April 22, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC310</b>	Boin	16.0	17.0	1.0	0.59	519161	634010	126	114	-60	200
and		39.0	40.0	1.0	0.34						
and		97.0	99.0	2.0	0.47						
and		101.0	104.0	3.0	0.41						
and		108.0	110.0	2.0	0.27						
and		116.0	118.0	2.0	0.30						
and		191.0	193.0	2.0	0.39						
<b>KBRC311</b>	Boin	143.0	146.0	3.0	0.19	519171	634107	127	114	-60	200
and		159.0	161.0	2.0	1.25						
<b>KBRC312</b>	Boin	86.0	87.0	1.0	0.28	519119	633968	133	114	-50	210
and		93.0	109.0	16.0	1.04						
and		115.0	117.0	2.0	0.30						
and		<b>130.0</b>	<b>210.0</b>	<b>80.0</b>	<b>0.54</b>						
<b>KBRC313</b>	Boin	<b>127.0</b>	<b>208.0</b>	<b>81.0</b>	<b>1.06</b>	518956	633618	154	0	-90	240
including		<b>132.0</b>	<b>149.0</b>	<b>17.0</b>	<b>2.50</b>						
including		<b>184.0</b>	<b>191.0</b>	<b>7.0</b>	<b>2.15</b>						
and		215.0	217.0	2.0	0.22						
and		229.0	237.0	8.0	0.29						
<b>KBRC314</b>	Boin	141.0	143.0	2.0	0.50	518935	633580	156	0	-90	230
and		151.0	154.0	3.0	0.99						
and		<b>161.0</b>	<b>223.0</b>	<b>62.0</b>	<b>0.86</b>						
including		<b>210.0</b>	<b>219.0</b>	<b>9.0</b>	<b>2.24</b>						
<b>KBRC315</b>	Boin	<b>139.0</b>	<b>190.0</b>	<b>51.0</b>	<b>0.58</b>	518914	633556	154	0	-90	240
including		144.0	148.0	4.0	1.71						
and		<b>203.0</b>	<b>240.0</b>	<b>37.0</b>	<b>1.32</b>						
<b>KBRC316</b>	Boin	<b>100.0</b>	<b>196.0</b>	<b>96.0</b>	<b>0.97</b>	518900	633506	133	0	-90	220
including		<b>163.0</b>	<b>173.0</b>	<b>10.0</b>	<b>2.05</b>						
and		200.0	202.0	2.0	0.52						
and		217.0	219.0	2.0	0.35						



# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated April 22, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC317</b>	Boin	88.0	89.0	1.0	0.30	518874	633478	133	0	-90	200
and		<b>109.0</b>	<b>182.0</b>	<b>73.0</b>	<b>0.70</b>						
and		192.0	199.0	7.0	1.52						
<b>KBRC318</b>	Boin	65.0	72.0	7.0	1.17	518804	633406	137	114	-50	100
<b>KBRC319</b>	Boin	<b>33.0</b>	<b>52.0</b>	<b>19.0</b>	<b>0.94</b>	519535	634589	122	114	-60	78
<b>KBRC320</b>	Boin	57.0	58.0	1.0	0.20	519496	634605	122	114	-60	150
and		<b>85.0</b>	<b>98.0</b>	<b>13.0</b>	<b>0.67</b>						
and		<b>108.0</b>	<b>146.0</b>	<b>38.0</b>	<b>0.70</b>						
<b>KBRC321</b>	Boin	4.0	17.0	13.0	0.86	518801	633303	132	114	-50	60
and		28.0	29.0	1.0	0.37						
<b>KBRC322</b>	Boin	19.0	20.0	1.0	0.24	518741	633324	140	114	-50	166
and		23.0	36.0	13.0	0.86						
and		60.0	62.0	2.0	0.38						
<b>KBRC323</b>	Boin	0.0	5.0	5.0	0.23	519502	634511	135	114	-60	90
and		14.0	21.0	7.0	0.57						
and		35.0	37.0	2.0	0.33						
<b>KBRC324</b>	Boin	18.0	20.0	2.0	0.25	519475	634523	133	114	-60	120
and		47.0	49.0	2.0	0.76						
and		<b>64.0</b>	<b>120.0</b>	<b>56.0</b>	<b>0.50</b>						
<b>KBRC325</b>	Boin	<b>37.0</b>	<b>45.0</b>	<b>8.0</b>	<b>0.84</b>	519657	634877	120	114	-60	180
and		<b>60.0</b>	<b>79.0</b>	<b>19.0</b>	<b>0.54</b>						
and		83.0	84.0	1.0	0.20						
and		101.0	103.0	2.0	0.23						
and		113.0	117.0	4.0	0.67						
and		<b>132.0</b>	<b>180.0</b>	<b>48.0</b>	<b>0.43</b>						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated April 22, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC326</b>	Boin	6.0	15.0	9.0	0.64	519708	634856	120	114	-60	144
and		21.0	25.0	4.0	0.38						
and		29.0	30.0	1.0	0.58						
and		<b>35.0</b>	<b>51.0</b>	<b>16.0</b>	<b>1.03</b>						
and		69.0	70.0	1.0	0.26						
and		72.0	74.0	2.0	0.22						
and		90.0	91.0	1.0	0.29						
and		95.0	96.0	1.0	0.31						
and		112.0	113.0	1.0	0.22						
and		125.0	126.0	1.0	0.30						
and		136.0	144.0	8.0	0.33						
<b>KBRC327</b>	Boin	76.0	77.0	1.0	0.46						
and		81.0	89.0	8.0	0.79						
and		96.0	100.0	4.0	0.59						
and		110.0	119.0	9.0	0.26						
<b>KBRC328</b>	Boin	<b>9.0</b>	<b>72.0</b>	<b>63.0</b>	<b>1.28</b>	519773	634942	110	114	-60	96
and		<b>78.0</b>	<b>96.0</b>	<b>18.0</b>	<b>0.76</b>						
<b>KBRC329</b>	Boin		No significant results			519786	635002	105	114	-60	60
<b>KBRC330</b>	Boin	46.0	47.0	1.0	0.29	519815	635023	107	114	-60	64
<b>KBRC331</b>	Boin		No significant results			520017	635043	120	114	-60	60
<b>KBRC332</b>	Boin	41.0	46.0	5.0	0.41	519948	635072	120	114	-60	72
and		54.0	58.0	4.0	0.64						
<b>KBRC333</b>	Boin	45.0	46.0	1.0	0.22	520064	635075	125	114	-60	90
and		71.0	72.0	1.0	0.23						
and		80.0	82.0	2.0	0.21						
<b>KBRC334</b>	Boin	32.0	34.0	2.0	0.25	520092	635118	127	114	-60	66
<b>KBRC335</b>	Boin	<b>6.0</b>	<b>29.0</b>	<b>23.0</b>	<b>2.18</b>	520035	635135	127	114	-60	66
including		<b>16.0</b>	<b>24.0</b>	<b>8.0</b>	<b>5.58</b>						
<b>KBRC336</b>	Boin	30.0	35.0	5.0	0.80	518507	632990	123	114	-50	70
<b>KBRC337</b>	Boin	12.0	13.0	1.0	0.21	518467	633006	130	114	-50	126
and		<b>79.0</b>	<b>126.0</b>	<b>47.0</b>	<b>1.06</b>						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated April 22, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC338</b>	Boin	11.0	18.0	7.0	0.56	518449	632888	124	114	-60	72
and		28.0	40.0	12.0	0.43						
<b>KBRC339</b>	Boin	59.0	60.0	1.0	0.27	518421	632912	123	114	-60	120
and		82.0	84.0	2.0	1.31						
and		<b>90.0</b>	<b>106.0</b>	<b>16.0</b>	<b>1.06</b>						
and		112.0	114.0	2.0	0.37						
<b>KBRC340</b>	Boin	14.0	34.0	20.0	0.61	518396	632821	125	114	-60	50
<b>KBRC341</b>	Boin	<b>51.0</b>	<b>120.0</b>	<b>69.0</b>	<b>0.64</b>	518366	632833	125	114	-60	120
<b>SWRC171</b>	Sewum	1.0	4.0	3.0	0.21	521265	628718	225	120	-50	78
and		8.0	11.0	3.0	0.19						
and		56.0	74.0	18.0	0.60						
<b>SWRC172</b>	Sewum	<b>1.0</b>	<b>27.0</b>	<b>26.0</b>	<b>0.61</b>	521293	628770	225	120	-50	70
including		<b>12.0</b>	<b>21.0</b>	<b>9.0</b>	<b>1.09</b>						
and		30.0	31.0	1.0	0.29						
and		53.0	57.0	4.0	0.33						
<b>SWRC173</b>	Sewum	25.0	33.0	8.0	0.49	521320	628836	233	120	-60	60
and		44.0	45.0	1.0	0.22						
and		52.0	53.0	1.0	0.36						
<b>SWRC174</b>	Sewum	2.0	6.0	4.0	0.25	521304	628813	232	120	-60	60
and		24.0	30.0	6.0	0.23						
<b>SWRC175</b>	Sewum	1.0	8.0	7.0	0.50	521491	628830	228	120	-60	60
and		23.0	29.0	6.0	0.25						
and		35.0	47.0	12.0	0.45						
<b>SWRC176</b>	Sewum	12.0	57.0	45.0	0.30	521475	628780	220	120	-60	72
including		12.0	21.0	9.0	0.51						
including		48.0	55.0	7.0	0.49						
and		62.0	64.0	2.0	0.89						
<b>SWRC177</b>	Sewum	12.0	13.0	1.0	0.18	521446	628754	221	120	-60	72

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated April 22, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC178</b>	Sewum	0.0	9.0	9.0	0.78	521482	628875	235	120	-50	80
and		13.0	16.0	3.0	0.57						
and		20.0	24.0	4.0	0.53						
and		35.0	41.0	6.0	0.34						
<b>SWRC179</b>	Sewum	2.0	12.0	10.0	0.32	521450	628801	227	120	-60	84
and		36.0	51.0	15.0	0.46						
and		64.0	83.0	19.0	0.35						
<b>SWRC180</b>	Sewum	<b>0.0</b>	<b>26.0</b>	<b>26.0</b>	<b>0.66</b>	521321	628958	235	120	-50	80
including		<b>16.0</b>	<b>23.0</b>	<b>7.0</b>	<b>1.46</b>						
and		35.0	41.0	6.0	0.19						
<b>SWRC181</b>	Sewum	1.0	9.0	8.0	0.24	521341	629045	240	120	-50	60
and		56.0	57.0	1.0	0.21						
<b>SWRC182</b>	Sewum	7.0	8.0	1.0	0.21	521411	629166	235	120	-50	80
and		13.0	14.0	1.0	0.30						
and		<b>52.0</b>	<b>62.0</b>	<b>10.0</b>	<b>2.45</b>						
including		<b>52.0</b>	<b>55.0</b>	<b>3.0</b>	<b>7.44</b>						
and		66.0	68.0	2.0	0.35						
<b>SWRC183</b>	Sewum	0.0	2.0	2.0	0.17	521719	629772	234	120	-60	102
and		26.0	27.0	1.0	0.29						
and		30.0	32.0	2.0	0.21						
and		42.0	43.0	1.0	0.22						
and		74.0	77.0	3.0	0.24						
and		91.0	92.0	1.0	0.37						
and		98.0	100.0	2.0	0.31						
<b>SWRC184</b>	Sewum	12.0	14.0	2.0	0.20	521764	629828	233	120	-60	105
and		74.0	80.0	6.0	0.37						
<b>SWRC185</b>	Sewum	45.0	47.0	2.0	0.74	521730	629842	234	120	-60	144
and		59.0	62.0	3.0	0.19						
and		96.0	97.0	1.0	0.20						
and		100.0	108.0	8.0	0.32						
and		134.0	136.0	2.0	0.69						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated April 22, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC186</b>	Sewum	2.0	5.0	3.0	0.26	521392	629219	235	120	-60	80
<b>SWRC187</b>	Sewum	2.0	4.0	2.0	0.19	521365	629237	230	120	-60	80
<b>SWRC188</b>	Sewum	29.0	31.0	2.0	0.27	521365	629197	220	120	-50	80
and		70.0	71.0	1.0	0.22						
<b>SWRC189</b>	Sewum	47.0	50.0	3.0	0.65	521749	629765	222	120	-60	72
and		54.0	57.0	3.0	0.22						
<b>SWRC190</b>	Sewum	28.0	29.0	1.0	0.30	521804	629833	216	120	-50	72
and		33.0	35.0	2.0	0.66						
and		50.0	51.0	1.0	0.25						
<b>SWRC191</b>	Sewum	42.0	44.0	2.0	0.26	521791	629797	220	120	-60	60
<b>SWRC192</b>	Sewum	10.0	14.0	4.0	0.31	521772	629848	225	120	-50	120
and		59.0	60.0	1.0	0.28						
and		64.0	67.0	3.0	0.44						
and		78.0	80.0	2.0	0.20						
<b>SWRC193</b>	Sewum	2.0	17.0	15.0	0.33	521435	628727	218	120	-60	90
and		25.0	27.0	2.0	0.29						
and		47.0	48.0	1.0	0.33						
<b>SWRC194</b>	Sewum	<b>1.0</b>	<b>63.0</b>	<b>62.0</b>	<b>1.85</b>	521352	627847	158	120	-50	167
including		<b>13.0</b>	<b>23.0</b>	<b>10.0</b>	<b>8.36</b>						
and		74.0	79.0	5.0	0.23						
and		<b>99.0</b>	<b>167.0</b>	<b>68.0</b>	<b>0.75</b>						
including		<b>102.0</b>	<b>116.0</b>	<b>14.0</b>	<b>1.15</b>						
<b>SWRC195</b>	Sewum	<b>0.0</b>	<b>9.0</b>	<b>9.0</b>	<b>0.77</b>	521289	627794	172	120	-50	66
and		<b>20.0</b>	<b>58.0</b>	<b>38.0</b>	<b>0.80</b>						
<b>SWRC196</b>	Sewum	21.0	23.0	2.0	0.64	520826	626252	156	120	-55	96
and		63.0	66.0	3.0	2.31						
and		78.0	82.0	4.0	0.24						
and		90.0	91.0	1.0	0.20						
<b>SWRC197</b>	Sewum		No significant results			520771	626290	147	120	-55	108
<b>SWRC198</b>	Sewum	25.0	26.0	1.0	0.37	520670	626267	155	120	-55	90

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated April 22, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC199</b>	Sewum	53.0	57.0	4.0	0.56	520759	626222	160	120	-55	120
and		72.0	76.0	4.0	1.24						
and		97.0	98.0	1.0	0.22						
and		102.0	104.0	2.0	0.30						
and		108.0	111.0	3.0	0.21						
and		115.0	116.0	1.0	0.25						
<b>SWRC200</b>	Sewum	20.0	34.0	14.0	0.81	520741	626162	161	120	-55	126
and		81.0	83.0	2.0	0.23						
and		91.0	92.0	1.0	0.27						
and		107.0	108.0	1.0	1.87						
and		118.0	121.0	3.0	1.58						
<b>SWRC201</b>	Sewum	20.0	24.0	4.0	0.56	520704	626103	158	120	-55	102
and		45.0	48.0	3.0	0.38						
and		<b>72.0</b>	<b>99.0</b>	<b>27.0</b>	<b>1.07</b>						
including		<b>73.0</b>	<b>81.0</b>	<b>8.0</b>	<b>2.82</b>						
<b>SWRC202</b>	Sewum	<b>0.0</b>	<b>5.0</b>	<b>5.0</b>	<b>1.65</b>	520648	626033	131	120	-55	78
and		<b>28.0</b>	<b>41.0</b>	<b>13.0</b>	<b>2.39</b>						
and		48.0	49.0	1.0	0.23						
and		60.0	76.0	16.0	0.39						
<b>SWRC203</b>	Sewum	11.0	12.0	1.0	0.20	521761	629918	222	120	-50	108
and		20.0	25.0	5.0	0.76						
and		45.0	48.0	3.0	0.32						
and		51.0	56.0	5.0	0.39						
and		72.0	73.0	1.0	0.25						
and		77.0	79.0	2.0	0.29						
and		84.0	90.0	6.0	0.42						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated April 22, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC204</b>	Sewum	18.0	19.0	1.0	0.24	521330	627665	167	120	-55	132
and		54.0	58.0	4.0	0.29						
and		62.0	64.0	2.0	0.22						
and		77.0	78.0	1.0	0.23						
and		92.0	93.0	1.0	0.41						
and		116.0	119.0	3.0	0.22						
and		126.0	128.0	2.0	0.21						
<b>SWRC205</b>	Sewum	85.0	87.0	2.0	0.24	521297	627683	173	120	-55	168
and		124.0	168.0	44.0	0.38						
including		142.0	156.0	14.0	0.81						
<b>SWRC206</b>	Sewum	1.0	5.0	4.0	0.61	521365	627644	166	120	-55	120
and		10.0	24.0	14.0	0.66						
and		70.0	72.0	2.0	0.23						
and		93.0	94.0	1.0	0.26						
and		104.0	120.0	16.0	0.51						
<b>SWRC207</b>	Sewum	64.0	66.0	2.0	0.23	521412	627878	138	120	-55	84
<b>SWRC208</b>	Sewum	0.0	17.0	17.0	0.57	521365	627824	148	120	-55	98
and		<b>22.0</b>	<b>46.0</b>	<b>24.0</b>	<b>1.39</b>						
including		<b>26.0</b>	<b>30.0</b>	<b>4.0</b>	<b>6.56</b>						
and		54.0	59.0	5.0	0.38						
and		74.0	79.0	5.0	0.37						
and		86.0	88.0	2.0	0.54						
<b>SWRC209</b>	Sewum	51.0	53.0	2.0	0.64	521412	627851	139	120	-55	62
<b>SWRC210</b>	Sewum	0.0	11.0	11.0	0.51	521254	627701	174	120	-55	204
and		26.0	27.0	1.0	0.33						
and		46.0	50.0	4.0	0.22						
and		69.0	81.0	12.0	0.21						
and		88.0	100.0	12.0	0.29						
and		149.0	153.0	4.0	0.28						
and		178.0	193.0	15.0	0.80						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated April 22, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC211</b>	Sewum	0.0	37.0	37.0	0.47	521385	627701	174	120	-55	126
and		54.0	69.0	15.0	0.38						
<b>SWRC212</b>	Sewum	<b>0.0</b>	<b>81.0</b>	<b>81.0</b>	<b>0.40</b>	521285	627757	172	120	-55	221
and		89.0	90.0	1.0	1.76						
and		111.0	120.0	9.0	0.40						
and		217.0	221.0	4.0	0.31						
<b>SWRC213</b>	Sewum	0.0	7.0	7.0	0.38	521325	627734	173	120	-55	132
and		<b>12.0</b>	<b>32.0</b>	<b>20.0</b>	<b>0.70</b>						
and		<b>62.0</b>	<b>130.0</b>	<b>68.0</b>	<b>0.73</b>						
<b>SWRC214</b>	Sewum	125.0	137.0	12.0	0.25	521262	627906	150	120	-55	177
and		146.0	156.0	10.0	0.51						
and		174.0	175.0	1.0	0.50						
<b>SWRC215</b>	Sewum	0.0	4.0	4.0	0.42	521312	627885	153	120	-55	182
and		7.0	8.0	1.0	0.20						
and		31.0	56.0	25.0	0.38						
and		61.0	62.0	1.0	0.21						
and		95.0	128.0	33.0	0.62						
and		132.0	133.0	1.0	0.54						
and		138.0	169.0	31.0	0.42						
and		174.0	176.0	2.0	2.05						
and		180.0	182.0	2.0	0.27						
<b>SWRC216</b>	Sewum	7.0	10.0	3.0	0.34	521391	627817	100	120	-55	120
and		33.0	48.0	15.0	0.72						
and		60.0	61.0	1.0	0.49						
<b>SWRC217</b>	Sewum	1.0	2.0	1.0	1.78	521376	627840	141	120	-55	120
and		<b>19.0</b>	<b>34.0</b>	<b>15.0</b>	<b>1.24</b>						
and		<b>90.0</b>	<b>120.0</b>	<b>30.0</b>	<b>1.00</b>						
<b>SWRC218</b>	Sewum	20.0	28.0	8.0	0.22	519995	625747	137	120	-55	70
<b>SWRC219</b>	Sewum	1.0	10.0	9.0	0.71	520013	625771	139	120	-55	62
and		16.0	17.0	1.0	0.26						
and		25.0	30.0	5.0	0.69						



## Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated April 22, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC220</b>	Sewum	13.0	15.0	2.0	0.48	520061	625801	140	120	-55	60
and		26.0	27.0	1.0	0.32						
<b>SWRC221</b>	Sewum	1.0	3.0	2.0	0.84	520043	625823	134	120	-55	95
and		51.0	53.0	2.0	0.19						
<b>SWRC222</b>	Sewum	<b>0.0</b>	<b>38.0</b>	<b>38.0</b>	<b>0.59</b>	520456	626210	154	120	-55	60
including		<b>4.0</b>	<b>11.0</b>	<b>7.0</b>	<b>1.94</b>						
<b>SWRC223</b>	Sewum	<b>18.0</b>	<b>67.0</b>	<b>49.0</b>	<b>0.74</b>	520431	626220	147	120	-55	100
including		<b>42.0</b>	<b>53.0</b>	<b>11.0</b>	<b>1.57</b>						
and		84.0	98.0	14.0	0.24						
<b>SWRC224</b>	Sewum	62.0	63.0	1.0	0.52	520673	626116	154	120	-55	153
and		<b>69.0</b>	<b>89.0</b>	<b>20.0</b>	<b>1.24</b>						
and		112.0	113.0	1.0	1.24						
and		138.0	139.0	1.0	0.67						
and		142.0	143.0	1.0	0.30						

1. Intervals reported are hole lengths with true width estimated to be 65 - 85%.

2. Length-weighted averages from uncut assays.

3. All drilling completed by independent contractor.

4. All drilling samples sealed on site and delivered directly to independent lab Intertek Mineral Limited located in Tarkwa, Ghana for preparation and 50g Fire Assay with AAS finish.

5. QA/QC procedures include industry standard inclusion of standards, blanks, and duplicates in all sample batches.