

## Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



### Drill Results Released April 8, 2026

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWDD107</b>	Sewum	0.0	8.3	8.3	0.48	521298	628974	186	120	-60	218.4
and		48.0	53.1	5.1	0.28						
and		60.0	68.0	8.0	0.61						
and		90.6	91.6	1.0	0.71						
and		127.0	133.0	6.0	0.40						
and		144.5	145.5	1.0	0.29						
and		<b>147.5</b>	<b>163.0</b>	<b>15.5</b>	<b>1.59</b>						
including		<b>152.9</b>	<b>159.3</b>	<b>6.4</b>	<b>3.22</b>						
and		180.0	182.0	2.0	0.22						
<b>SWDD108</b>	Sewum	0.0	8.0	8.0	0.23	521279	628978	186	120	-60	236.1
and		32.3	34.3	2.0	0.28						
and		<b>141.5</b>	<b>182.5</b>	<b>41.0</b>	<b>0.48</b>						
including		174.0	179.6	5.6	1.00						
and		<b>189.5</b>	<b>208.0</b>	<b>18.5</b>	<b>0.82</b>						
including		<b>199.5</b>	<b>204.0</b>	<b>4.5</b>	<b>2.26</b>						
<b>SWDD109</b>	Sewum	0.0	4.4	4.4	0.42	521249	628998	184	120	-60	278.2
and		16.3	18.7	2.4	0.43						
and		77.3	80.0	2.7	1.40						
and		90.3	91.5	1.2	0.34						
and		108.6	110.3	1.7	0.24						
and		129.3	130.4	1.1	0.47						
and		<b>145.95</b>	<b>157.0</b>	<b>11.05</b>	<b>0.93</b>						
including		<b>151.0</b>	<b>155.0</b>	<b>4.0</b>	<b>1.81</b>						
and		164.2	166.7	2.5	0.33						
and		172.7	176.7	4.0	0.28						
and		187.0	188.9	1.9	0.59						
and		194.0	217.8	23.8	0.33						
including		215.1	217.8	2.7	0.97						

## Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWDD110</b>	Sewum	<b>185.8</b>	<b>207.0</b>	<b>21.2</b>	<b>0.60</b>	521256	629035	186	120	-60	225.0
including		200.9	204.0	3.1	1.33						
including		186.8	189.3	2.4	1.10						
and		209.8	216.2	6.4	0.27						
<b>SWDD111</b>	Sewum	0.0	2.0	2.0	0.30	521374	629343	184	120	-55	155.6
and		32.5	34.5	2.0	0.24						
and		60.8	63.5	2.7	0.18						
and		150.6	152.6	2.0	0.35						
<b>SWDD112</b>	Sewum	<b>0.0</b>	<b>10.5</b>	<b>10.5</b>	<b>1.00</b>	521021	629065	132	120	-70	185.5
and		<b>21.5</b>	<b>62.5</b>	<b>41.0</b>	<b>0.69</b>						
including		46.5	50.5	4.0	1.41						
including		57.5	60.5	3.0	2.08						
and		88.8	96.5	7.7	0.59						
and		<b>102.4</b>	<b>127.6</b>	<b>25.2</b>	<b>0.41</b>						
including		104.3	107.0	2.7	1.39						
and		157.5	159.5	2.0	0.23						
and		175.0	180.0	5.0	0.81						
<b>SWDD113A</b>	Sewum	0.0	12.9	12.9	0.26	521073	629138	157	0	90	126.1
and		66.5	68.5	2.0	0.79						
and		<b>75.9</b>	<b>92.7</b>	<b>16.8</b>	<b>0.81</b>						
including		<b>76.6</b>	<b>81.0</b>	<b>4.4</b>	<b>2.41</b>						
and		114.0	115.0	1.0	0.51						
<b>SWDD114</b>	Sewum	173.0	180.7	7.7	0.69	521328	629299	174	120	-58	260.5

1. Intervals reported are hole lengths with true width estimated to be 75 - 85%.

2. Length-weighted averages from uncut assays.

3. All drilling completed by independent contractor.

4. All drilling samples sealed on site and delivered directly to independent lab Intertek Mineral Limited located in Tarkwa, Ghana for preparation and 50g Fire Assay with AAS finish.

5. QA/QC procedures include industry standard inclusion of standards, blanks, and duplicates in all sample batches.

## Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



### Previously Released Drill Results

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC288</b>	Boin	86.0	87.0	1.0	0.85	519558	634796	132	114	-60	201
and		93.0	98.0	5.0	0.47						
and		<b>139.0</b>	<b>201.0</b>	<b>62.0</b>	<b>1.96</b>						
including		<b>139.0</b>	<b>164.0</b>	<b>25.0</b>	<b>2.31</b>						
including		<b>171.0</b>	<b>199.0</b>	<b>28.0</b>	<b>2.23</b>						
<b>KBRC289</b>	Boin	0.0	3.0	3.0	0.17	519608	634766	132	114	-60	151
and		17.0	18.0	1.0	0.25						
and		<b>66.0</b>	<b>77.0</b>	<b>11.0</b>	<b>0.65</b>						
and		<b>97.0</b>	<b>107.0</b>	<b>10.0</b>	<b>1.46</b>						
<b>KBRC290</b>	Boin	33.0	38.0	5.0	0.40	519453	634446	130	114	-60	103
<b>KBRC291</b>	Boin	<b>11.0</b>	<b>17.0</b>	<b>6.0</b>	<b>1.16</b>	519374	634438	132	114	-60	140
and		49.0	50.0	1.0	0.18						
and		<b>56.0</b>	<b>63.0</b>	<b>7.0</b>	<b>0.77</b>						
and		98.0	100.0	2.0	0.27						
and		102.0	103.0	1.0	0.42						
and		118.0	119.0	1.0	1.61						
and		122.0	139.0	17.0	0.56						
<b>KBRC292</b>	Boin	8.0	10.0	2.0	0.30	519415	634419	133	114	-60	110
and		55.0	62.0	7.0	0.50						
<b>KBRC293</b>	Boin	10.0	29.0	19.0	0.46	519452	634401	133	114	-60	101
including		<b>10.0</b>	<b>14.0</b>	<b>4.0</b>	<b>1.28</b>						
including		23.0	28.0	5.0	0.56						
and		33.0	34.0	1.0	0.21						
and		<b>43.0</b>	<b>47.0</b>	<b>4.0</b>	<b>0.62</b>						

## Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC294</b>	Boin	<b>107.0</b>	<b>113.0</b>	<b>6.0</b>	<b>3.24</b>	519498	634729	125	114	-55	204
including		<b>109.0</b>	<b>110.0</b>	<b>1.0</b>	<b>16.52</b>						
and		120.0	121.0	1.0	0.27						
and		139.0	141.0	2.0	0.35						
and		<b>150.0</b>	<b>204.0</b>	<b>54.0</b>	<b>0.94</b>						
including		<b>151.0</b>	<b>158.0</b>	<b>7.0</b>	<b>2.11</b>						
including		<b>170.0</b>	<b>181.0</b>	<b>11.0</b>	<b>2.08</b>						
<b>KBRC295</b>	Boin	45.0	47.0	2.0	0.34	519533	634699	127	114	-60	157
and		54.0	56.0	2.0	0.31						
and		83.0	91.0	8.0	0.19						
and		113.0	115.0	2.0	0.30						
and		127.0	128.0	1.0	0.97						
and		<b>130.0</b>	<b>154.0</b>	<b>24.0</b>	<b>1.25</b>						
<b>KBRC296</b>	Boin	<b>31.0</b>	<b>56.0</b>	<b>25.0</b>	<b>1.44</b>	519553	634666	125	114	-60	103
and		<b>67.0</b>	<b>74.0</b>	<b>7.0</b>	<b>2.26</b>						
and		90.0	93.0	3.0	0.37						
<b>KBRC297</b>	Boin	0.0	7.0	7.0	0.95	519581	634684	127	114	-60	100
and		12.0	26.0	14.0	0.45						
and		33.0	34.0	1.0	0.22						
and		64.0	68.0	4.0	0.57						
<b>KBRC298</b>	Boin	55.0	67.0	12.0	0.43	519301	634381	130	114	-55	220
and		76.0	78.0	2.0	0.24						
and		154.0	155.0	1.0	0.24						
and		<b>159.0</b>	<b>220.0</b>	<b>61.0</b>	<b>0.53</b>						
including		<b>173.0</b>	<b>185.0</b>	<b>12.0</b>	<b>1.07</b>						
<b>KBRC299</b>	Boin	1.0	3.0	2.0	0.21	519399	634338	136	114	-60	60
and		16.0	24.0	8.0	0.48						
and		32.0	34.0	2.0	0.89						

## Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC300</b>	Boin	38.0	41.0	3.0	0.85	519344	634361	135	114	-60	140
and		51.0	52.0	1.0	0.20						
and		<b>62.0</b>	<b>68.0</b>	<b>6.0</b>	<b>2.34</b>						
and		72.0	74.0	2.0	0.79						
and		98.0	102.0	4.0	0.69						
and		126.0	128.0	2.0	0.27						
<b>KBRC301</b>	Boin	<b>59.0</b>	<b>60.0</b>	<b>1.0</b>	<b>204.27</b>	519281	634351	132	114	-60	193
and		<b>60.0</b>	<b>62.0</b>	<b>2.0</b>	<b>1.46</b>						
and		64.0	66.0	2.0	0.22						
and		79.0	85.0	6.0	0.22						
and		98.0	99.0	1.0	0.33						
and		133.0	134.0	1.0	0.51						
and		161.0	163.0	2.0	1.77						
and	181.0	183.0	2.0	0.19							
<b>KBRC302</b>	Boin	0.0	1.0	1.0	0.22	519261	634273	138	114	-60	220
and		39.0	42.0	3.0	0.78						
and		111.0	112.0	1.0	0.51						
and		116.0	125.0	9.0	0.43						
and		130.0	131.0	1.0	0.40						
and		139.0	150.0	11.0	0.40						
and		185.0	186.0	1.0	0.40						
and		199.0	201.0	2.0	0.68						
<b>KBRC303A</b>	Boin	52.0	54.0	2.0	0.67	519293	634294	130	114	-60	200
and		68.0	70.0	2.0	0.44						
and		80.0	82.0	2.0	0.21						
and		<b>114.0</b>	<b>145.0</b>	<b>31.0</b>	<b>0.94</b>						
and		160.0	181.0	21.0	0.46						
and		187.0	189.0	2.0	0.20						
and		196.0	197.0	1.0	0.29						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC304</b>	Boin	20.0	24.0	4.0	0.71	519090	634045	134	114	-50	81
and		35.0	36.0	1.0	0.35						
and		<b>41.0</b>	<b>59.0</b>	<b>18.0</b>	<b>0.73</b>						
<b>KBRC305</b>	Boin	68.0	70.0	2.0	0.21	519248	634321	135	114	-55	252
and		105.0	115.0	10.0	0.61						
and		121.0	123.0	2.0	0.43						
and		<b>151.0</b>	<b>199.0</b>	<b>48.0</b>	<b>1.01</b>						
including		<b>173.0</b>	<b>187.0</b>	<b>14.0</b>	<b>1.86</b>						
and	<b>212.0</b>	<b>229.0</b>	<b>17.0</b>	<b>0.86</b>							
<b>KBRC306</b>	Boin	190.0	204.0	14.0	0.82	519192	634299	147	114	-55	250
and		236.0	237.0	1.0	0.32						
and		242.0	247.0	5.0	1.64						
<b>KBRC307A</b>	Boin	17.0	25.0	8.0	0.74	519252	634200	139	114	-60	190
and		35.0	36.0	1.0	0.61						
and		57.0	66.0	9.0	0.27						
and		<b>120.0</b>	<b>148.0</b>	<b>28.0</b>	<b>3.36</b>						
including		<b>132.0</b>	<b>143.0</b>	<b>11.0</b>	<b>7.76</b>						
and incl.		<b>133.0</b>	<b>135.0</b>	<b>2.0</b>	<b>37.58</b>						
and	156.0	190.0	34.0	0.33							
<b>KBRC308</b>	Boin	<b>132.0</b>	<b>153.0</b>	<b>21.0</b>	<b>1.04</b>	519205	634212	135	114	-60	222
including		139.0	141.0	2.0	2.66						
and		<b>164.0</b>	<b>202.0</b>	<b>38.0</b>	<b>0.50</b>						
including		197.0	201.0	4.0	2.03						
and		207.0	209.0	2.0	0.49						
and	214.0	217.0	3.0	0.51							
<b>KBRC309A</b>	Boin	63.0	65.0	2.0	0.50	519178	634148	119	114	-60	220
and		110.0	119.0	9.0	0.32						
and		126.0	152.0	26.0	0.59						
and		171.0	179.0	8.0	0.29						
and		183.0	185.0	2.0	0.31						

## Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC310</b>	Boin	16.0	17.0	1.0	0.59	519161	634010	126	114	-60	200
and		39.0	40.0	1.0	0.34						
and		97.0	99.0	2.0	0.47						
and		101.0	104.0	3.0	0.41						
and		108.0	110.0	2.0	0.27						
and		116.0	118.0	2.0	0.30						
and		191.0	193.0	2.0	0.39						
<b>KBRC311</b>	Boin	143.0	146.0	3.0	0.19	519171	634107	127	114	-60	200
and		159.0	161.0	2.0	1.25						
<b>KBRC312</b>	Boin	86.0	87.0	1.0	0.28	519119	633968	133	114	-50	210
and		93.0	109.0	16.0	1.04						
and		115.0	117.0	2.0	0.30						
and		<b>130.0</b>	<b>210.0</b>	<b>80.0</b>	<b>0.54</b>						
<b>KBRC313</b>	Boin	<b>127.0</b>	<b>208.0</b>	<b>81.0</b>	<b>1.06</b>	518956	633618	154	0	-90	240
including		<b>132.0</b>	<b>149.0</b>	<b>17.0</b>	<b>2.50</b>						
including		<b>184.0</b>	<b>191.0</b>	<b>7.0</b>	<b>2.15</b>						
and		215.0	217.0	2.0	0.22						
and		229.0	237.0	8.0	0.29						
<b>KBRC314</b>	Boin	141.0	143.0	2.0	0.50	518935	633580	156	0	-90	230
and		151.0	154.0	3.0	0.99						
and		<b>161.0</b>	<b>223.0</b>	<b>62.0</b>	<b>0.86</b>						
including		<b>210.0</b>	<b>219.0</b>	<b>9.0</b>	<b>2.24</b>						
<b>KBRC315</b>	Boin	<b>139.0</b>	<b>190.0</b>	<b>51.0</b>	<b>0.58</b>	518914	633556	154	0	-90	240
including		144.0	148.0	4.0	1.71						
and		<b>203.0</b>	<b>240.0</b>	<b>37.0</b>	<b>1.32</b>						
<b>KBRC316</b>	Boin	<b>100.0</b>	<b>196.0</b>	<b>96.0</b>	<b>0.97</b>	518900	633506	133	0	-90	220
including		<b>163.0</b>	<b>173.0</b>	<b>10.0</b>	<b>2.05</b>						
and		200.0	202.0	2.0	0.52						
and		217.0	219.0	2.0	0.35						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC317</b>	Boin	88.0	89.0	1.0	0.30	518874	633478	133	0	-90	200
and		<b>109.0</b>	<b>182.0</b>	<b>73.0</b>	<b>0.70</b>						
and		192.0	199.0	7.0	1.52						
<b>KBRC318</b>	Boin	65.0	72.0	7.0	1.17	518804	633406	137	114	-50	100
<b>KBRC319</b>	Boin	<b>33.0</b>	<b>52.0</b>	<b>19.0</b>	<b>0.94</b>	519535	634589	122	114	-60	78
<b>KBRC320</b>	Boin	57.0	58.0	1.0	0.20	519496	634605	122	114	-60	150
and		<b>85.0</b>	<b>98.0</b>	<b>13.0</b>	<b>0.67</b>						
and		<b>108.0</b>	<b>146.0</b>	<b>38.0</b>	<b>0.70</b>						
<b>KBRC321</b>	Boin	4.0	17.0	13.0	0.86	518801	633303	132	114	-50	60
and		28.0	29.0	1.0	0.37						
<b>KBRC322</b>	Boin	19.0	20.0	1.0	0.24	518741	633324	140	114	-50	166
and		23.0	36.0	13.0	0.86						
and		60.0	62.0	2.0	0.38						
<b>KBRC323</b>	Boin	0.0	5.0	5.0	0.23	519502	634511	135	114	-60	90
and		14.0	21.0	7.0	0.57						
and		35.0	37.0	2.0	0.33						
<b>KBRC324</b>	Boin	18.0	20.0	2.0	0.25	519475	634523	133	114	-60	120
and		47.0	49.0	2.0	0.76						
and		<b>64.0</b>	<b>120.0</b>	<b>56.0</b>	<b>0.50</b>						
<b>KBRC325</b>	Boin	<b>37.0</b>	<b>45.0</b>	<b>8.0</b>	<b>0.84</b>	519657	634877	120	114	-60	180
and		<b>60.0</b>	<b>79.0</b>	<b>19.0</b>	<b>0.54</b>						
and		83.0	84.0	1.0	0.20						
and		101.0	103.0	2.0	0.23						
and		113.0	117.0	4.0	0.67						
and		<b>132.0</b>	<b>180.0</b>	<b>48.0</b>	<b>0.43</b>						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC326</b>	Boin	6.0	15.0	9.0	0.64	519708	634856	120	114	-60	144
and		21.0	25.0	4.0	0.38						
and		29.0	30.0	1.0	0.58						
and		<b>35.0</b>	<b>51.0</b>	<b>16.0</b>	<b>1.03</b>						
and		69.0	70.0	1.0	0.26						
and		72.0	74.0	2.0	0.22						
and		90.0	91.0	1.0	0.29						
and		95.0	96.0	1.0	0.31						
and		112.0	113.0	1.0	0.22						
and		125.0	126.0	1.0	0.30						
and		136.0	144.0	8.0	0.33						
<b>KBRC327</b>	Boin	76.0	77.0	1.0	0.46						
and		81.0	89.0	8.0	0.79						
and		96.0	100.0	4.0	0.59						
and		110.0	119.0	9.0	0.26						
<b>KBRC328</b>	Boin	<b>9.0</b>	<b>72.0</b>	<b>63.0</b>	<b>1.28</b>	519773	634942	110	114	-60	96
and		<b>78.0</b>	<b>96.0</b>	<b>18.0</b>	<b>0.76</b>						
<b>KBRC329</b>	Boin		No significant results			519786	635002	105	114	-60	60
<b>KBRC330</b>	Boin	46.0	47.0	1.0	0.29	519815	635023	107	114	-60	64
<b>KBRC331</b>	Boin		No significant results			520017	635043	120	114	-60	60
<b>KBRC332</b>	Boin	41.0	46.0	5.0	0.41	519948	635072	120	114	-60	72
and		54.0	58.0	4.0	0.64						
<b>KBRC333</b>	Boin	45.0	46.0	1.0	0.22	520064	635075	125	114	-60	90
and		71.0	72.0	1.0	0.23						
and		80.0	82.0	2.0	0.21						
<b>KBRC334</b>	Boin	32.0	34.0	2.0	0.25	520092	635118	127	114	-60	66
<b>KBRC335</b>	Boin	<b>6.0</b>	<b>29.0</b>	<b>23.0</b>	<b>2.18</b>	520035	635135	127	114	-60	66
including		<b>16.0</b>	<b>24.0</b>	<b>8.0</b>	<b>5.58</b>						
<b>KBRC336</b>	Boin	30.0	35.0	5.0	0.80	518507	632990	123	114	-50	70

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC337</b>	Boin	12.0	13.0	1.0	0.21	518467	633006	130	114	-50	126
and		<b>79.0</b>	<b>126.0</b>	<b>47.0</b>	<b>1.06</b>						
<b>KBRC338</b>	Boin	11.0	18.0	7.0	0.56	518449	632888	124	114	-60	72
and		28.0	40.0	12.0	0.43						
<b>KBRC339</b>	Boin	59.0	60.0	1.0	0.27	518421	632912	123	114	-60	120
and		82.0	84.0	2.0	1.31						
and		<b>90.0</b>	<b>106.0</b>	<b>16.0</b>	<b>1.06</b>						
and		112.0	114.0	2.0	0.37						
<b>KBRC340</b>	Boin	14.0	34.0	20.0	0.61	518396	632821	125	114	-60	50
<b>KBRC341</b>	Boin	<b>51.0</b>	<b>120.0</b>	<b>69.0</b>	<b>0.64</b>	518366	632833	125	114	-60	120
<b>KBRC342</b>	Boin	177.0	183.0	6.0	0.50	518885	633671	158	114	-65	233
and		<b>190.0</b>	<b>228.0</b>	<b>38.0</b>	<b>1.74</b>						
including		<b>218.0</b>	<b>225.0</b>	<b>7.0</b>	<b>3.67</b>						
<b>KBRC343</b>	Boin	69.0	80.0	11.0	0.27	518932	633604	166	114	-60	156
and		95.0	151.0	56.0	0.65						
<b>KBRC344</b>	Boin	<b>104.0</b>	<b>176.0</b>	<b>72.0</b>	<b>1.16</b>	518955	633720	154	114	-55	200
including		<b>114.0</b>	<b>124.0</b>	<b>10.0</b>	<b>3.06</b>						
and		180.0	181.0	1.0	0.35						
and		186.0	189.0	3.0	0.43						
and		192.0	195.0	3.0	0.26						
and		198.0	200.0	2.0	0.35						
<b>KBRC345</b>	Boin	82.0	85.0	3.0	0.29	518983	633747	155	114	-60	174
and		108.0	120.0	12.0	0.73						
and		133.0	142.0	9.0	0.79						
<b>KBRC346</b>	Boin	<b>98.0</b>	<b>168.0</b>	<b>70.0</b>	<b>0.67</b>	519062	633856	155	114	-62	168
<b>KBRC348</b>	Boin	1.0	11.0	10.0	0.20	519658	634788	148	114	-60	90
and		36.0	43.0	7.0	1.19						
and		57.0	67.0	10.0	0.30						
<b>KBRC349</b>	Boin	40.0	56.0	16.0	0.65	519689	634837	145	114	-60	90
and		74.0	76.0	2.0	0.34						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC350</b>	Boin	19.0	31.0	12.0	0.26	519656	634848	146	114	-60	144
and		94.0	102.0	8.0	0.63						
and		113.0	115.0	2.0	0.74						
and		126.0	131.0	5.0	0.25						
and		133.0	135.0	2.0	0.21						
<b>KBRC351</b>	Boin	21.0	44.0	23.0	0.23	519689	634865	138	114	-60	168
and		54.0	65.0	11.0	0.74						
and		74.0	78.0	4.0	0.57						
and		92.0	99.0	7.0	0.23						
and		108.0	133.0	25.0	0.21						
and		144.0	168.0	24.0	0.37						
<b>KBRC352</b>	Boin	63.0	64.0	1.0	0.21	519630	634866	147	114	-60	186
and		<b>96.0</b>	<b>152.0</b>	<b>56.0</b>	<b>2.25</b>						
including		<b>122.0</b>	<b>137.0</b>	<b>15.0</b>	<b>3.83</b>						
and		<b>160.0</b>	<b>186.0</b>	<b>26.0</b>	<b>0.79</b>						
<b>KBRC353</b>	Boin	<b>0.0</b>	<b>24.0</b>	<b>24.0</b>	<b>2.15</b>	519651	634761	146	114	-60	80
and		38.0	40.0	2.0	0.30						
and		51.0	54.0	3.0	0.53						
<b>KBRC354</b>	Boin	18.0	20.0	2.0	1.13	519779	634979	135	114	-55	96
and		31.0	32.0	1.0	0.34						
and		34.0	35.0	1.0	0.36						
and		63.0	64.0	1.0	0.31						
and		69.0	74.0	5.0	0.46						
<b>KBRC355</b>	Boin	22.0	23.0	1.0	0.57	519744	634923	127	114	-55	66
and		<b>26.0</b>	<b>55.0</b>	<b>29.0</b>	<b>2.13</b>						
<b>KBRC356</b>	Boin	136.0	137.0	1.0	0.29	519482	634747	117	114	-55	204
and		168.0	177.0	9.0	1.20						
and		194.0	197.0	3.0	0.64						
and		194.0	197.0	3.0	0.64						

## Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC347B</b>	Boin	31.0	32.0	1.0	0.26	519323	634242	118	114	-65	180
and		42.0	59.0	17.0	0.58						
and		90.0	91.0	1.0	0.29						
and		<b>134.0</b>	<b>172.0</b>	<b>38.0</b>	<b>1.05</b>						
<b>KBRC357</b>	Boin	113.0	121.0	8.0	1.07	519546	634737	145	114	-55	168
and		<b>126.0</b>	<b>150.0</b>	<b>24.0</b>	<b>4.41</b>						
including		<b>132.0</b>	<b>142.0</b>	<b>10.0</b>	<b>9.08</b>						
and		163.0	164.0	1.0	0.35						
<b>KBRC358</b>	Boin	109.0	117.0	8.0	1.25	519586	634795	158	114	-60	186
and		142.0	161.0	19.0	0.47						
and		166.0	179.0	13.0	1.05						
<b>KBRC359</b>	Boin	11.0	15.0	4.0	0.30	519612	634809	148	114	-60	148
and		28.0	40.0	12.0	0.33						
and		77.0	79.0	2.0	0.28						
and		86.0	88.0	2.0	0.35						
and		<b>110.0</b>	<b>144.0</b>	<b>34.0</b>	<b>0.87</b>						
<b>KBRC360</b>	Boin	<b>75.0</b>	<b>127.0</b>	<b>52.0</b>	<b>1.58</b>	519588	634823	145	114	-60	177
including		<b>96.0</b>	<b>112.0</b>	<b>16.0</b>	<b>3.04</b>						
and		137.0	139.0	2.0	0.49						
and		152.0	153.0	1.0	0.26						
and		155.0	177.0	22.0	0.62						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC361</b>	Boin	0.0	1.0	1.0	0.24	519726	634714	117	294	-55	250
and		83.0	84.0	1.0	0.27						
and		109.0	110.0	1.0	0.79						
and		131.0	134.0	3.0	1.00						
and		141.0	142.0	1.0	0.41						
and		148.0	149.0	1.0	0.43						
and		<b>157.0</b>	<b>170.0</b>	<b>13.0</b>	<b>2.13</b>						
and		174.0	175.0	1.0	0.29						
and		181.0	182.0	1.0	0.54						
and		185.0	191.0	6.0	0.57						
and		206.0	213.0	7.0	0.76						
and		218.0	219.0	1.0	0.32						
and		224.0	237.0	13.0	0.33						
<b>KBRC362</b>	Boin	59.0	64.0	5.0	0.78	519197	634054	133	114	-55	210
and		84.0	117.0	33.0	0.25						
and		127.0	129.0	2.0	0.66						
and		134.0	136.0	2.0	0.23						
and		141.0	148.0	7.0	0.41						
and		<b>158.0</b>	<b>210.0</b>	<b>52.0</b>	<b>0.66</b>						
<b>KBRC363</b>	Boin	102.0	106.0	4.0	0.83	519205	634182	115	114	-60	210
and		120.0	133.0	13.0	1.15						
and		137.0	143.0	6.0	0.50						
and		160.0	170.0	10.0	0.42						
and		189.0	210.0	21.0	0.99						
<b>KBRC364</b>	Boin	48.0	49.0	1.0	0.32	519223	634082	125	114	-60	174
and		57.0	58.0	1.0	0.24						
and		65.0	66.0	1.0	0.29						
and		69.0	70.0	1.0	0.37						
and		79.0	80.0	1.0	0.26						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC365</b>	Boin	19.0	20.0	1.0	0.43	518844	633393	139	114	-60	84
and		52.0	54.0	2.0	0.34						
<b>KBRC366</b>	Boin	192.0	203.0	11.0	2.01	519241	634342	130	114	-60	255
<b>KBRC367</b>	Boin	8.0	11.0	3.0	0.21	519212	635995	117	294	-60	84
and		21.0	22.0	1.0	0.25						
and		<b>82.0</b>	<b>84.0</b>	<b>2.0</b>	<b>2.59</b>						
<b>KBRC368</b>	Boin	2.0	5.0	3.0	0.71	519377	636140	118	294	-60	54
and		<b>16.0</b>	<b>32.0</b>	<b>16.0</b>	<b>0.78</b>						
including		<b>31.0</b>	<b>32.0</b>	<b>1.0</b>	<b>8.17</b>						
<b>KBRC369</b>	Boin	<b>44.0</b>	<b>62.0</b>	<b>18.0</b>	<b>0.51</b>	519415	636122	126	294	-60	100
including		<b>44.0</b>	<b>46.0</b>	<b>2.0</b>	<b>3.29</b>						
and		71.0	74.0	3.0	0.54						
and		78.0	79.0	1.0	0.42						
<b>KBRC370</b>	Boin	14.0	15.0	1.0	0.32	519443	636168	122	294	-60	80
and		24.0	26.0	2.0	0.40						
and		43.0	44.0	1.0	1.42						
and		51.0	56.0	5.0	0.40						
and		<b>62.0</b>	<b>65.0</b>	<b>3.0</b>	<b>3.16</b>						
and		68.0	72.0	4.0	0.36						
and		76.0	77.0	1.0	1.90						
<b>KBRC371</b>	Boin	24.0	25.0	1.0	0.91	519464	636158	124	294	-60	132
and		<b>52.0</b>	<b>58.0</b>	<b>6.0</b>	<b>0.89</b>						
including		<b>52.0</b>	<b>54.0</b>	<b>2.0</b>	<b>2.37</b>						
and		72.0	75.0	3.0	1.12						
and		83.0	86.0	3.0	0.64						
and		93.0	101.0	8.0	0.35						
including		93.0	96.0	3.0	0.72						
and		106.0	117.0	11.0	0.31						
and	122.0	130.0	8.0	0.47							

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBRC372</b>	Boin	11.0	12.0	1.0	0.38	519474	636213	124	294	-60	100
and		<b>14.0</b>	<b>17.0</b>	<b>3.0</b>	<b>1.65</b>						
and		32.0	35.0	3.0	0.18						
and		<b>45.0</b>	<b>56.0</b>	<b>11.0</b>	<b>0.47</b>						
and		71.0	72.0	1.0	0.20						
<b>KBDD088</b>	Boin	<b>190.0</b>	<b>206.5</b>	<b>16.5</b>	<b>2.03</b>	518740	633481	145	114	-55	213.3
including		<b>195.0</b>	<b>199.0</b>	<b>4.0</b>	<b>3.90</b>						
<b>KBDD095</b>	Boin	183.0	185.0	2.0	1.04	518773	633637	146	114	-60	372.6
and		238.4	251.0	12.6	0.51						
including		247.8	249.9	2.1	1.37						
and		263.0	264.0	1.0	0.99						
and		267.0	268.0	1.0	0.63						
and		<b>271.0</b>	<b>279.5</b>	<b>8.5</b>	<b>2.34</b>						
including		<b>272.0</b>	<b>274.5</b>	<b>2.5</b>	<b>7.50</b>						
and		284.5	288.5	4.0	0.31						
and		292.5	294.0	1.5	0.22						
and		297.0	299.0	2.0	1.00						
and		303.0	305.0	2.0	0.28						
and		307.0	309.0	2.0	0.37						
and		314.6	316.6	2.0	0.36						
and		333.3	336.0	2.7	0.19						
and		341.0	344.0	3.0	0.25						
and		361.0	363.0	2.0	0.39						
and		367.0	369.0	2.0	1.24						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBDD096</b>	Boin	296.0	298.0	2.0	1.33	518773	633637	146	114	-75	435.4
and		302.0	304.0	2.0	0.52						
and		319.2	319.9	0.7	0.96						
and		324.0	342.0	18.0	0.68						
including		340.1	342.0	1.9	2.42						
and		351.0	358.0	7.0	0.97						
including		352.0	354.0	2.0	2.60						
and		<b>363.0</b>	<b>399.5</b>	<b>36.5</b>	<b>0.69</b>						
including	<b>385.0</b>	<b>387.0</b>	<b>2.0</b>	<b>2.34</b>							
and	412.0	414.0	2.0	0.83							
<b>KBDD097</b>	Boin	187.0	190.0	3.0	1.57	519511	634814	140	114	-60	320.2
and		226.0	245.0	19.0	0.62						
including		232.0	234.0	2.0	1.67						
and		<b>253.0</b>	<b>276.0</b>	<b>23.0</b>	<b>3.54</b>						
including		<b>256.0</b>	<b>264.0</b>	<b>8.0</b>	<b>6.92</b>						
<b>KBDD098</b>	Boin	244.0	246.0	2.0	0.58	518835	633693	160	114	-65	357.6
and		<b>264.0</b>	<b>265.0</b>	<b>1.0</b>	<b>173.75</b>						
and		266.0	269.0	3.0	0.18						
and		298.3	301.0	2.7	0.36						
and		315.0	317.0	2.0	1.03						
and		<b>320.7</b>	<b>323.2</b>	<b>2.5</b>	<b>3.00</b>						
<b>KBDD099</b>	Boin	174.4	193.6	19.2	0.44	519447	634743	115	114	-55	341.3
including		189.6	191.6	2.0	1.42						
and		203.0	205.0	2.0	0.66						
and		216.0	223.5	7.5	0.32						
and		229.3	237.3	8.0	0.42						
and		<b>243.0</b>	<b>257.1</b>	<b>14.1</b>	<b>0.78</b>						
including		<b>243.0</b>	<b>247.0</b>	<b>4.0</b>	<b>1.86</b>						
and		271.6	278.5	6.9	0.39						
and	308.3	309.3	1.0	0.99							

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KBDD100</b>	Boin	243.0	245.0	2.0	0.27	518742	633544	149	114	-60	321.4
and		251.1	254.0	2.9	0.44						
and		<b>257.0</b>	<b>262.9</b>	<b>5.9</b>	<b>1.63</b>						
and		266.8	269.1	2.3	0.81						
and		270.8	274.0	3.2	0.37						
and		290.0	292.0	2.0	0.65						
and		<b>295.6</b>	<b>301.0</b>	<b>5.4</b>	<b>1.61</b>						
and		308.2	310.0	1.8	0.51						
and		<b>310.0</b>	<b>311.0</b>	<b>1.0</b>	<b>147.50</b>						
and		311.0	313.0	2.0	0.40						
<b>KBDD101</b>	Boin	166.0	174.0	8.0	0.67	519591	634889	136	114	-60	311.0
including		168.0	170.0	2.0	1.59						
and		<b>202.0</b>	<b>218.0</b>	<b>16.0</b>	<b>1.26</b>						
including		<b>202.0</b>	<b>209.0</b>	<b>7.0</b>	<b>2.22</b>						
and		234.0	235.0	1.0	0.59						
<b>KBDD102</b>	Boin	222.2	232.0	9.8	0.92	519207	634347	144	114	-65	366.4
and		239.0	243.3	4.3	1.10						
and		266.0	274.0	8.0	0.90						
and		277.0	280.0	3.0	0.39						
and		<b>285.0</b>	<b>310.5</b>	<b>25.5</b>	<b>1.70</b>						
and		313.5	320.2	6.7	0.40						
and		<b>327.0</b>	<b>344.0</b>	<b>17.0</b>	<b>3.22</b>						
and		351.0	353.0	2.0	0.29						
<b>KBDD103</b>	Boin	237.0	238.0	1.0	1.00	519619	634957	127	114	-60	280.6
and		275.0	276.0	1.0	0.25						
and		278.0	279.0	1.0	0.59						
<b>KBDD104</b>	Boin	207.3	210.0	2.7	0.63	519190	634263	127	114	-60	309.6
and		<b>217.0</b>	<b>228.0</b>	<b>11.0</b>	<b>0.82</b>						
including		<b>218.0</b>	<b>223.0</b>	<b>5.0</b>	<b>1.41</b>						
and		<b>231.0</b>	<b>235.0</b>	<b>4.0</b>	<b>1.80</b>						
and		244.0	246.0	2.0	0.79						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC171</b>	Sewum	1.0	4.0	3.0	0.21	521265	628718	225	120	-50	78
and		8.0	11.0	3.0	0.19						
and		56.0	74.0	18.0	0.60						
<b>SWRC172</b>	Sewum	<b>1.0</b>	<b>27.0</b>	<b>26.0</b>	<b>0.61</b>	521293	628770	225	120	-50	70
including		<b>12.0</b>	<b>21.0</b>	<b>9.0</b>	<b>1.09</b>						
and		30.0	31.0	1.0	0.29						
and		53.0	57.0	4.0	0.33						
<b>SWRC173</b>	Sewum	25.0	33.0	8.0	0.49	521320	628836	233	120	-60	60
and		44.0	45.0	1.0	0.22						
and		52.0	53.0	1.0	0.36						
<b>SWRC174</b>	Sewum	2.0	6.0	4.0	0.25	521304	628813	232	120	-60	60
and		24.0	30.0	6.0	0.23						
<b>SWRC175</b>	Sewum	1.0	8.0	7.0	0.50	521491	628830	228	120	-60	60
and		23.0	29.0	6.0	0.25						
and		35.0	47.0	12.0	0.45						
<b>SWRC176</b>	Sewum	12.0	57.0	45.0	0.30	521475	628780	220	120	-60	72
including		12.0	21.0	9.0	0.51						
including		48.0	55.0	7.0	0.49						
and		62.0	64.0	2.0	0.89						
<b>SWRC177</b>	Sewum	12.0	13.0	1.0	0.18	521446	628754	221	120	-60	72
<b>SWRC178</b>	Sewum	0.0	9.0	9.0	0.78	521482	628875	235	120	-50	80
and		13.0	16.0	3.0	0.57						
and		20.0	24.0	4.0	0.53						
and		35.0	41.0	6.0	0.34						
<b>SWRC179</b>	Sewum	2.0	12.0	10.0	0.32	521450	628801	227	120	-60	84
and		36.0	51.0	15.0	0.46						
and		64.0	83.0	19.0	0.35						
<b>SWRC180</b>	Sewum	<b>0.0</b>	<b>26.0</b>	<b>26.0</b>	<b>0.66</b>	521321	628958	235	120	-50	80
including		<b>16.0</b>	<b>23.0</b>	<b>7.0</b>	<b>1.46</b>						
and		35.0	41.0	6.0	0.19						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC181</b>	Sewum	1.0	9.0	8.0	0.24	521341	629045	240	120	-50	60
and		56.0	57.0	1.0	0.21						
<b>SWRC182</b>	Sewum	7.0	8.0	1.0	0.21	521411	629166	235	120	-50	80
and		13.0	14.0	1.0	0.30						
and		<b>52.0</b>	<b>62.0</b>	<b>10.0</b>	<b>2.45</b>						
including		<b>52.0</b>	<b>55.0</b>	<b>3.0</b>	<b>7.44</b>						
and		66.0	68.0	2.0	0.35						
<b>SWRC183</b>	Sewum	0.0	2.0	2.0	0.17	521719	629772	234	120	-60	102
and		26.0	27.0	1.0	0.29						
and		30.0	32.0	2.0	0.21						
and		42.0	43.0	1.0	0.22						
and		74.0	77.0	3.0	0.24						
and		91.0	92.0	1.0	0.37						
and		98.0	100.0	2.0	0.31						
<b>SWRC184</b>	Sewum	12.0	14.0	2.0	0.20	521764	629828	233	120	-60	105
and		74.0	80.0	6.0	0.37						
<b>SWRC185</b>	Sewum	45.0	47.0	2.0	0.74	521730	629842	234	120	-60	144
and		59.0	62.0	3.0	0.19						
and		96.0	97.0	1.0	0.20						
and		100.0	108.0	8.0	0.32						
and		134.0	136.0	2.0	0.69						
<b>SWRC186</b>	Sewum	2.0	5.0	3.0	0.26	521392	629219	235	120	-60	80
<b>SWRC187</b>	Sewum	2.0	4.0	2.0	0.19	521365	629237	230	120	-60	80
<b>SWRC188</b>	Sewum	29.0	31.0	2.0	0.27	521365	629197	220	120	-50	80
and		70.0	71.0	1.0	0.22						
<b>SWRC189</b>	Sewum	47.0	50.0	3.0	0.65	521749	629765	222	120	-60	72
and		54.0	57.0	3.0	0.22						
<b>SWRC190</b>	Sewum	28.0	29.0	1.0	0.30	521804	629833	216	120	-50	72
and		33.0	35.0	2.0	0.66						
and		50.0	51.0	1.0	0.25						
<b>SWRC191</b>	Sewum	42.0	44.0	2.0	0.26	521791	629797	220	120	-60	60

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC192</b>	Sewum	10.0	14.0	4.0	0.31	521772	629848	225	120	-50	120
and		59.0	60.0	1.0	0.28						
and		64.0	67.0	3.0	0.44						
and		78.0	80.0	2.0	0.20						
<b>SWRC193</b>	Sewum	2.0	17.0	15.0	0.33	521435	628727	218	120	-60	90
and		25.0	27.0	2.0	0.29						
and		47.0	48.0	1.0	0.33						
<b>SWRC194</b>	Sewum	<b>1.0</b>	<b>63.0</b>	<b>62.0</b>	<b>1.85</b>	521352	627847	158	120	-50	167
including		<b>13.0</b>	<b>23.0</b>	<b>10.0</b>	<b>8.36</b>						
and		74.0	79.0	5.0	0.23						
and		<b>99.0</b>	<b>167.0</b>	<b>68.0</b>	<b>0.75</b>						
including		<b>102.0</b>	<b>116.0</b>	<b>14.0</b>	<b>1.15</b>						
<b>SWRC195</b>	Sewum	<b>0.0</b>	<b>9.0</b>	<b>9.0</b>	<b>0.77</b>	521289	627794	172	120	-50	66
and		<b>20.0</b>	<b>58.0</b>	<b>38.0</b>	<b>0.80</b>						
<b>SWRC196</b>	Sewum	21.0	23.0	2.0	0.64	520826	626252	156	120	-55	96
and		63.0	66.0	3.0	2.31						
and		78.0	82.0	4.0	0.24						
and		90.0	91.0	1.0	0.20						
<b>SWRC197</b>	Sewum	No significant results				520771	626290	147	120	-55	108
<b>SWRC198</b>	Sewum	25.0	26.0	1.0	0.37	520670	626267	155	120	-55	90
<b>SWRC199</b>	Sewum	53.0	57.0	4.0	0.56	520759	626222	160	120	-55	120
and		72.0	76.0	4.0	1.24						
and		97.0	98.0	1.0	0.22						
and		102.0	104.0	2.0	0.30						
and		108.0	111.0	3.0	0.21						
and		115.0	116.0	1.0	0.25						
<b>SWRC200</b>	Sewum	20.0	34.0	14.0	0.81	520741	626162	161	120	-55	126
and		81.0	83.0	2.0	0.23						
and		91.0	92.0	1.0	0.27						
and		107.0	108.0	1.0	1.87						
and		118.0	121.0	3.0	1.58						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC201</b>	Sewum	20.0	24.0	4.0	0.56	520704	626103	158	120	-55	102
and		45.0	48.0	3.0	0.38						
and		<b>72.0</b>	<b>99.0</b>	<b>27.0</b>	<b>1.07</b>						
including		<b>73.0</b>	<b>81.0</b>	<b>8.0</b>	<b>2.82</b>						
<b>SWRC202</b>	Sewum	<b>0.0</b>	<b>5.0</b>	<b>5.0</b>	<b>1.65</b>	520648	626033	131	120	-55	78
and		<b>28.0</b>	<b>41.0</b>	<b>13.0</b>	<b>2.39</b>						
and		48.0	49.0	1.0	0.23						
and		60.0	76.0	16.0	0.39						
<b>SWRC203</b>	Sewum	11.0	12.0	1.0	0.20	521761	629918	222	120	-50	108
and		20.0	25.0	5.0	0.76						
and		45.0	48.0	3.0	0.32						
and		51.0	56.0	5.0	0.39						
and		72.0	73.0	1.0	0.25						
and		77.0	79.0	2.0	0.29						
and		84.0	90.0	6.0	0.42						
<b>SWRC204</b>	Sewum	18.0	19.0	1.0	0.24	521330	627665	167	120	-55	132
and		54.0	58.0	4.0	0.29						
and		62.0	64.0	2.0	0.22						
and		77.0	78.0	1.0	0.23						
and		92.0	93.0	1.0	0.41						
and		116.0	119.0	3.0	0.22						
and		126.0	128.0	2.0	0.21						
<b>SWRC205</b>	Sewum	85.0	87.0	2.0	0.24	521297	627683	173	120	-55	168
and		124.0	168.0	44.0	0.38						
including		142.0	156.0	14.0	0.81						
<b>SWRC206</b>	Sewum	1.0	5.0	4.0	0.61	521365	627644	166	120	-55	120
and		10.0	24.0	14.0	0.66						
and		70.0	72.0	2.0	0.23						
and		93.0	94.0	1.0	0.26						
and		104.0	120.0	16.0	0.51						
<b>SWRC207</b>	Sewum	64.0	66.0	2.0	0.23	521412	627878	138	120	-55	84

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC208</b>	Sewum	0.0	17.0	17.0	0.57	521365	627824	148	120	-55	98
and		<b>22.0</b>	<b>46.0</b>	<b>24.0</b>	<b>1.39</b>						
including		<b>26.0</b>	<b>30.0</b>	<b>4.0</b>	<b>6.56</b>						
and		54.0	59.0	5.0	0.38						
and		74.0	79.0	5.0	0.37						
and		86.0	88.0	2.0	0.54						
<b>SWRC209</b>	Sewum	51.0	53.0	2.0	0.64	521412	627851	139	120	-55	62
<b>SWRC210</b>	Sewum	0.0	11.0	11.0	0.51	521254	627701	174	120	-55	204
and		26.0	27.0	1.0	0.33						
and		46.0	50.0	4.0	0.22						
and		69.0	81.0	12.0	0.21						
and		88.0	100.0	12.0	0.29						
and		149.0	153.0	4.0	0.28						
and		178.0	193.0	15.0	0.80						
<b>SWRC211</b>	Sewum	0.0	37.0	37.0	0.47	521385	627701	174	120	-55	126
and		54.0	69.0	15.0	0.38						
<b>SWRC212</b>	Sewum	<b>0.0</b>	<b>81.0</b>	<b>81.0</b>	<b>0.40</b>	521285	627757	172	120	-55	221
and		89.0	90.0	1.0	1.76						
and		111.0	120.0	9.0	0.40						
and		217.0	221.0	4.0	0.31						
<b>SWRC213</b>	Sewum	0.0	7.0	7.0	0.38	521325	627734	173	120	-55	132
and		<b>12.0</b>	<b>32.0</b>	<b>20.0</b>	<b>0.70</b>						
and		<b>62.0</b>	<b>130.0</b>	<b>68.0</b>	<b>0.73</b>						
<b>SWRC214</b>	Sewum	125.0	137.0	12.0	0.25	521262	627906	150	120	-55	177
and		146.0	156.0	10.0	0.51						
and		174.0	175.0	1.0	0.50						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC215</b>	Sewum	0.0	4.0	4.0	0.42	521312	627885	153	120	-55	182
and		7.0	8.0	1.0	0.20						
and		31.0	56.0	25.0	0.38						
and		61.0	62.0	1.0	0.21						
and		95.0	128.0	33.0	0.62						
and		132.0	133.0	1.0	0.54						
and		138.0	169.0	31.0	0.42						
and		174.0	176.0	2.0	2.05						
and		180.0	182.0	2.0	0.27						
<b>SWRC216</b>	Sewum	7.0	10.0	3.0	0.34	521391	627817	100	120	-55	120
and		33.0	48.0	15.0	0.72						
and		60.0	61.0	1.0	0.49						
<b>SWRC217</b>	Sewum	1.0	2.0	1.0	1.78	521376	627840	141	120	-55	120
and		<b>19.0</b>	<b>34.0</b>	<b>15.0</b>	<b>1.24</b>						
and		<b>90.0</b>	<b>120.0</b>	<b>30.0</b>	<b>1.00</b>						
<b>SWRC218</b>	Sewum	20.0	28.0	8.0	0.22	519995	625747	137	120	-55	70
<b>SWRC219</b>	Sewum	1.0	10.0	9.0	0.71	520013	625771	139	120	-55	62
and		16.0	17.0	1.0	0.26						
and		25.0	30.0	5.0	0.69						
<b>SWRC220</b>	Sewum	13.0	15.0	2.0	0.48	520061	625801	140	120	-55	60
and		26.0	27.0	1.0	0.32						
<b>SWRC221</b>	Sewum	1.0	3.0	2.0	0.84	520043	625823	134	120	-55	95
and		51.0	53.0	2.0	0.19						
<b>SWRC222</b>	Sewum	<b>0.0</b>	<b>38.0</b>	<b>38.0</b>	<b>0.59</b>	520456	626210	154	120	-55	60
including		<b>4.0</b>	<b>11.0</b>	<b>7.0</b>	<b>1.94</b>						
<b>SWRC223</b>	Sewum	<b>18.0</b>	<b>67.0</b>	<b>49.0</b>	<b>0.74</b>	520431	626220	147	120	-55	100
including		<b>42.0</b>	<b>53.0</b>	<b>11.0</b>	<b>1.57</b>						
and		84.0	98.0	14.0	0.24						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC224</b>	Sewum	62.0	63.0	1.0	0.52	520673	626116	154	120	-55	153
and		<b>69.0</b>	<b>89.0</b>	<b>20.0</b>	<b>1.24</b>						
and		112.0	113.0	1.0	1.24						
and		138.0	139.0	1.0	0.67						
and		142.0	143.0	1.0	0.30						
<b>SWRC225</b>	Sewum	105.0	106.0	1.0	0.23	520646	626141	115	120	-55	198
and		110.0	111.0	1.0	0.49						
and		137.0	140.0	3.0	0.29						
and		153.0	155.0	2.0	0.23						
and		197.0	198.0	1.0	0.38						
<b>SWRC226</b>	Sewum	20.0	21.0	1.0	0.24	520707	626184	123	120	-55	168
and		77.0	85.0	8.0	0.65						
and		109.0	110.0	1.0	0.30						
and		117.0	128.0	11.0	0.47						
and		135.0	136.0	1.0	0.24						
and		148.0	150.0	2.0	0.39						
<b>SWRC227</b>	Sewum	16.0	18.0	2.0	0.77	520846	626317	139	120	-55	120
and		21.0	24.0	3.0	0.75						
and		31.0	35.0	4.0	1.59						
and		58.0	59.0	1.0	0.49						
and		68.0	69.0	1.0	0.41						
and		76.0	77.0	1.0	0.34						
<b>SWRC228</b>	Sewum	45.0	53.0	8.0	0.38	521672	627929	167	120	-55	66
<b>SWRC229</b>	Sewum	0.0	11.0	11.0	0.34	521689	627951	167	120	-55	114
and		64.0	66.0	2.0	0.28						
and		83.0	93.0	10.0	0.65						
and		110.0	111.0	1.0	0.26						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC230</b>	Sewum	54.0	60.0	6.0	0.15	521650	627968	169	120	-55	144
and		67.0	68.0	1.0	0.23						
and		78.0	84.0	6.0	0.54						
and		114.0	124.0	10.0	0.22						
and		132.0	133.0	1.0	0.20						
<b>SWRC231</b>	Sewum	2.0	6.0	4.0	0.46	521710	627996	144	120	-55	78
and		25.0	26.0	1.0	0.29						
<b>SWRC232</b>	Sewum	47.0	54.0	7.0	0.46	521680	628019	144	120	-55	126
and		113.0	120.0	7.0	0.30						
<b>SWRC233</b>	Sewum	No significant results				520518	625923	107	120	-55	120
<b>SWRC234</b>	Sewum	34.0	35.0	1.0	0.27	520541	625900	125	120	-55	90
and		40.0	41.0	1.0	0.31						
and		51.0	54.0	3.0	0.42						
and		64.0	75.0	11.0	0.63						
and		85.0	86.0	1.0	0.24						
<b>SWRC235</b>	Sewum	16.0	17.0	1.0	0.20	520553	625967	97	120	-55	112
and		93.0	94.0	1.0	0.24						
and		98.0	99.0	1.0	2.13						
<b>SWRC236</b>	Sewum	1.0	15.0	14.0	0.45	521409	628682	194	120	-60	72
and		24.0	28.0	4.0	0.70						
and		<b>40.0</b>	<b>69.0</b>	<b>29.0</b>	<b>0.67</b>						
<b>SWRC237</b>	Sewum	1.0	10.0	9.0	0.42	521390	628697	194	120	-60	90
and		25.0	52.0	27.0	0.62						
including		42.0	49.0	7.0	1.45						
and		64.0	90.0	26.0	0.56						
including		85.0	90.0	5.0	2.00						
<b>SWRC238</b>	Sewum	4.0	29.0	25.0	0.35	521371	628711	194	120	-60	84
and		53.0	63.0	10.0	0.22						
and		83.0	84.0	1.0	0.25						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC239</b>	Sewum	0.0	26.0	26.0	0.37	521348	628726	194	120	-60	96
and		44.0	45.0	1.0	0.21						
and		60.0	63.0	3.0	0.58						
and		71.0	74.0	3.0	0.34						
and		91.0	93.0	2.0	0.57						
<b>SWRC240</b>	Sewum	2.0	41.0	39.0	0.22	521328	628740	195	120	-60	66
<b>SWRC241</b>	Sewum	3.0	18.0	15.0	0.53	521311	628745	195	120	-60	60
and		34.0	43.0	9.0	0.30						
<b>SWRC242</b>	Sewum	1.0	2.0	1.0	0.18	521422	628771	193	120	-60	84
<b>SWRC243</b>	Sewum	5.0	10.0	5.0	0.41	521402	628786	194	120	-60	84
and		63.0	64.0	1.0	0.44						
<b>SWRC244</b>	Sewum	1.0	18.0	17.0	0.48	521385	628797	196	120	-60	87
and		36.0	37.0	1.0	0.57						
<b>SWRC245</b>	Sewum	2.0	18.0	16.0	0.23	521367	628805	196	120	-60	108
and		24.0	26.0	2.0	0.71						
and		31.0	33.0	2.0	0.29						
<b>SWRC246</b>	Sewum	0.0	30.0	30.0	0.36	521338	628822	196	120	-60	108
and		54.0	61.0	7.0	0.40						
<b>SWRC247</b>	Sewum	2.0	32.0	30.0	0.61	521449	628892	194	120	-60	78
including		3.0	10.0	7.0	1.40						
and		44.0	73.0	29.0	0.26						
<b>SWRC248</b>	Sewum	<b>4.0</b>	<b>45.0</b>	<b>41.0</b>	<b>0.56</b>	521431	628900	194	120	-60	84
including		<b>9.0</b>	<b>16.0</b>	<b>7.0</b>	<b>1.67</b>						
and		67.0	70.0	3.0	0.73						
and		82.0	83.0	1.0	0.27						
<b>SWRC249</b>	Sewum	0.0	8.0	8.0	0.31	521406	628914	194	120	-60	102
and		<b>15.0</b>	<b>39.0</b>	<b>24.0</b>	<b>0.80</b>						
and		46.0	61.0	15.0	0.54						
and		78.0	80.0	2.0	0.68						
and		92.0	93.0	1.0	0.35						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC250</b>	Sewum	2.0	10.0	8.0	0.22	521384	628932	194	120	-60	102
and		40.0	91.0	51.0	0.38						
<b>SWRC251</b>	Sewum	2.0	8.0	6.0	0.23	521361	628944	194	120	-60	108
and		18.0	19.0	1.0	0.30						
and		46.0	52.0	6.0	0.21						
and		<b>59.0</b>	<b>100.0</b>	<b>41.0</b>	<b>0.51</b>						
<b>SWRC252</b>	Sewum	0.0	34.0	34.0	0.39	521477	629081	195	120	-60	60
and		54.0	56.0	2.0	0.52						
<b>SWRC253</b>	Sewum	0.0	6.0	6.0	0.31	521456	629095	195	120	-60	80
and		12.0	22.0	10.0	0.22						
and		29.0	65.0	36.0	0.34						
and		73.0	74.0	1.0	0.33						
<b>SWRC254</b>	Sewum	3.0	5.0	2.0	0.21	521434	629114	196	120	-60	98
and		33.0	34.0	1.0	0.45						
and		50.0	87.0	37.0	0.51						
<b>SWRC255</b>	Sewum	2.0	7.0	5.0	0.29	521411	629121	195	120	-60	120
and		48.0	56.0	8.0	0.43						
and		70.0	72.0	2.0	0.42						
and		75.0	76.0	1.0	0.38						
and		80.0	111.0	31.0	0.31						
and		114.0	115.0	1.0	0.37						
<b>SWRC256</b>	Sewum	3.0	6.0	3.0	0.24	521385	629136	194	120	-60	138
and		61.0	69.0	8.0	0.21						
and		79.0	80.0	1.0	0.26						
and		84.0	85.0	1.0	0.48						
and		100.0	109.0	9.0	0.22						
and		120.0	123.0	3.0	0.32						
<b>SWRC257</b>	Sewum	1.0	10.0	9.0	0.27	521362	629147	194	120	-60	64
and		36.0	39.0	3.0	2.79						
and		43.0	46.0	3.0	2.06						
and		57.0	59.0	2.0	0.26						

# Newcore Gold Ltd. | Enchi Gold Project

## 2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC258</b>	Sewum	<b>1.0</b>	<b>34.0</b>	<b>33.0</b>	<b>0.89</b>	521549	629252	197	120	-60	66
and		38.0	39.0	1.0	0.26						
and		41.0	43.0	2.0	0.21						
and		52.0	56.0	4.0	0.43						
<b>SWRC259</b>	Sewum	<b>2.0</b>	<b>42.0</b>	<b>40.0</b>	<b>0.51</b>	521529	629263	202	120	-60	74
and		47.0	53.0	6.0	0.31						
and		72.0	73.0	1.0	0.41						
<b>SWRC260</b>	Sewum	2.0	6.0	4.0	0.65	521504	629277	195	120	-60	80
and		16.0	18.0	2.0	0.20						
and		<b>27.0</b>	<b>68.0</b>	<b>41.0</b>	<b>0.51</b>						
including		<b>55.0</b>	<b>61.0</b>	<b>6.0</b>	<b>1.66</b>						
<b>SWRC261</b>	Sewum	3.0	5.0	2.0	0.20	521480	629288	195	120	-60	108
and		23.0	24.0	1.0	0.32						
and		32.0	36.0	4.0	0.70						
and		58.0	60.0	2.0	0.24						
and		78.0	96.0	18.0	0.61						
<b>SWRC262</b>	Sewum	0.0	7.0	7.0	0.24	521454	629299	194	120	-60	120
and		81.0	84.0	3.0	0.41						
and		93.0	101.0	8.0	1.16						
and		106.0	107.0	1.0	0.22						
<b>SWRC263</b>	Sewum	3.0	5.0	2.0	0.20	521435	629313	194	120	-60	136
and		87.0	90.0	3.0	0.20						
and		105.0	106.0	1.0	0.22						
and		117.0	124.0	7.0	0.88						
<b>SWRC264</b>	Sewum	45.0	46.0	1.0	0.53	521405	629332	193	120	-60	60
<b>SWRC265</b>	Sewum	0.0	12.0	12.0	0.44	521580	629359	198	120	-60	60
and		18.0	39.0	21.0	0.64						
<b>SWRC266</b>	Sewum	3.0	8.0	5.0	0.20	521555	629368	198	120	-60	80
and		20.0	26.0	6.0	0.56						
and		30.0	36.0	6.0	0.38						
and		49.0	60.0	11.0	0.70						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>SWRC267</b>	Sewum	0.0	21.0	21.0	0.40	521534	629380	200	120	-60	100
and		35.0	36.0	1.0	0.33						
and		66.0	78.0	12.0	0.78						
<b>SWRC268</b>	Sewum	1.0	6.0	5.0	0.29	521509	629393	195	120	-60	120
and		14.0	28.0	14.0	0.52						
and		40.0	42.0	2.0	0.23						
and		66.0	67.0	1.0	0.34						
and		88.0	99.0	11.0	0.28						
<b>SWRC269</b>	Sewum	<b>2.0</b>	<b>8.0</b>	<b>6.0</b>	<b>3.98</b>	521492	629402	194	120	-60	60
including		<b>7.0</b>	<b>8.0</b>	<b>1.0</b>	<b>22.62</b>						
and		39.0	41.0	2.0	5.50						
including		39.0	40.0	1.0	10.53						
and		54.0	55.0	1.0	0.93						
and		57.0	58.0	1.0	0.20						
<b>SWRC270</b>	Sewum	4.0	9.0	5.0	0.50	521469	629414	194	120	-60	60
and		33.0	38.0	5.0	0.38						
<b>SWRC271</b>	Sewum	0.0	14.0	14.0	0.46	521601	629348	192	120	-60	60
and		19.0	30.0	11.0	1.10						
and		34.0	36.0	2.0	0.45						
<b>NBRC108</b>	Nyam	16.0	17.0	1.0	0.28	530218	637234	98	300	-60	108
and		33.0	34.0	1.0	0.91						
and		<b>45.0</b>	<b>60.0</b>	<b>15.0</b>	<b>2.50</b>						
and		75.0	77.0	2.0	0.96						
and		105.0	108.0	3.0	0.42						
<b>NBRC109</b>	Nyam	7.0	8.0	1.0	0.78	530243	637218	99	300	-60	138
and		63.0	77.0	14.0	0.37						
and		88.0	97.0	9.0	0.93						
and		111.0	114.0	3.0	0.97						
and		133.0	137.0	4.0	0.43						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>NBRC110</b>	Nyam	36.0	37.0	1.0	0.21	530293	637299	100	300	-60	147
and		52.0	53.0	1.0	0.49						
and		97.0	98.0	1.0	0.33						
and		<b>104.0</b>	<b>114.0</b>	<b>10.0</b>	<b>3.00</b>						
and		126.0	144.0	18.0	0.50						
<b>NBRC111</b>	Nyam	9.0	23.0	14.0	0.51	530260	637325	97	300	-60	84
and		28.0	31.0	3.0	0.30						
and		36.0	38.0	2.0	0.55						
and		45.0	48.0	3.0	0.40						
and		53.0	76.0	23.0	0.27						
<b>NBRC112</b>	Nyam	48.0	54.0	6.0	0.76	530610	637824	104	300	-60	80
and		62.0	67.0	5.0	0.46						
<b>NBRC113</b>	Nyam	86.0	89.0	3.0	0.29	530604	637746	116	300	-60	108
and		100.0	101.0	1.0	0.34						
and		105.0	106.0	1.0	0.63						
<b>NBRC114</b>	Nyam	<b>78.0</b>	<b>90.0</b>	<b>12.0</b>	<b>1.68</b>	530615	637788	110	300	-60	96
<b>NBRC115</b>	Nyam	48.0	49.0	1.0	0.31	530792	638222	103	300	-60	108
and		57.0	69.0	12.0	0.49						
and		84.0	86.0	2.0	0.31						
and		97.0	104.0	7.0	0.43						
<b>NBRC116</b>	Nyam	41.0	48.0	7.0	1.00	530768	638196	107	300	-60	120
and		56.0	57.0	1.0	0.48						
and		61.0	66.0	5.0	0.44						
and		86.0	108.0	22.0	0.46						
and		117.0	119.0	2.0	0.41						
<b>NBRC117</b>	Nyam	6.0	7.0	1.0	0.65	530816	638271	99	300	-60	102
and		38.0	42.0	4.0	0.66						
and		47.0	78.0	31.0	0.51						
and		95.0	96.0	1.0	0.23						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>NBRC118</b>	Nyam	53.0	72.0	19.0	0.64	530837	638302	99	300	-55	120
and		80.0	85.0	5.0	1.12						
and		90.0	92.0	2.0	0.60						
<b>NBRC119</b>	Nyam	<b>2.0</b>	<b>8.0</b>	<b>6.0</b>	<b>0.96</b>	530170	637212	96	300	-60	60
and		12.0	19.0	7.0	0.32						
and		<b>45.0</b>	<b>53.0</b>	<b>8.0</b>	<b>2.36</b>						
<b>NBRC120</b>	Nyam	57.0	58.0	1.0	0.21	530209	637190	95	300	-60	144
and		71.0	72.0	1.0	2.00						
and		97.0	101.0	4.0	1.90						
and		113.0	120.0	7.0	0.87						
and		127.0	129.0	2.0	0.57						
<b>KKRC085A</b>	Kwakyekrom	<b>88.0</b>	<b>103.0</b>	<b>15.0</b>	<b>1.29</b>	529000	635363	85	298	-60	180
and		108.0	109.0	1.0	0.23						
and		124.0	132.0	8.0	0.29						
<b>KKRC086</b>	Kwakyekrom	<b>27.0</b>	<b>40.0</b>	<b>13.0</b>	<b>0.46</b>	528942	635392	104	298	-60	122
and		43.0	44.0	1.0	0.30						
and		46.0	47.0	1.0	0.27						
and		55.0	61.0	6.0	0.22						
and		69.0	70.0	1.0	0.20						
<b>KKRC087</b>	Kwakyekrom	14.0	25.0	11.0	0.29	528929	635332	109	298	-60	150
and		132.0	133.0	1.0	0.29						
<b>KKRC088</b>	Kwakyekrom	39.0	41.0	2.0	0.24	528945	635255	102	298	-60	174
and		57.0	61.0	4.0	0.30						
and		67.0	68.0	1.0	0.34						
and		80.0	83.0	3.0	0.20						
and		<b>93.0</b>	<b>103.0</b>	<b>10.0</b>	<b>0.96</b>						
and		105.0	106.0	1.0	0.29						
and		142.0	145.0	3.0	0.52						

## Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KKRC089</b>	Kwakyekrom	67.0	69.0	2.0	0.28	528968	635307	100	298	-60	228
and		79.0	83.0	4.0	0.39						
and		<b>87.0</b>	<b>105.0</b>	<b>18.0</b>	<b>0.47</b>						
and		114.0	117.0	3.0	0.53						
and		120.0	121.0	1.0	0.63						
and		126.0	127.0	1.0	0.43						
and		132.0	133.0	1.0	0.25						
and		138.0	139.0	1.0	1.00						
and		144.0	145.0	1.0	0.68						
and		148.0	151.0	3.0	0.52						
and		164.0	169.0	5.0	0.33						
and		178.0	180.0	2.0	0.39						
<b>KKRC090</b>		Kwakyekrom	30.0	31.0	1.0						
and	91.0		96.0	5.0	0.78						
and	101.0		102.0	1.0	0.22						
and	166.0		167.0	1.0	0.35						
and	169.0		170.0	1.0	0.24						
<b>KKRC091</b>	Kwakyekrom	1.0	2.0	1.0	0.23	528796	635102	112	298	-60	120
and		36.0	37.0	1.0	0.20						
<b>KKRC092</b>	Kwakyekrom	21.0	22.0	1.0	0.45	528633	634835	130	298	-60	126
and		26.0	31.0	5.0	0.39						
and		36.0	37.0	1.0	0.79						
and		41.0	50.0	9.0	0.49						
and		58.0	62.0	4.0	0.90						
and		72.0	73.0	1.0	0.22						
and		84.0	87.0	3.0	0.39						
and		<b>91.0</b>	<b>97.0</b>	<b>6.0</b>	<b>0.84</b>						
and		107.0	108.0	1.0	0.21						

## Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KKRC093</b>	Kwakyekrom	8.0	11.0	3.0	0.65	528695	634878	132	298	-60	125
and		24.0	28.0	4.0	0.85						
<b>and</b>		<b>56.0</b>	<b>58.0</b>	<b>2.0</b>	<b>2.05</b>						
and		72.0	73.0	1.0	0.50						
and		110.0	111.0	1.0	0.22						
<b>and</b>	<b>113.0</b>	<b>125.0</b>	<b>12.0</b>	<b>0.57</b>							
<b>KKRC094</b>	Kwakyekrom	92.0	93.0	1.0	0.32	528762	634990	130	298	-60	102
<b>KKRC095</b>	Kwakyekrom	0.0	9.0	9.0	0.54	528771	634927	128	298	-60	168
and		13.0	14.0	1.0	0.48						
and		21.0	22.0	1.0	0.27						
and		119.0	120.0	1.0	0.60						
<b>KKRC096</b>	Kwakyekrom	34.0	36.0	2.0	0.23	528816	634982	117	298	-60	180
and		40.0	41.0	1.0	1.26						
<b>KKRC097B</b>	Kwakyekrom	0.0	1.0	1.0	0.22	528779	634878	116	298	-60	78
and		17.0	19.0	2.0	0.28						
and		38.0	40.0	2.0	0.20						
and		62.0	63.0	1.0	0.21						
<b>KKRC098</b>	Kwakyekrom	15.0	16.0	1.0	0.91	528890	635212	101	298	-60	220
and		<b>25.0</b>	<b>40.0</b>	<b>15.0</b>	<b>0.60</b>						
including		<b>33.0</b>	<b>37.0</b>	<b>4.0</b>	<b>1.65</b>						
and		87.0	88.0	1.0	0.49						
and		<b>136.0</b>	<b>154.0</b>	<b>18.0</b>	<b>0.39</b>						
including		<b>137.0</b>	<b>142.0</b>	<b>5.0</b>	<b>0.89</b>						
and	<b>214.0</b>	<b>215.0</b>	<b>1.0</b>	<b>6.41</b>							

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KKRC099</b>	Kwakyekrom	19.0	25.0	6.0	0.68	528934	635195	104	298	-60	240
and		30.0	31.0	1.0	0.31						
and		35.0	36.0	1.0	1.08						
and		<b>112.0</b>	<b>134.0</b>	<b>22.0</b>	<b>1.08</b>						
including		<b>126.0</b>	<b>133.0</b>	<b>7.0</b>	<b>2.78</b>						
and		170.0	171.0	1.0	0.21						
and		182.0	183.0	1.0	0.20						
and		<b>191.0</b>	<b>225.0</b>	<b>34.0</b>	<b>0.23</b>						
and		234.0	236.0	2.0	0.29						
and	239.0	240.0	1.0	0.33							
<b>KKRC100</b>	Kwakyekrom	<b>8.0</b>	<b>19.0</b>	<b>11.0</b>	<b>1.39</b>	528748	634846	126	298	-60	226
and		23.0	24.0	1.0	0.46						
and		109.0	114.0	5.0	0.97						
and		117.0	118.0	1.0	0.35						
and		126.0	127.0	1.0	0.20						
and		136.0	138.0	2.0	0.37						
and		150.0	153.0	3.0	0.44						
and		176.0	177.0	1.0	0.44						
<b>KKRC101</b>	Kwakyekrom	16.0	17.0	1.0	0.20	528521	634486	102	298	-60	192
and		36.0	37.0	1.0	0.33						
and		43.0	45.0	2.0	0.40						
and		63.0	64.0	1.0	0.38						
and		73.0	75.0	2.0	0.20						
and		108.0	112.0	4.0	0.79						
and		116.0	117.0	1.0	0.32						
and		136.0	140.0	4.0	0.84						
and		180.0	181.0	1.0	1.62						
and		186.0	187.0	1.0	1.69						
<b>KKRC102</b>		Kwakyekrom	25.0	35.0	10.0						
and	60.0		80.0	20.0	0.29						
and	108.0		109.0	1.0	0.24						

## Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KKRC103</b>	Kwakyekrom	33.0	36.0	3.0	0.72	528430	634374	121	298	-60	132
and		39.0	40.0	1.0	0.27						
and		50.0	51.0	1.0	0.25						
and		59.0	60.0	1.0	0.60						
and		68.0	74.0	6.0	0.19						
and		78.0	83.0	5.0	0.20						
and		94.0	99.0	5.0	0.55						
and		102.0	103.0	1.0	0.22						
and		109.0	110.0	1.0	0.24						
and		125.0	126.0	1.0	0.46						
<b>KKRC104</b>	Kwakyekrom	30.0	31.0	1.0	0.65	528415	634306	130	298	-60	150
and		42.0	47.0	5.0	0.40						
and		51.0	52.0	1.0	0.35						
and		55.0	58.0	3.0	0.90						
<b>and</b>		<b>67.0</b>	<b>85.0</b>	<b>18.0</b>	<b>0.35</b>						
<b>and</b>		<b>91.0</b>	<b>113.0</b>	<b>22.0</b>	<b>0.34</b>						
<b>KKRC105</b>	Kwakyekrom	43.0	45.0	2.0	0.32	528387	634272	137	298	-60	150
<b>KKRC106</b>	Kwakyekrom	40.0	52.0	12.0	0.24	528353	634248	147	298	-60	132
<b>KKRC107</b>	Kwakyekrom	53.0	54.0	1.0	2.46	528390	634223	148	298	-60	180
and		62.0	68.0	6.0	0.85						
and		87.0	89.0	2.0	0.29						
and		92.0	94.0	2.0	0.31						
<b>KKRC108</b>	Kwakyekrom	1.0	10.0	9.0	0.43	528786	635064	127	298	-60	114
and		50.0	52.0	2.0	0.39						
and		74.0	80.0	6.0	0.37						

# Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KJRC025</b>	Kojina Hill	12.0	14.0	2.0	0.40	529138	637394	98	120	-55	100
and		24.0	26.0	2.0	0.20						
and		31.0	32.0	1.0	3.53						
and		44.0	45.0	1.0	0.34						
and		51.0	53.0	2.0	0.26						
and		79.0	80.0	1.0	0.29						
and		96.0	97.0	1.0	0.22						
<b>KJRC026</b>	Kojina Hill	25.0	26.0	1.0	0.32	528814	637355	105	120	-55	130
and		60.0	62.0	2.0	0.33						
and		<b>69.0</b>	<b>106.0</b>	<b>37.0</b>	<b>0.67</b>						
including		<b>70.0</b>	<b>90.0</b>	<b>20.0</b>	<b>1.05</b>						
<b>KJRC027</b>	Kojina Hill	87.0	89.0	2.0	0.25	528806	637083	186	120	-55	180
<b>KJRC028</b>	Kojina Hill	15.0	17.0	2.0	0.23	528833	636835	173	120	-55	150
and		44.0	46.0	2.0	0.46						
and		72.0	77.0	5.0	0.34						
<b>KJRC029</b>	Kojina Hill	12.0	14.0	2.0	0.53	528579	636781	118	120	-55	132
and		75.0	76.0	1.0	0.30						
<b>KJRC030</b>	Kojina Hill	1.0	8.0	7.0	0.45	528475	636835	126	120	-55	108
and		15.0	26.0	11.0	0.29						
and		45.0	49.0	4.0	0.57						
and		57.0	59.0	2.0	0.44						
and		82.0	83.0	1.0	1.04						
<b>KJRC031</b>	Kojina Hill	0.0	1.0	1.0	0.20	528423	636863	117	120	-55	144
and		<b>5.0</b>	<b>7.0</b>	<b>2.0</b>	<b>6.80</b>						
and		9.0	10.0	1.0	0.29						
and		14.0	16.0	2.0	0.22						
and		32.0	33.0	1.0	0.27						
and		50.0	58.0	8.0	0.69						
and		64.0	68.0	4.0	0.41						
and		102.0	103.0	1.0	0.22						
and		115.0	136.0	21.0	0.49						

## Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KJRC032</b>	Kojina Hill	24.0	25.0	1.0	0.38	528853	637334	108	120	-60	110
and		45.0	49.0	4.0	0.46						
and		83.0	94.0	11.0	0.48						
and		96.0	97.0	1.0	0.20						
and		100.0	110.0	10.0	0.69						
<b>KJRC033</b>	Kojina Hill	36.0	37.0	1.0	0.45	528780	637345	110	120	-60	162
and		49.0	52.0	3.0	0.21						
and		59.0	60.0	1.0	0.20						
and		70.0	74.0	4.0	0.91						
and		93.0	102.0	9.0	0.41						
and		124.0	126.0	2.0	0.75						
and		<b>126.0</b>	<b>127.0</b>	<b>1.0</b>	<b>183.86</b>						
and		<b>127.0</b>	<b>134.0</b>	<b>7.0</b>	<b>1.08</b>						
and		138.0	148.0	10.0	0.57						
<b>KJRC034</b>	Kojina Hill	<b>0.0</b>	<b>13.0</b>	<b>13.0</b>	<b>3.06</b>	528810	637223	150	300	-60	150
including		<b>2.0</b>	<b>5.0</b>	<b>3.0</b>	<b>8.09</b>						
including		<b>9.0</b>	<b>12.0</b>	<b>3.0</b>	<b>4.59</b>						
and		27.0	30.0	3.0	0.29						
and		116.0	117.0	1.0	1.10						
<b>KJRC035</b>	Kojina Hill	12.0	18.0	6.0	0.55	528862	637264	139	300	-60	144
and		41.0	47.0	6.0	0.52						
and		56.0	67.0	11.0	0.42						
including		61.0	63.0	2.0	1.53						
and		70.0	71.0	1.0	0.67						
and		74.0	75.0	1.0	0.20						
and		80.0	83.0	3.0	0.63						
and		106.0	114.0	8.0	0.58						
and		121.0	122.0	1.0	0.23						
and		140.0	141.0	1.0	0.69						

## Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated April 8, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
<b>KJRC036</b>	Kojina Hill	<b>0.0</b>	<b>14.0</b>	<b>14.0</b>	<b>0.58</b>	528823	637288	140	300	-60	102
and		<b>24.0</b>	<b>43.0</b>	<b>19.0</b>	<b>0.43</b>						
and		100.0	102.0	2.0	0.31						
<b>KJRC037</b>	Kojina Hill	13.0	16.0	3.0	0.21	528841	637253	143	300	-60	108
and		<b>20.0</b>	<b>49.0</b>	<b>29.0</b>	<b>0.57</b>						
including		<b>21.0</b>	<b>27.0</b>	<b>6.0</b>	<b>1.29</b>						
and		84.0	86.0	2.0	0.68						
<b>KJRC038</b>	Kojina Hill	181.0	184.0	3.0	0.47	528765	637392	99	120	-60	194

1. Intervals reported are hole lengths with true width estimated to be 65 - 85%.

2. Length-weighted averages from uncut assays.

3. All drilling completed by independent contractor.

4. All drilling samples sealed on site and delivered directly to independent lab Intertek Mineral Limited located in Tarkwa, Ghana for preparation and 50g Fire Assay with AAS finish.

5. QA/QC procedures include industry standard inclusion of standards, blanks, and duplicates in all sample batches.