

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



Drill Results Released June 30, 2026

| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|-----------------|--------------|----------|--------|------------|----------|----------|-----------|-----------|-----------|-------|-----------------|
| NBDD070 | Nyam | 214.0 | 218.0 | 4.0 | 0.50 | 530735 | 637795 | 116 | 300 | -60 | 450.9 |
| and | | 284.5 | 307.5 | 23.0 | 0.46 | | | | | | |
| including | | 292.0 | 293.0 | 1.0 | 1.77 | | | | | | |
| including | | 299.0 | 301.0 | 2.0 | 1.37 | | | | | | |
| NBDD071 | Nyam | 89.5 | 94.5 | 5.0 | 0.20 | 530583 | 637742 | 103 | 300 | -75 | 374.8 |
| and | | 95.5 | 96.5 | 1.0 | 0.24 | | | | | | |
| and | | 120.8 | 123.5 | 2.7 | 0.66 | | | | | | |
| and | | 224.0 | 261.5 | 37.5 | 0.50 | | | | | | |
| including | | 226.0 | 229.0 | 3.0 | 1.18 | | | | | | |
| including | | 247.5 | 249.5 | 2.0 | 0.99 | | | | | | |
| including | | 259.5 | 260.5 | 1.0 | 1.68 | | | | | | |
| and | | 263.5 | 264.5 | 1.0 | 0.34 | | | | | | |
| and | | 273.0 | 275.0 | 2.0 | 0.34 | | | | | | |
| and | | 283.0 | 294.0 | 11.0 | 0.79 | | | | | | |
| including | | 283.0 | 285.0 | 2.0 | 1.51 | | | | | | |
| including | | 293.0 | 294.0 | 1.0 | 2.77 | | | | | | |
| and | | 298.0 | 300.0 | 2.0 | 0.28 | | | | | | |
| and | | 313.0 | 316.0 | 3.0 | 0.25 | | | | | | |
| and | | 327.0 | 338.0 | 11.0 | 0.96 | | | | | | |
| including | | 327.0 | 332.0 | 5.0 | 1.67 | | | | | | |
| NBDD072B | Nyam | 172.0 | 177.0 | 5.0 | 0.82 | 530716 | 637831 | 96 | 300 | -60 | 431.0 |
| including | | 176.0 | 177.0 | 1.0 | 3.14 | | | | | | |
| and | | 187.0 | 191.5 | 4.5 | 0.34 | | | | | | |
| and | | 239.0 | 244.0 | 5.0 | 0.55 | | | | | | |
| and | | 250.0 | 252.0 | 2.0 | 0.73 | | | | | | |
| and | | 257.5 | 265.5 | 8.0 | 0.35 | | | | | | |
| and | | 272.4 | 289.0 | 16.6 | 0.33 | | | | | | |
| including | | 280.0 | 282.0 | 2.0 | 1.23 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|-----------------|--------------|--------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| NBDD079A | Nyam | 299.6 | 310.4 | 10.8 | 0.68 | 530729 | 637772 | 103 | 300 | -60 | 433.9 |
| including | | 304.9 | 306.9 | 2.0 | 1.47 | | | | | | |
| and | | 340.0 | 356.4 | 16.4 | 0.31 | | | | | | |
| NBDD080 | Nyam | 300.0 | 301.0 | 1.0 | 0.20 | 530413 | 637260 | 104 | 300 | -60 | 452.0 |
| and | | 307.0 | 309.0 | 2.0 | 0.23 | | | | | | |
| and | | 317.0 | 338.0 | 21.0 | 1.40 | | | | | | |
| including | | 319.0 | 330.0 | 11.0 | 2.08 | | | | | | |
| and | | 347.0 | 349.0 | 2.0 | 0.23 | | | | | | |
| and | | 354.0 | 360.0 | 6.0 | 2.18 | | | | | | |
| and | | 362.0 | 364.0 | 2.0 | 1.19 | | | | | | |
| and | | 364.0 | 365.0 | 1.0 | 1.26 | | | | | | |
| NBDD081 | Nyam | 48.5 | 49.5 | 1.0 | 0.22 | 530328 | 637137 | 108 | 300 | -60 | 417.0 |
| and | | 51.5 | 52.5 | 1.0 | 0.43 | | | | | | |
| and | | 104.0 | 107.0 | 3.0 | 0.52 | | | | | | |
| and | | 121.0 | 126.0 | 5.0 | 0.64 | | | | | | |
| and | | 149.5 | 150.5 | 1.0 | 0.46 | | | | | | |
| and | | 163.0 | 164.0 | 1.0 | 0.23 | | | | | | |
| and | | 227.0 | 229.0 | 2.0 | 0.58 | | | | | | |
| and | | 254.0 | 282.0 | 28.0 | 0.98 | | | | | | |
| including | | 258.0 | 266.0 | 8.0 | 1.61 | | | | | | |
| including | | 277.0 | 282.0 | 5.0 | 2.19 | | | | | | |
| and | | 298.0 | 300.0 | 2.0 | 0.22 | | | | | | |
| and | | 304.0 | 313.0 | 9.0 | 0.33 | | | | | | |
| NBDD082 | Nyam | 227.0 | 250.0 | 23.0 | 0.20 | 530525 | 637463 | 119 | 300 | -55 | 340.0 |
| and | | 264.8 | 265.7 | 0.9 | 1.77 | | | | | | |
| and | | 271.4 | 275.0 | 3.6 | 0.28 | | | | | | |
| and | | 280.0 | 283.0 | 3.0 | 0.31 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|--------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| NBDD083 | Nyam | 120.0 | 136.0 | 16.0 | 0.17 | 530776 | 638081 | 124 | 300 | -60 | 267.0 |
| and | | 142.0 | 145.0 | 3.0 | 0.57 | | | | | | |
| and | | 178.0 | 180.0 | 2.0 | 0.92 | | | | | | |
| NBDD084 | Nyam | 10.6 | 13.5 | 2.9 | 0.24 | 530819 | 638179 | 90 | 300 | -60 | 252.6 |
| and | | 120.0 | 123.0 | 3.0 | 1.20 | | | | | | |
| and | | 132.0 | 133.0 | 1.0 | 0.20 | | | | | | |
| and | | 137.0 | 146.0 | 9.0 | 0.16 | | | | | | |
| and | | 152.0 | 154.0 | 2.0 | 0.98 | | | | | | |
| NBDD085 | Nyam | 278.0 | 292.0 | 14.0 | 1.61 | 530343 | 637168 | 40 | 300 | -60 | 369.2 |
| including | | 284.0 | 291.0 | 7.0 | 2.94 | | | | | | |
| and | | 298.0 | 313.9 | 15.9 | 0.60 | | | | | | |
| including | | 307.0 | 310.0 | 3.0 | 1.92 | | | | | | |
| and | | 335.0 | 344.0 | 9.0 | 1.46 | | | | | | |
| including | | 339.0 | 341.0 | 2.0 | 5.61 | | | | | | |
| NBDD086 | Nyam | 105.0 | 107.2 | 2.2 | 0.19 | 530315 | 637180 | 103 | 300 | -54 | 335.0 |
| and | | 200.0 | 201.0 | 1.0 | 1.47 | | | | | | |
| and | | 223.4 | 230.0 | 6.6 | 0.16 | | | | | | |
| and | | 237.0 | 240.0 | 3.0 | 0.34 | | | | | | |
| and | | 245.0 | 266.0 | 21.0 | 3.51 | | | | | | |
| including | | 251.0 | 260.0 | 9.0 | 5.91 | | | | | | |
| and | | 275.0 | 276.0 | 1.0 | 0.47 | | | | | | |
| and | | 280.0 | 286.0 | 6.0 | 0.49 | | | | | | |
| and | | 290.0 | 293.6 | 3.6 | 0.26 | | | | | | |
| and | | 296.6 | 299.3 | 2.7 | 0.33 | | | | | | |

1. Intervals reported are hole lengths with true width estimated to be 75 - 85%.

2. Length-weighted averages from uncut assays.

3. All drilling completed by independent contractor.

4. All drilling samples sealed on site and delivered directly to independent lab Intertek Mineral Limited located in Tarkwa, Ghana for preparation and 50g Fire Assay with AAS finish.

5. QA/QC procedures include industry standard inclusion of standards, blanks, and duplicates in all sample batches.

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



Previously Released Drill Results

| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|--------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| KBRC288 | Boin | 86.0 | 87.0 | 1.0 | 0.85 | 519558 | 634796 | 132 | 114 | -60 | 201 |
| and | | 93.0 | 98.0 | 5.0 | 0.47 | | | | | | |
| and | | 139.0 | 201.0 | 62.0 | 1.96 | | | | | | |
| including | | 139.0 | 164.0 | 25.0 | 2.31 | | | | | | |
| including | | 171.0 | 199.0 | 28.0 | 2.23 | | | | | | |
| KBRC289 | Boin | 0.0 | 3.0 | 3.0 | 0.17 | 519608 | 634766 | 132 | 114 | -60 | 151 |
| and | | 17.0 | 18.0 | 1.0 | 0.25 | | | | | | |
| and | | 66.0 | 77.0 | 11.0 | 0.65 | | | | | | |
| and | | 97.0 | 107.0 | 10.0 | 1.46 | | | | | | |
| KBRC290 | Boin | 33.0 | 38.0 | 5.0 | 0.40 | 519453 | 634446 | 130 | 114 | -60 | 103 |
| KBRC291 | Boin | 11.0 | 17.0 | 6.0 | 1.16 | 519374 | 634438 | 132 | 114 | -60 | 140 |
| and | | 49.0 | 50.0 | 1.0 | 0.18 | | | | | | |
| and | | 56.0 | 63.0 | 7.0 | 0.77 | | | | | | |
| and | | 98.0 | 100.0 | 2.0 | 0.27 | | | | | | |
| and | | 102.0 | 103.0 | 1.0 | 0.42 | | | | | | |
| and | | 118.0 | 119.0 | 1.0 | 1.61 | | | | | | |
| and | | 122.0 | 139.0 | 17.0 | 0.56 | | | | | | |
| KBRC292 | Boin | 8.0 | 10.0 | 2.0 | 0.30 | 519415 | 634419 | 133 | 114 | -60 | 110 |
| and | | 55.0 | 62.0 | 7.0 | 0.50 | | | | | | |
| KBRC293 | Boin | 10.0 | 29.0 | 19.0 | 0.46 | 519452 | 634401 | 133 | 114 | -60 | 101 |
| including | | 10.0 | 14.0 | 4.0 | 1.28 | | | | | | |
| including | | 23.0 | 28.0 | 5.0 | 0.56 | | | | | | |
| and | | 33.0 | 34.0 | 1.0 | 0.21 | | | | | | |
| and | | 43.0 | 47.0 | 4.0 | 0.62 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|--------------|--------------|-------------|--------------|----------|-----------|-----------|-----------|-------|-----------------|
| KBRC294 | Boin | 107.0 | 113.0 | 6.0 | 3.24 | 519498 | 634729 | 125 | 114 | -55 | 204 |
| including | | 109.0 | 110.0 | 1.0 | 16.52 | | | | | | |
| and | | 120.0 | 121.0 | 1.0 | 0.27 | | | | | | |
| and | | 139.0 | 141.0 | 2.0 | 0.35 | | | | | | |
| and | | 150.0 | 204.0 | 54.0 | 0.94 | | | | | | |
| including | | 151.0 | 158.0 | 7.0 | 2.11 | | | | | | |
| including | | 170.0 | 181.0 | 11.0 | 2.08 | | | | | | |
| KBRC295 | Boin | 45.0 | 47.0 | 2.0 | 0.34 | 519533 | 634699 | 127 | 114 | -60 | 157 |
| and | | 54.0 | 56.0 | 2.0 | 0.31 | | | | | | |
| and | | 83.0 | 91.0 | 8.0 | 0.19 | | | | | | |
| and | | 113.0 | 115.0 | 2.0 | 0.30 | | | | | | |
| and | | 127.0 | 128.0 | 1.0 | 0.97 | | | | | | |
| and | | 130.0 | 154.0 | 24.0 | 1.25 | | | | | | |
| KBRC296 | Boin | 31.0 | 56.0 | 25.0 | 1.44 | 519553 | 634666 | 125 | 114 | -60 | 103 |
| and | | 67.0 | 74.0 | 7.0 | 2.26 | | | | | | |
| and | | 90.0 | 93.0 | 3.0 | 0.37 | | | | | | |
| KBRC297 | Boin | 0.0 | 7.0 | 7.0 | 0.95 | 519581 | 634684 | 127 | 114 | -60 | 100 |
| and | | 12.0 | 26.0 | 14.0 | 0.45 | | | | | | |
| and | | 33.0 | 34.0 | 1.0 | 0.22 | | | | | | |
| and | | 64.0 | 68.0 | 4.0 | 0.57 | | | | | | |
| KBRC298 | Boin | 55.0 | 67.0 | 12.0 | 0.43 | 519301 | 634381 | 130 | 114 | -55 | 220 |
| and | | 76.0 | 78.0 | 2.0 | 0.24 | | | | | | |
| and | | 154.0 | 155.0 | 1.0 | 0.24 | | | | | | |
| and | | 159.0 | 220.0 | 61.0 | 0.53 | | | | | | |
| including | | 173.0 | 185.0 | 12.0 | 1.07 | | | | | | |
| KBRC299 | Boin | 1.0 | 3.0 | 2.0 | 0.21 | 519399 | 634338 | 136 | 114 | -60 | 60 |
| and | | 16.0 | 24.0 | 8.0 | 0.48 | | | | | | |
| and | | 32.0 | 34.0 | 2.0 | 0.89 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|-----------------|--------------|--------------|--------------|-------------|---------------|----------|-----------|-----------|-----------|-------|-----------------|
| KBRC300 | Boin | 38.0 | 41.0 | 3.0 | 0.85 | 519344 | 634361 | 135 | 114 | -60 | 140 |
| and | | 51.0 | 52.0 | 1.0 | 0.20 | | | | | | |
| and | | 62.0 | 68.0 | 6.0 | 2.34 | | | | | | |
| and | | 72.0 | 74.0 | 2.0 | 0.79 | | | | | | |
| and | | 98.0 | 102.0 | 4.0 | 0.69 | | | | | | |
| and | | 126.0 | 128.0 | 2.0 | 0.27 | | | | | | |
| KBRC301 | Boin | 59.0 | 60.0 | 1.0 | 204.27 | 519281 | 634351 | 132 | 114 | -60 | 193 |
| and | | 60.0 | 62.0 | 2.0 | 1.46 | | | | | | |
| and | | 64.0 | 66.0 | 2.0 | 0.22 | | | | | | |
| and | | 79.0 | 85.0 | 6.0 | 0.22 | | | | | | |
| and | | 98.0 | 99.0 | 1.0 | 0.33 | | | | | | |
| and | | 133.0 | 134.0 | 1.0 | 0.51 | | | | | | |
| and | | 161.0 | 163.0 | 2.0 | 1.77 | | | | | | |
| and | | 181.0 | 183.0 | 2.0 | 0.19 | | | | | | |
| KBRC302 | Boin | 0.0 | 1.0 | 1.0 | 0.22 | 519261 | 634273 | 138 | 114 | -60 | 220 |
| and | | 39.0 | 42.0 | 3.0 | 0.78 | | | | | | |
| and | | 111.0 | 112.0 | 1.0 | 0.51 | | | | | | |
| and | | 116.0 | 125.0 | 9.0 | 0.43 | | | | | | |
| and | | 130.0 | 131.0 | 1.0 | 0.40 | | | | | | |
| and | | 139.0 | 150.0 | 11.0 | 0.40 | | | | | | |
| and | | 185.0 | 186.0 | 1.0 | 0.40 | | | | | | |
| and | | 199.0 | 201.0 | 2.0 | 0.68 | | | | | | |
| KBRC303A | Boin | 52.0 | 54.0 | 2.0 | 0.67 | 519293 | 634294 | 130 | 114 | -60 | 200 |
| and | | 68.0 | 70.0 | 2.0 | 0.44 | | | | | | |
| and | | 80.0 | 82.0 | 2.0 | 0.21 | | | | | | |
| and | | 114.0 | 145.0 | 31.0 | 0.94 | | | | | | |
| and | | 160.0 | 181.0 | 21.0 | 0.46 | | | | | | |
| and | | 187.0 | 189.0 | 2.0 | 0.20 | | | | | | |
| and | | 196.0 | 197.0 | 1.0 | 0.29 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|-----------------|--------------|--------------|--------------|-------------|--------------|----------|-----------|-----------|-----------|-------|-----------------|
| KBRC304 | Boin | 20.0 | 24.0 | 4.0 | 0.71 | 519090 | 634045 | 134 | 114 | -50 | 81 |
| and | | 35.0 | 36.0 | 1.0 | 0.35 | | | | | | |
| and | | 41.0 | 59.0 | 18.0 | 0.73 | | | | | | |
| KBRC305 | Boin | 68.0 | 70.0 | 2.0 | 0.21 | 519248 | 634321 | 135 | 114 | -55 | 252 |
| and | | 105.0 | 115.0 | 10.0 | 0.61 | | | | | | |
| and | | 121.0 | 123.0 | 2.0 | 0.43 | | | | | | |
| and | | 151.0 | 199.0 | 48.0 | 1.01 | | | | | | |
| including | | 173.0 | 187.0 | 14.0 | 1.86 | | | | | | |
| and | 212.0 | 229.0 | 17.0 | 0.86 | | | | | | | |
| KBRC306 | Boin | 190.0 | 204.0 | 14.0 | 0.82 | 519192 | 634299 | 147 | 114 | -55 | 250 |
| and | | 236.0 | 237.0 | 1.0 | 0.32 | | | | | | |
| and | | 242.0 | 247.0 | 5.0 | 1.64 | | | | | | |
| KBRC307A | Boin | 17.0 | 25.0 | 8.0 | 0.74 | 519252 | 634200 | 139 | 114 | -60 | 190 |
| and | | 35.0 | 36.0 | 1.0 | 0.61 | | | | | | |
| and | | 57.0 | 66.0 | 9.0 | 0.27 | | | | | | |
| and | | 120.0 | 148.0 | 28.0 | 3.36 | | | | | | |
| including | | 132.0 | 143.0 | 11.0 | 7.76 | | | | | | |
| and incl. | | 133.0 | 135.0 | 2.0 | 37.58 | | | | | | |
| and | 156.0 | 190.0 | 34.0 | 0.33 | | | | | | | |
| KBRC308 | Boin | 132.0 | 153.0 | 21.0 | 1.04 | 519205 | 634212 | 135 | 114 | -60 | 222 |
| including | | 139.0 | 141.0 | 2.0 | 2.66 | | | | | | |
| and | | 164.0 | 202.0 | 38.0 | 0.50 | | | | | | |
| including | | 197.0 | 201.0 | 4.0 | 2.03 | | | | | | |
| and | | 207.0 | 209.0 | 2.0 | 0.49 | | | | | | |
| and | 214.0 | 217.0 | 3.0 | 0.51 | | | | | | | |
| KBRC309A | Boin | 63.0 | 65.0 | 2.0 | 0.50 | 519178 | 634148 | 119 | 114 | -60 | 220 |
| and | | 110.0 | 119.0 | 9.0 | 0.32 | | | | | | |
| and | | 126.0 | 152.0 | 26.0 | 0.59 | | | | | | |
| and | | 171.0 | 179.0 | 8.0 | 0.29 | | | | | | |
| and | | 183.0 | 185.0 | 2.0 | 0.31 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|--------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| KBRC310 | Boin | 16.0 | 17.0 | 1.0 | 0.59 | 519161 | 634010 | 126 | 114 | -60 | 200 |
| and | | 39.0 | 40.0 | 1.0 | 0.34 | | | | | | |
| and | | 97.0 | 99.0 | 2.0 | 0.47 | | | | | | |
| and | | 101.0 | 104.0 | 3.0 | 0.41 | | | | | | |
| and | | 108.0 | 110.0 | 2.0 | 0.27 | | | | | | |
| and | | 116.0 | 118.0 | 2.0 | 0.30 | | | | | | |
| and | | 191.0 | 193.0 | 2.0 | 0.39 | | | | | | |
| KBRC311 | Boin | 143.0 | 146.0 | 3.0 | 0.19 | 519171 | 634107 | 127 | 114 | -60 | 200 |
| and | | 159.0 | 161.0 | 2.0 | 1.25 | | | | | | |
| KBRC312 | Boin | 86.0 | 87.0 | 1.0 | 0.28 | 519119 | 633968 | 133 | 114 | -50 | 210 |
| and | | 93.0 | 109.0 | 16.0 | 1.04 | | | | | | |
| and | | 115.0 | 117.0 | 2.0 | 0.30 | | | | | | |
| and | | 130.0 | 210.0 | 80.0 | 0.54 | | | | | | |
| KBRC313 | Boin | 127.0 | 208.0 | 81.0 | 1.06 | 518956 | 633618 | 154 | 0 | -90 | 240 |
| including | | 132.0 | 149.0 | 17.0 | 2.50 | | | | | | |
| including | | 184.0 | 191.0 | 7.0 | 2.15 | | | | | | |
| and | | 215.0 | 217.0 | 2.0 | 0.22 | | | | | | |
| and | | 229.0 | 237.0 | 8.0 | 0.29 | | | | | | |
| KBRC314 | Boin | 141.0 | 143.0 | 2.0 | 0.50 | 518935 | 633580 | 156 | 0 | -90 | 230 |
| and | | 151.0 | 154.0 | 3.0 | 0.99 | | | | | | |
| and | | 161.0 | 223.0 | 62.0 | 0.86 | | | | | | |
| including | | 210.0 | 219.0 | 9.0 | 2.24 | | | | | | |
| KBRC315 | Boin | 139.0 | 190.0 | 51.0 | 0.58 | 518914 | 633556 | 154 | 0 | -90 | 240 |
| including | | 144.0 | 148.0 | 4.0 | 1.71 | | | | | | |
| and | | 203.0 | 240.0 | 37.0 | 1.32 | | | | | | |
| KBRC316 | Boin | 100.0 | 196.0 | 96.0 | 0.97 | 518900 | 633506 | 133 | 0 | -90 | 220 |
| including | | 163.0 | 173.0 | 10.0 | 2.05 | | | | | | |
| and | | 200.0 | 202.0 | 2.0 | 0.52 | | | | | | |
| and | | 217.0 | 219.0 | 2.0 | 0.35 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|--------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| KBRC317 | Boin | 88.0 | 89.0 | 1.0 | 0.30 | 518874 | 633478 | 133 | 0 | -90 | 200 |
| and | | 109.0 | 182.0 | 73.0 | 0.70 | | | | | | |
| and | | 192.0 | 199.0 | 7.0 | 1.52 | | | | | | |
| KBRC318 | Boin | 65.0 | 72.0 | 7.0 | 1.17 | 518804 | 633406 | 137 | 114 | -50 | 100 |
| KBRC319 | Boin | 33.0 | 52.0 | 19.0 | 0.94 | 519535 | 634589 | 122 | 114 | -60 | 78 |
| KBRC320 | Boin | 57.0 | 58.0 | 1.0 | 0.20 | 519496 | 634605 | 122 | 114 | -60 | 150 |
| and | | 85.0 | 98.0 | 13.0 | 0.67 | | | | | | |
| and | | 108.0 | 146.0 | 38.0 | 0.70 | | | | | | |
| KBRC321 | Boin | 4.0 | 17.0 | 13.0 | 0.86 | 518801 | 633303 | 132 | 114 | -50 | 60 |
| and | | 28.0 | 29.0 | 1.0 | 0.37 | | | | | | |
| KBRC322 | Boin | 19.0 | 20.0 | 1.0 | 0.24 | 518741 | 633324 | 140 | 114 | -50 | 166 |
| and | | 23.0 | 36.0 | 13.0 | 0.86 | | | | | | |
| and | | 60.0 | 62.0 | 2.0 | 0.38 | | | | | | |
| KBRC323 | Boin | 0.0 | 5.0 | 5.0 | 0.23 | 519502 | 634511 | 135 | 114 | -60 | 90 |
| and | | 14.0 | 21.0 | 7.0 | 0.57 | | | | | | |
| and | | 35.0 | 37.0 | 2.0 | 0.33 | | | | | | |
| KBRC324 | Boin | 18.0 | 20.0 | 2.0 | 0.25 | 519475 | 634523 | 133 | 114 | -60 | 120 |
| and | | 47.0 | 49.0 | 2.0 | 0.76 | | | | | | |
| and | | 64.0 | 120.0 | 56.0 | 0.50 | | | | | | |
| KBRC325 | Boin | 37.0 | 45.0 | 8.0 | 0.84 | 519657 | 634877 | 120 | 114 | -60 | 180 |
| and | | 60.0 | 79.0 | 19.0 | 0.54 | | | | | | |
| and | | 83.0 | 84.0 | 1.0 | 0.20 | | | | | | |
| and | | 101.0 | 103.0 | 2.0 | 0.23 | | | | | | |
| and | | 113.0 | 117.0 | 4.0 | 0.67 | | | | | | |
| and | | 132.0 | 180.0 | 48.0 | 0.43 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|-------------|------------------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| KBRC326 | Boin | 6.0 | 15.0 | 9.0 | 0.64 | 519708 | 634856 | 120 | 114 | -60 | 144 |
| and | | 21.0 | 25.0 | 4.0 | 0.38 | | | | | | |
| and | | 29.0 | 30.0 | 1.0 | 0.58 | | | | | | |
| and | | 35.0 | 51.0 | 16.0 | 1.03 | | | | | | |
| and | | 69.0 | 70.0 | 1.0 | 0.26 | | | | | | |
| and | | 72.0 | 74.0 | 2.0 | 0.22 | | | | | | |
| and | | 90.0 | 91.0 | 1.0 | 0.29 | | | | | | |
| and | | 95.0 | 96.0 | 1.0 | 0.31 | | | | | | |
| and | | 112.0 | 113.0 | 1.0 | 0.22 | | | | | | |
| and | | 125.0 | 126.0 | 1.0 | 0.30 | | | | | | |
| and | | 136.0 | 144.0 | 8.0 | 0.33 | | | | | | |
| KBRC327 | Boin | 76.0 | 77.0 | 1.0 | 0.46 | 519754 | 634955 | 105 | 114 | -60 | 132 |
| and | | 81.0 | 89.0 | 8.0 | 0.79 | | | | | | |
| and | | 96.0 | 100.0 | 4.0 | 0.59 | | | | | | |
| and | | 110.0 | 119.0 | 9.0 | 0.26 | | | | | | |
| KBRC328 | Boin | 9.0 | 72.0 | 63.0 | 1.28 | 519773 | 634942 | 110 | 114 | -60 | 96 |
| and | | 78.0 | 96.0 | 18.0 | 0.76 | | | | | | |
| KBRC329 | Boin | | No significant results | | | 519786 | 635002 | 105 | 114 | -60 | 60 |
| KBRC330 | Boin | 46.0 | 47.0 | 1.0 | 0.29 | 519815 | 635023 | 107 | 114 | -60 | 64 |
| KBRC331 | Boin | | No significant results | | | 520017 | 635043 | 120 | 114 | -60 | 60 |
| KBRC332 | Boin | 41.0 | 46.0 | 5.0 | 0.41 | 519948 | 635072 | 120 | 114 | -60 | 72 |
| and | | 54.0 | 58.0 | 4.0 | 0.64 | | | | | | |
| KBRC333 | Boin | 45.0 | 46.0 | 1.0 | 0.22 | 520064 | 635075 | 125 | 114 | -60 | 90 |
| and | | 71.0 | 72.0 | 1.0 | 0.23 | | | | | | |
| and | | 80.0 | 82.0 | 2.0 | 0.21 | | | | | | |
| KBRC334 | Boin | 32.0 | 34.0 | 2.0 | 0.25 | 520092 | 635118 | 127 | 114 | -60 | 66 |
| KBRC335 | Boin | 6.0 | 29.0 | 23.0 | 2.18 | 520035 | 635135 | 127 | 114 | -60 | 66 |
| including | | 16.0 | 24.0 | 8.0 | 5.58 | | | | | | |
| KBRC336 | Boin | 30.0 | 35.0 | 5.0 | 0.80 | 518507 | 632990 | 123 | 114 | -50 | 70 |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|--------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| KBRC337 | Boin | 12.0 | 13.0 | 1.0 | 0.21 | 518467 | 633006 | 130 | 114 | -50 | 126 |
| and | | 79.0 | 126.0 | 47.0 | 1.06 | | | | | | |
| KBRC338 | Boin | 11.0 | 18.0 | 7.0 | 0.56 | 518449 | 632888 | 124 | 114 | -60 | 72 |
| and | | 28.0 | 40.0 | 12.0 | 0.43 | | | | | | |
| KBRC339 | Boin | 59.0 | 60.0 | 1.0 | 0.27 | 518421 | 632912 | 123 | 114 | -60 | 120 |
| and | | 82.0 | 84.0 | 2.0 | 1.31 | | | | | | |
| and | | 90.0 | 106.0 | 16.0 | 1.06 | | | | | | |
| and | | 112.0 | 114.0 | 2.0 | 0.37 | | | | | | |
| KBRC340 | Boin | 14.0 | 34.0 | 20.0 | 0.61 | 518396 | 632821 | 125 | 114 | -60 | 50 |
| KBRC341 | Boin | 51.0 | 120.0 | 69.0 | 0.64 | 518366 | 632833 | 125 | 114 | -60 | 120 |
| KBRC342 | Boin | 177.0 | 183.0 | 6.0 | 0.50 | 518885 | 633671 | 158 | 114 | -65 | 233 |
| and | | 190.0 | 228.0 | 38.0 | 1.74 | | | | | | |
| including | | 218.0 | 225.0 | 7.0 | 3.67 | | | | | | |
| KBRC343 | Boin | 69.0 | 80.0 | 11.0 | 0.27 | 518932 | 633604 | 166 | 114 | -60 | 156 |
| and | | 95.0 | 151.0 | 56.0 | 0.65 | | | | | | |
| KBRC344 | Boin | 104.0 | 176.0 | 72.0 | 1.16 | 518955 | 633720 | 154 | 114 | -55 | 200 |
| including | | 114.0 | 124.0 | 10.0 | 3.06 | | | | | | |
| and | | 180.0 | 181.0 | 1.0 | 0.35 | | | | | | |
| and | | 186.0 | 189.0 | 3.0 | 0.43 | | | | | | |
| and | | 192.0 | 195.0 | 3.0 | 0.26 | | | | | | |
| and | | 198.0 | 200.0 | 2.0 | 0.35 | | | | | | |
| KBRC345 | Boin | 82.0 | 85.0 | 3.0 | 0.29 | 518983 | 633747 | 155 | 114 | -60 | 174 |
| and | | 108.0 | 120.0 | 12.0 | 0.73 | | | | | | |
| and | | 133.0 | 142.0 | 9.0 | 0.79 | | | | | | |
| KBRC346 | Boin | 98.0 | 168.0 | 70.0 | 0.67 | 519062 | 633856 | 155 | 114 | -62 | 168 |
| KBRC348 | Boin | 1.0 | 11.0 | 10.0 | 0.20 | 519658 | 634788 | 148 | 114 | -60 | 90 |
| and | | 36.0 | 43.0 | 7.0 | 1.19 | | | | | | |
| and | | 57.0 | 67.0 | 10.0 | 0.30 | | | | | | |
| KBRC349 | Boin | 40.0 | 56.0 | 16.0 | 0.65 | 519689 | 634837 | 145 | 114 | -60 | 90 |
| and | | 74.0 | 76.0 | 2.0 | 0.34 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|--------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| KBRC350 | Boin | 19.0 | 31.0 | 12.0 | 0.26 | 519656 | 634848 | 146 | 114 | -60 | 144 |
| and | | 94.0 | 102.0 | 8.0 | 0.63 | | | | | | |
| and | | 113.0 | 115.0 | 2.0 | 0.74 | | | | | | |
| and | | 126.0 | 131.0 | 5.0 | 0.25 | | | | | | |
| and | | 133.0 | 135.0 | 2.0 | 0.21 | | | | | | |
| KBRC351 | Boin | 21.0 | 44.0 | 23.0 | 0.23 | 519689 | 634865 | 138 | 114 | -60 | 168 |
| and | | 54.0 | 65.0 | 11.0 | 0.74 | | | | | | |
| and | | 74.0 | 78.0 | 4.0 | 0.57 | | | | | | |
| and | | 92.0 | 99.0 | 7.0 | 0.23 | | | | | | |
| and | | 108.0 | 133.0 | 25.0 | 0.21 | | | | | | |
| and | | 144.0 | 168.0 | 24.0 | 0.37 | | | | | | |
| KBRC352 | Boin | 63.0 | 64.0 | 1.0 | 0.21 | 519630 | 634866 | 147 | 114 | -60 | 186 |
| and | | 96.0 | 152.0 | 56.0 | 2.25 | | | | | | |
| including | | 122.0 | 137.0 | 15.0 | 3.83 | | | | | | |
| and | | 160.0 | 186.0 | 26.0 | 0.79 | | | | | | |
| KBRC353 | Boin | 0.0 | 24.0 | 24.0 | 2.15 | 519651 | 634761 | 146 | 114 | -60 | 80 |
| and | | 38.0 | 40.0 | 2.0 | 0.30 | | | | | | |
| and | | 51.0 | 54.0 | 3.0 | 0.53 | | | | | | |
| KBRC354 | Boin | 18.0 | 20.0 | 2.0 | 1.13 | 519779 | 634979 | 135 | 114 | -55 | 96 |
| and | | 31.0 | 32.0 | 1.0 | 0.34 | | | | | | |
| and | | 34.0 | 35.0 | 1.0 | 0.36 | | | | | | |
| and | | 63.0 | 64.0 | 1.0 | 0.31 | | | | | | |
| and | | 69.0 | 74.0 | 5.0 | 0.46 | | | | | | |
| KBRC355 | Boin | 22.0 | 23.0 | 1.0 | 0.57 | 519744 | 634923 | 127 | 114 | -55 | 66 |
| and | | 26.0 | 55.0 | 29.0 | 2.13 | | | | | | |
| KBRC356 | Boin | 136.0 | 137.0 | 1.0 | 0.29 | 519482 | 634747 | 117 | 114 | -55 | 204 |
| and | | 168.0 | 177.0 | 9.0 | 1.20 | | | | | | |
| and | | 194.0 | 197.0 | 3.0 | 0.64 | | | | | | |
| and | | 194.0 | 197.0 | 3.0 | 0.64 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|-----------------|--------------|--------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| KBRC347B | Boin | 31.0 | 32.0 | 1.0 | 0.26 | 519323 | 634242 | 118 | 114 | -65 | 180 |
| and | | 42.0 | 59.0 | 17.0 | 0.58 | | | | | | |
| and | | 90.0 | 91.0 | 1.0 | 0.29 | | | | | | |
| and | | 134.0 | 172.0 | 38.0 | 1.05 | | | | | | |
| KBRC357 | Boin | 113.0 | 121.0 | 8.0 | 1.07 | 519546 | 634737 | 145 | 114 | -55 | 168 |
| and | | 126.0 | 150.0 | 24.0 | 4.41 | | | | | | |
| including | | 132.0 | 142.0 | 10.0 | 9.08 | | | | | | |
| and | | 163.0 | 164.0 | 1.0 | 0.35 | | | | | | |
| KBRC358 | Boin | 109.0 | 117.0 | 8.0 | 1.25 | 519586 | 634795 | 158 | 114 | -60 | 186 |
| and | | 142.0 | 161.0 | 19.0 | 0.47 | | | | | | |
| and | | 166.0 | 179.0 | 13.0 | 1.05 | | | | | | |
| KBRC359 | Boin | 11.0 | 15.0 | 4.0 | 0.30 | 519612 | 634809 | 148 | 114 | -60 | 148 |
| and | | 28.0 | 40.0 | 12.0 | 0.33 | | | | | | |
| and | | 77.0 | 79.0 | 2.0 | 0.28 | | | | | | |
| and | | 86.0 | 88.0 | 2.0 | 0.35 | | | | | | |
| and | | 110.0 | 144.0 | 34.0 | 0.87 | | | | | | |
| KBRC360 | Boin | 75.0 | 127.0 | 52.0 | 1.58 | 519588 | 634823 | 145 | 114 | -60 | 177 |
| including | | 96.0 | 112.0 | 16.0 | 3.04 | | | | | | |
| and | | 137.0 | 139.0 | 2.0 | 0.49 | | | | | | |
| and | | 152.0 | 153.0 | 1.0 | 0.26 | | | | | | |
| and | | 155.0 | 177.0 | 22.0 | 0.62 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|--------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| KBRC361 | Boin | 0.0 | 1.0 | 1.0 | 0.24 | 519726 | 634714 | 117 | 294 | -55 | 250 |
| and | | 83.0 | 84.0 | 1.0 | 0.27 | | | | | | |
| and | | 109.0 | 110.0 | 1.0 | 0.79 | | | | | | |
| and | | 131.0 | 134.0 | 3.0 | 1.00 | | | | | | |
| and | | 141.0 | 142.0 | 1.0 | 0.41 | | | | | | |
| and | | 148.0 | 149.0 | 1.0 | 0.43 | | | | | | |
| and | | 157.0 | 170.0 | 13.0 | 2.13 | | | | | | |
| and | | 174.0 | 175.0 | 1.0 | 0.29 | | | | | | |
| and | | 181.0 | 182.0 | 1.0 | 0.54 | | | | | | |
| and | | 185.0 | 191.0 | 6.0 | 0.57 | | | | | | |
| and | | 206.0 | 213.0 | 7.0 | 0.76 | | | | | | |
| and | | 218.0 | 219.0 | 1.0 | 0.32 | | | | | | |
| and | | 224.0 | 237.0 | 13.0 | 0.33 | | | | | | |
| KBRC362 | | Boin | 59.0 | 64.0 | 5.0 | | | | | | |
| and | 84.0 | | 117.0 | 33.0 | 0.25 | | | | | | |
| and | 127.0 | | 129.0 | 2.0 | 0.66 | | | | | | |
| and | 134.0 | | 136.0 | 2.0 | 0.23 | | | | | | |
| and | 141.0 | | 148.0 | 7.0 | 0.41 | | | | | | |
| and | 158.0 | | 210.0 | 52.0 | 0.66 | | | | | | |
| KBRC363 | Boin | 102.0 | 106.0 | 4.0 | 0.83 | 519205 | 634182 | 115 | 114 | -60 | 210 |
| and | | 120.0 | 133.0 | 13.0 | 1.15 | | | | | | |
| and | | 137.0 | 143.0 | 6.0 | 0.50 | | | | | | |
| and | | 160.0 | 170.0 | 10.0 | 0.42 | | | | | | |
| and | | 189.0 | 210.0 | 21.0 | 0.99 | | | | | | |
| KBRC364 | Boin | 48.0 | 49.0 | 1.0 | 0.32 | 519223 | 634082 | 125 | 114 | -60 | 174 |
| and | | 57.0 | 58.0 | 1.0 | 0.24 | | | | | | |
| and | | 65.0 | 66.0 | 1.0 | 0.29 | | | | | | |
| and | | 69.0 | 70.0 | 1.0 | 0.37 | | | | | | |
| and | | 79.0 | 80.0 | 1.0 | 0.26 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|-------------|-------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| KBRC365 | Boin | 19.0 | 20.0 | 1.0 | 0.43 | 518844 | 633393 | 139 | 114 | -60 | 84 |
| and | | 52.0 | 54.0 | 2.0 | 0.34 | | | | | | |
| KBRC366 | Boin | 192.0 | 203.0 | 11.0 | 2.01 | 519241 | 634342 | 130 | 114 | -60 | 255 |
| KBRC367 | Boin | 8.0 | 11.0 | 3.0 | 0.21 | 519212 | 635995 | 117 | 294 | -60 | 84 |
| and | | 21.0 | 22.0 | 1.0 | 0.25 | | | | | | |
| and | | 82.0 | 84.0 | 2.0 | 2.59 | | | | | | |
| KBRC368 | Boin | 2.0 | 5.0 | 3.0 | 0.71 | 519377 | 636140 | 118 | 294 | -60 | 54 |
| and | | 16.0 | 32.0 | 16.0 | 0.78 | | | | | | |
| including | | 31.0 | 32.0 | 1.0 | 8.17 | | | | | | |
| KBRC369 | Boin | 44.0 | 62.0 | 18.0 | 0.51 | 519415 | 636122 | 126 | 294 | -60 | 100 |
| including | | 44.0 | 46.0 | 2.0 | 3.29 | | | | | | |
| and | | 71.0 | 74.0 | 3.0 | 0.54 | | | | | | |
| and | | 78.0 | 79.0 | 1.0 | 0.42 | | | | | | |
| KBRC370 | Boin | 14.0 | 15.0 | 1.0 | 0.32 | 519443 | 636168 | 122 | 294 | -60 | 80 |
| and | | 24.0 | 26.0 | 2.0 | 0.40 | | | | | | |
| and | | 43.0 | 44.0 | 1.0 | 1.42 | | | | | | |
| and | | 51.0 | 56.0 | 5.0 | 0.40 | | | | | | |
| and | | 62.0 | 65.0 | 3.0 | 3.16 | | | | | | |
| and | | 68.0 | 72.0 | 4.0 | 0.36 | | | | | | |
| and | | 76.0 | 77.0 | 1.0 | 1.90 | | | | | | |
| KBRC371 | Boin | 24.0 | 25.0 | 1.0 | 0.91 | 519464 | 636158 | 124 | 294 | -60 | 132 |
| and | | 52.0 | 58.0 | 6.0 | 0.89 | | | | | | |
| including | | 52.0 | 54.0 | 2.0 | 2.37 | | | | | | |
| and | | 72.0 | 75.0 | 3.0 | 1.12 | | | | | | |
| and | | 83.0 | 86.0 | 3.0 | 0.64 | | | | | | |
| and | | 93.0 | 101.0 | 8.0 | 0.35 | | | | | | |
| including | | 93.0 | 96.0 | 3.0 | 0.72 | | | | | | |
| and | | 106.0 | 117.0 | 11.0 | 0.31 | | | | | | |
| and | 122.0 | 130.0 | 8.0 | 0.47 | | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|--------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| KBRC372 | Boin | 11.0 | 12.0 | 1.0 | 0.38 | 519474 | 636213 | 124 | 294 | -60 | 100 |
| and | | 14.0 | 17.0 | 3.0 | 1.65 | | | | | | |
| and | | 32.0 | 35.0 | 3.0 | 0.18 | | | | | | |
| and | | 45.0 | 56.0 | 11.0 | 0.47 | | | | | | |
| and | | 71.0 | 72.0 | 1.0 | 0.20 | | | | | | |
| KBDD088 | Boin | 190.0 | 206.5 | 16.5 | 2.03 | 518740 | 633481 | 145 | 114 | -55 | 213.3 |
| including | | 195.0 | 199.0 | 4.0 | 3.90 | | | | | | |
| KBDD095 | Boin | 183.0 | 185.0 | 2.0 | 1.04 | 518773 | 633637 | 146 | 114 | -60 | 372.6 |
| and | | 238.4 | 251.0 | 12.6 | 0.51 | | | | | | |
| including | | 247.8 | 249.9 | 2.1 | 1.37 | | | | | | |
| and | | 263.0 | 264.0 | 1.0 | 0.99 | | | | | | |
| and | | 267.0 | 268.0 | 1.0 | 0.63 | | | | | | |
| and | | 271.0 | 279.5 | 8.5 | 2.34 | | | | | | |
| including | | 272.0 | 274.5 | 2.5 | 7.50 | | | | | | |
| and | | 284.5 | 288.5 | 4.0 | 0.31 | | | | | | |
| and | | 292.5 | 294.0 | 1.5 | 0.22 | | | | | | |
| and | | 297.0 | 299.0 | 2.0 | 1.00 | | | | | | |
| and | | 303.0 | 305.0 | 2.0 | 0.28 | | | | | | |
| and | | 307.0 | 309.0 | 2.0 | 0.37 | | | | | | |
| and | | 314.6 | 316.6 | 2.0 | 0.36 | | | | | | |
| and | | 333.3 | 336.0 | 2.7 | 0.19 | | | | | | |
| and | | 341.0 | 344.0 | 3.0 | 0.25 | | | | | | |
| and | | 361.0 | 363.0 | 2.0 | 0.39 | | | | | | |
| and | | 367.0 | 369.0 | 2.0 | 1.24 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|--------------|--------------|-------------|---------------|----------|-----------|-----------|-----------|-------|-----------------|
| KBDD096 | Boin | 296.0 | 298.0 | 2.0 | 1.33 | 518773 | 633637 | 146 | 114 | -75 | 435.4 |
| and | | 302.0 | 304.0 | 2.0 | 0.52 | | | | | | |
| and | | 319.2 | 319.9 | 0.7 | 0.96 | | | | | | |
| and | | 324.0 | 342.0 | 18.0 | 0.68 | | | | | | |
| including | | 340.1 | 342.0 | 1.9 | 2.42 | | | | | | |
| and | | 351.0 | 358.0 | 7.0 | 0.97 | | | | | | |
| including | | 352.0 | 354.0 | 2.0 | 2.60 | | | | | | |
| and | | 363.0 | 399.5 | 36.5 | 0.69 | | | | | | |
| including | | 385.0 | 387.0 | 2.0 | 2.34 | | | | | | |
| and | | 412.0 | 414.0 | 2.0 | 0.83 | | | | | | |
| KBDD097 | Boin | 187.0 | 190.0 | 3.0 | 1.57 | 519511 | 634814 | 140 | 114 | -60 | 320.2 |
| and | | 226.0 | 245.0 | 19.0 | 0.62 | | | | | | |
| including | | 232.0 | 234.0 | 2.0 | 1.67 | | | | | | |
| and | | 253.0 | 276.0 | 23.0 | 3.54 | | | | | | |
| including | | 256.0 | 264.0 | 8.0 | 6.92 | | | | | | |
| KBDD098 | Boin | 244.0 | 246.0 | 2.0 | 0.58 | 518835 | 633693 | 160 | 114 | -65 | 357.6 |
| and | | 264.0 | 265.0 | 1.0 | 173.75 | | | | | | |
| and | | 266.0 | 269.0 | 3.0 | 0.18 | | | | | | |
| and | | 298.3 | 301.0 | 2.7 | 0.36 | | | | | | |
| and | | 315.0 | 317.0 | 2.0 | 1.03 | | | | | | |
| and | | 320.7 | 323.2 | 2.5 | 3.00 | | | | | | |
| KBDD099 | Boin | 174.4 | 193.6 | 19.2 | 0.44 | 519447 | 634743 | 115 | 114 | -55 | 341.3 |
| including | | 189.6 | 191.6 | 2.0 | 1.42 | | | | | | |
| and | | 203.0 | 205.0 | 2.0 | 0.66 | | | | | | |
| and | | 216.0 | 223.5 | 7.5 | 0.32 | | | | | | |
| and | | 229.3 | 237.3 | 8.0 | 0.42 | | | | | | |
| and | | 243.0 | 257.1 | 14.1 | 0.78 | | | | | | |
| including | | 243.0 | 247.0 | 4.0 | 1.86 | | | | | | |
| and | | 271.6 | 278.5 | 6.9 | 0.39 | | | | | | |
| and | | 308.3 | 309.3 | 1.0 | 0.99 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|--------------|--------------|-------------|---------------|----------|-----------|-----------|-----------|-------|-----------------|
| KBDD100 | Boin | 243.0 | 245.0 | 2.0 | 0.27 | 518742 | 633544 | 149 | 114 | -60 | 321.4 |
| and | | 251.1 | 254.0 | 2.9 | 0.44 | | | | | | |
| and | | 257.0 | 262.9 | 5.9 | 1.63 | | | | | | |
| and | | 266.8 | 269.1 | 2.3 | 0.81 | | | | | | |
| and | | 270.8 | 274.0 | 3.2 | 0.37 | | | | | | |
| and | | 290.0 | 292.0 | 2.0 | 0.65 | | | | | | |
| and | | 295.6 | 301.0 | 5.4 | 1.61 | | | | | | |
| and | | 308.2 | 310.0 | 1.8 | 0.51 | | | | | | |
| and | | 310.0 | 311.0 | 1.0 | 147.50 | | | | | | |
| and | | 311.0 | 313.0 | 2.0 | 0.40 | | | | | | |
| KBDD101 | Boin | 166.0 | 174.0 | 8.0 | 0.67 | 519591 | 634889 | 136 | 114 | -60 | 311.0 |
| including | | 168.0 | 170.0 | 2.0 | 1.59 | | | | | | |
| and | | 202.0 | 218.0 | 16.0 | 1.26 | | | | | | |
| including | | 202.0 | 209.0 | 7.0 | 2.22 | | | | | | |
| and | 234.0 | 235.0 | 1.0 | 0.59 | | | | | | | |
| KBDD102 | Boin | 222.2 | 232.0 | 9.8 | 0.92 | 519207 | 634347 | 144 | 114 | -65 | 366.4 |
| and | | 239.0 | 243.3 | 4.3 | 1.10 | | | | | | |
| and | | 266.0 | 274.0 | 8.0 | 0.90 | | | | | | |
| and | | 277.0 | 280.0 | 3.0 | 0.39 | | | | | | |
| and | | 285.0 | 310.5 | 25.5 | 1.70 | | | | | | |
| and | | 313.5 | 320.2 | 6.7 | 0.40 | | | | | | |
| and | | 327.0 | 344.0 | 17.0 | 3.22 | | | | | | |
| and | | 351.0 | 353.0 | 2.0 | 0.29 | | | | | | |
| KBDD103 | Boin | 237.0 | 238.0 | 1.0 | 1.00 | 519619 | 634957 | 127 | 114 | -60 | 280.6 |
| and | | 275.0 | 276.0 | 1.0 | 0.25 | | | | | | |
| and | | 278.0 | 279.0 | 1.0 | 0.59 | | | | | | |
| KBDD104 | Boin | 207.3 | 210.0 | 2.7 | 0.63 | 519190 | 634263 | 127 | 114 | -60 | 309.6 |
| and | | 217.0 | 228.0 | 11.0 | 0.82 | | | | | | |
| including | | 218.0 | 223.0 | 5.0 | 1.41 | | | | | | |
| and | | 231.0 | 235.0 | 4.0 | 1.80 | | | | | | |
| and | | 244.0 | 246.0 | 2.0 | 0.79 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|--------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| KBDD106 | Boin | 113.0 | 120.0 | 7.0 | 0.31 | 519156 | 634052 | 126 | 114 | -55 | 264.4 |
| and | | 177.0 | 182.0 | 5.0 | 0.63 | | | | | | |
| and | | 192.0 | 198.0 | 6.0 | 0.33 | | | | | | |
| and | | 231.0 | 240.2 | 9.2 | 0.16 | | | | | | |
| KBDD107 | Boin | 209.0 | 213.0 | 4.0 | 0.55 | 519068 | 634166 | 133 | 114 | -60 | 380.0 |
| and | | 220.0 | 222.0 | 2.0 | 0.59 | | | | | | |
| and | | 234.0 | 235.0 | 1.0 | 0.31 | | | | | | |
| and | | 252.0 | 254.0 | 2.0 | 0.31 | | | | | | |
| and | | 297.0 | 308.0 | 11.0 | 0.41 | | | | | | |
| and | | 318.0 | 330.0 | 12.0 | 0.36 | | | | | | |
| and | | 337.0 | 370.0 | 33.0 | 1.23 | | | | | | |
| including | | 357.0 | 370.0 | 13.0 | 2.16 | | | | | | |
| KBDD108 | | Boin | 207.8 | 208.9 | 1.1 | | | | | | |
| and | 244.8 | | 249.1 | 4.3 | 0.55 | | | | | | |
| and | 260.9 | | 266.0 | 5.1 | 0.58 | | | | | | |
| including | 260.9 | | 263.0 | 2.1 | 1.05 | | | | | | |
| including | 265.0 | | 266.0 | 1.0 | 0.58 | | | | | | |
| and | 270.0 | | 272.0 | 2.0 | 1.09 | | | | | | |
| and | 280.0 | | 281.0 | 1.0 | 0.66 | | | | | | |
| and | 287.0 | | 288.0 | 1.0 | 1.47 | | | | | | |
| and | 300.0 | | 303.0 | 3.0 | 1.10 | | | | | | |
| and | 320.0 | | 322.0 | 2.0 | 0.49 | | | | | | |
| KBDD109 | Boin | 143.0 | 144.0 | 1.0 | 0.71 | 519015 | 633881 | 165 | 114 | -60 | 245.0 |
| and | | 148.0 | 151.0 | 3.0 | 0.21 | | | | | | |
| and | | 248.0 | 249.0 | 1.0 | 0.27 | | | | | | |
| and | | 252.9 | 264.0 | 11.1 | 1.56 | | | | | | |
| including | | 259.0 | 263.0 | 4.0 | 2.84 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|--------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| KBDD110 | Boin | 216.0 | 217.0 | 1.0 | 0.29 | 519166 | 634241 | 133 | 114 | -60 | 339.3 |
| and | | 225.0 | 232.4 | 7.4 | 0.66 | | | | | | |
| and | | 240.0 | 251.9 | 11.9 | 0.44 | | | | | | |
| and | | 312.9 | 313.8 | 0.9 | 1.06 | | | | | | |
| and | | 331.0 | 336.0 | 5.0 | 0.89 | | | | | | |
| KBDD111 | Boin | 178.0 | 179.0 | 1.0 | 0.20 | 519535 | 634846 | 134 | 114 | -52 | 279.5 |
| and | | 182.0 | 183.0 | 1.0 | 0.25 | | | | | | |
| and | | 188.0 | 189.0 | 1.0 | 0.62 | | | | | | |
| and | | 193.0 | 208.0 | 15.0 | 1.38 | | | | | | |
| including | | 204.0 | 207.0 | 3.0 | 5.99 | | | | | | |
| and | | 217.0 | 226.8 | 9.8 | 0.51 | | | | | | |
| and | | 248.0 | 257.0 | 9.0 | 0.26 | | | | | | |
| KBDD112 | Boin | 312.0 | 314.0 | 2.0 | 0.68 | 519491 | 634826 | 120 | 114 | -70 | 450.6 |
| and | | 319.0 | 321.0 | 2.0 | 0.59 | | | | | | |
| and | | 361.0 | 363.0 | 2.0 | 1.11 | | | | | | |
| and | | 380.0 | 390.0 | 10.0 | 0.38 | | | | | | |
| KBDD113 | Boin | 268.0 | 270.0 | 2.0 | 0.32 | 519552 | 634906 | 127 | 114 | -73 | 423.7 |
| and | | 287.0 | 288.0 | 1.0 | 0.25 | | | | | | |
| and | | 308.0 | 310.0 | 2.0 | 0.23 | | | | | | |
| and | | 312.0 | 313.2 | 1.2 | 0.26 | | | | | | |
| and | | 315.0 | 316.0 | 1.0 | 0.20 | | | | | | |
| and | | 331.0 | 340.0 | 9.0 | 0.54 | | | | | | |
| including | | 331.0 | 333.0 | 2.0 | 1.44 | | | | | | |
| and | | 353.0 | 377.0 | 24.0 | 0.64 | | | | | | |
| including | | 354.0 | 359.5 | 5.5 | 1.39 | | | | | | |
| and | | 381.0 | 402.0 | 21.0 | 0.45 | | | | | | |
| including | | 400.0 | 402.0 | 2.0 | 1.38 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|-----------------|--------------|--------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| KBDD114A | Boin | 347.0 | 348.0 | 1.0 | 0.41 | 519183 | 634365 | 156 | 114 | -75 | 460.0 |
| and | | 422.0 | 423.0 | 1.0 | 0.42 | | | | | | |
| and | | 438.0 | 440.0 | 2.0 | 0.45 | | | | | | |
| KBDD115A | Boin | 243.0 | 245.0 | 2.0 | 0.52 | 518669 | 633524 | 144 | 114 | -61 | 471.6 |
| and | | 271.0 | 274.0 | 3.0 | 0.28 | | | | | | |
| and | | 280.0 | 282.0 | 2.0 | 0.48 | | | | | | |
| and | | 299.0 | 303.0 | 4.0 | 0.53 | | | | | | |
| and | | 308.0 | 310.0 | 2.0 | 1.93 | | | | | | |
| and | | 316.0 | 325.0 | 9.0 | 1.21 | | | | | | |
| including | | 316.0 | 319.3 | 3.3 | 2.30 | | | | | | |
| and | | 338.0 | 340.0 | 2.0 | 0.39 | | | | | | |
| and | | 347.0 | 349.0 | 2.0 | 1.65 | | | | | | |
| SWRC171 | Sewum | 1.0 | 4.0 | 3.0 | 0.21 | 521265 | 628718 | 225 | 120 | -50 | 78 |
| and | | 8.0 | 11.0 | 3.0 | 0.19 | | | | | | |
| and | | 56.0 | 74.0 | 18.0 | 0.60 | | | | | | |
| SWRC172 | Sewum | 1.0 | 27.0 | 26.0 | 0.61 | 521293 | 628770 | 225 | 120 | -50 | 70 |
| including | | 12.0 | 21.0 | 9.0 | 1.09 | | | | | | |
| and | | 30.0 | 31.0 | 1.0 | 0.29 | | | | | | |
| and | | 53.0 | 57.0 | 4.0 | 0.33 | | | | | | |
| SWRC173 | Sewum | 25.0 | 33.0 | 8.0 | 0.49 | 521320 | 628836 | 233 | 120 | -60 | 60 |
| and | | 44.0 | 45.0 | 1.0 | 0.22 | | | | | | |
| and | | 52.0 | 53.0 | 1.0 | 0.36 | | | | | | |
| SWRC174 | Sewum | 2.0 | 6.0 | 4.0 | 0.25 | 521304 | 628813 | 232 | 120 | -60 | 60 |
| and | | 24.0 | 30.0 | 6.0 | 0.23 | | | | | | |
| SWRC175 | Sewum | 1.0 | 8.0 | 7.0 | 0.50 | 521491 | 628830 | 228 | 120 | -60 | 60 |
| and | | 23.0 | 29.0 | 6.0 | 0.25 | | | | | | |
| and | | 35.0 | 47.0 | 12.0 | 0.45 | | | | | | |
| SWRC176 | Sewum | 12.0 | 57.0 | 45.0 | 0.30 | 521475 | 628780 | 220 | 120 | -60 | 72 |
| including | | 12.0 | 21.0 | 9.0 | 0.51 | | | | | | |
| including | | 48.0 | 55.0 | 7.0 | 0.49 | | | | | | |
| and | | 62.0 | 64.0 | 2.0 | 0.89 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|-------------|-------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| SWRC177 | Sewum | 12.0 | 13.0 | 1.0 | 0.18 | 521446 | 628754 | 221 | 120 | -60 | 72 |
| SWRC178 | Sewum | 0.0 | 9.0 | 9.0 | 0.78 | 521482 | 628875 | 235 | 120 | -50 | 80 |
| and | | 13.0 | 16.0 | 3.0 | 0.57 | | | | | | |
| and | | 20.0 | 24.0 | 4.0 | 0.53 | | | | | | |
| and | | 35.0 | 41.0 | 6.0 | 0.34 | | | | | | |
| SWRC179 | Sewum | 2.0 | 12.0 | 10.0 | 0.32 | 521450 | 628801 | 227 | 120 | -60 | 84 |
| and | | 36.0 | 51.0 | 15.0 | 0.46 | | | | | | |
| and | | 64.0 | 83.0 | 19.0 | 0.35 | | | | | | |
| SWRC180 | Sewum | 0.0 | 26.0 | 26.0 | 0.66 | 521321 | 628958 | 235 | 120 | -50 | 80 |
| including | | 16.0 | 23.0 | 7.0 | 1.46 | | | | | | |
| and | | 35.0 | 41.0 | 6.0 | 0.19 | | | | | | |
| SWRC181 | Sewum | 1.0 | 9.0 | 8.0 | 0.24 | 521341 | 629045 | 240 | 120 | -50 | 60 |
| and | | 56.0 | 57.0 | 1.0 | 0.21 | | | | | | |
| SWRC182 | Sewum | 7.0 | 8.0 | 1.0 | 0.21 | 521411 | 629166 | 235 | 120 | -50 | 80 |
| and | | 13.0 | 14.0 | 1.0 | 0.30 | | | | | | |
| and | | 52.0 | 62.0 | 10.0 | 2.45 | | | | | | |
| including | | 52.0 | 55.0 | 3.0 | 7.44 | | | | | | |
| and | | 66.0 | 68.0 | 2.0 | 0.35 | | | | | | |
| SWRC183 | Sewum | 0.0 | 2.0 | 2.0 | 0.17 | 521719 | 629772 | 234 | 120 | -60 | 102 |
| and | | 26.0 | 27.0 | 1.0 | 0.29 | | | | | | |
| and | | 30.0 | 32.0 | 2.0 | 0.21 | | | | | | |
| and | | 42.0 | 43.0 | 1.0 | 0.22 | | | | | | |
| and | | 74.0 | 77.0 | 3.0 | 0.24 | | | | | | |
| and | | 91.0 | 92.0 | 1.0 | 0.37 | | | | | | |
| and | | 98.0 | 100.0 | 2.0 | 0.31 | | | | | | |
| SWRC184 | Sewum | 12.0 | 14.0 | 2.0 | 0.20 | 521764 | 629828 | 233 | 120 | -60 | 105 |
| and | | 74.0 | 80.0 | 6.0 | 0.37 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|--------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| SWRC185 | Sewum | 45.0 | 47.0 | 2.0 | 0.74 | 521730 | 629842 | 234 | 120 | -60 | 144 |
| and | | 59.0 | 62.0 | 3.0 | 0.19 | | | | | | |
| and | | 96.0 | 97.0 | 1.0 | 0.20 | | | | | | |
| and | | 100.0 | 108.0 | 8.0 | 0.32 | | | | | | |
| and | | 134.0 | 136.0 | 2.0 | 0.69 | | | | | | |
| SWRC186 | Sewum | 2.0 | 5.0 | 3.0 | 0.26 | 521392 | 629219 | 235 | 120 | -60 | 80 |
| SWRC187 | Sewum | 2.0 | 4.0 | 2.0 | 0.19 | 521365 | 629237 | 230 | 120 | -60 | 80 |
| SWRC188 | Sewum | 29.0 | 31.0 | 2.0 | 0.27 | 521365 | 629197 | 220 | 120 | -50 | 80 |
| and | | 70.0 | 71.0 | 1.0 | 0.22 | | | | | | |
| SWRC189 | Sewum | 47.0 | 50.0 | 3.0 | 0.65 | 521749 | 629765 | 222 | 120 | -60 | 72 |
| and | | 54.0 | 57.0 | 3.0 | 0.22 | | | | | | |
| SWRC190 | Sewum | 28.0 | 29.0 | 1.0 | 0.30 | 521804 | 629833 | 216 | 120 | -50 | 72 |
| and | | 33.0 | 35.0 | 2.0 | 0.66 | | | | | | |
| and | | 50.0 | 51.0 | 1.0 | 0.25 | | | | | | |
| SWRC191 | Sewum | 42.0 | 44.0 | 2.0 | 0.26 | 521791 | 629797 | 220 | 120 | -60 | 60 |
| SWRC192 | Sewum | 10.0 | 14.0 | 4.0 | 0.31 | 521772 | 629848 | 225 | 120 | -50 | 120 |
| and | | 59.0 | 60.0 | 1.0 | 0.28 | | | | | | |
| and | | 64.0 | 67.0 | 3.0 | 0.44 | | | | | | |
| and | | 78.0 | 80.0 | 2.0 | 0.20 | | | | | | |
| SWRC193 | Sewum | 2.0 | 17.0 | 15.0 | 0.33 | 521435 | 628727 | 218 | 120 | -60 | 90 |
| and | | 25.0 | 27.0 | 2.0 | 0.29 | | | | | | |
| and | | 47.0 | 48.0 | 1.0 | 0.33 | | | | | | |
| SWRC194 | Sewum | 1.0 | 63.0 | 62.0 | 1.85 | 521352 | 627847 | 158 | 120 | -50 | 167 |
| including | | 13.0 | 23.0 | 10.0 | 8.36 | | | | | | |
| and | | 74.0 | 79.0 | 5.0 | 0.23 | | | | | | |
| and | | 99.0 | 167.0 | 68.0 | 0.75 | | | | | | |
| including | | 102.0 | 116.0 | 14.0 | 1.15 | | | | | | |
| SWRC195 | Sewum | 0.0 | 9.0 | 9.0 | 0.77 | 521289 | 627794 | 172 | 120 | -50 | 66 |
| and | | 20.0 | 58.0 | 38.0 | 0.80 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|-------------|------------------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| SWRC196 | Sewum | 21.0 | 23.0 | 2.0 | 0.64 | 520826 | 626252 | 156 | 120 | -55 | 96 |
| and | | 63.0 | 66.0 | 3.0 | 2.31 | | | | | | |
| and | | 78.0 | 82.0 | 4.0 | 0.24 | | | | | | |
| and | | 90.0 | 91.0 | 1.0 | 0.20 | | | | | | |
| SWRC197 | Sewum | | No significant results | | | 520771 | 626290 | 147 | 120 | -55 | 108 |
| SWRC198 | Sewum | 25.0 | 26.0 | 1.0 | 0.37 | 520670 | 626267 | 155 | 120 | -55 | 90 |
| SWRC199 | Sewum | 53.0 | 57.0 | 4.0 | 0.56 | 520759 | 626222 | 160 | 120 | -55 | 120 |
| and | | 72.0 | 76.0 | 4.0 | 1.24 | | | | | | |
| and | | 97.0 | 98.0 | 1.0 | 0.22 | | | | | | |
| and | | 102.0 | 104.0 | 2.0 | 0.30 | | | | | | |
| and | | 108.0 | 111.0 | 3.0 | 0.21 | | | | | | |
| and | | 115.0 | 116.0 | 1.0 | 0.25 | | | | | | |
| SWRC200 | Sewum | 20.0 | 34.0 | 14.0 | 0.81 | 520741 | 626162 | 161 | 120 | -55 | 126 |
| and | | 81.0 | 83.0 | 2.0 | 0.23 | | | | | | |
| and | | 91.0 | 92.0 | 1.0 | 0.27 | | | | | | |
| and | | 107.0 | 108.0 | 1.0 | 1.87 | | | | | | |
| and | | 118.0 | 121.0 | 3.0 | 1.58 | | | | | | |
| SWRC201 | Sewum | 20.0 | 24.0 | 4.0 | 0.56 | 520704 | 626103 | 158 | 120 | -55 | 102 |
| and | | 45.0 | 48.0 | 3.0 | 0.38 | | | | | | |
| and | | 72.0 | 99.0 | 27.0 | 1.07 | | | | | | |
| including | | 73.0 | 81.0 | 8.0 | 2.82 | | | | | | |
| SWRC202 | Sewum | 0.0 | 5.0 | 5.0 | 1.65 | 520648 | 626033 | 131 | 120 | -55 | 78 |
| and | | 28.0 | 41.0 | 13.0 | 2.39 | | | | | | |
| and | | 48.0 | 49.0 | 1.0 | 0.23 | | | | | | |
| and | | 60.0 | 76.0 | 16.0 | 0.39 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|-------------|-------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| SWRC203 | Sewum | 11.0 | 12.0 | 1.0 | 0.20 | 521761 | 629918 | 222 | 120 | -50 | 108 |
| and | | 20.0 | 25.0 | 5.0 | 0.76 | | | | | | |
| and | | 45.0 | 48.0 | 3.0 | 0.32 | | | | | | |
| and | | 51.0 | 56.0 | 5.0 | 0.39 | | | | | | |
| and | | 72.0 | 73.0 | 1.0 | 0.25 | | | | | | |
| and | | 77.0 | 79.0 | 2.0 | 0.29 | | | | | | |
| and | | 84.0 | 90.0 | 6.0 | 0.42 | | | | | | |
| SWRC204 | Sewum | 18.0 | 19.0 | 1.0 | 0.24 | 521330 | 627665 | 167 | 120 | -55 | 132 |
| and | | 54.0 | 58.0 | 4.0 | 0.29 | | | | | | |
| and | | 62.0 | 64.0 | 2.0 | 0.22 | | | | | | |
| and | | 77.0 | 78.0 | 1.0 | 0.23 | | | | | | |
| and | | 92.0 | 93.0 | 1.0 | 0.41 | | | | | | |
| and | | 116.0 | 119.0 | 3.0 | 0.22 | | | | | | |
| and | | 126.0 | 128.0 | 2.0 | 0.21 | | | | | | |
| SWRC205 | Sewum | 85.0 | 87.0 | 2.0 | 0.24 | 521297 | 627683 | 173 | 120 | -55 | 168 |
| and | | 124.0 | 168.0 | 44.0 | 0.38 | | | | | | |
| including | | 142.0 | 156.0 | 14.0 | 0.81 | | | | | | |
| SWRC206 | Sewum | 1.0 | 5.0 | 4.0 | 0.61 | 521365 | 627644 | 166 | 120 | -55 | 120 |
| and | | 10.0 | 24.0 | 14.0 | 0.66 | | | | | | |
| and | | 70.0 | 72.0 | 2.0 | 0.23 | | | | | | |
| and | | 93.0 | 94.0 | 1.0 | 0.26 | | | | | | |
| and | | 104.0 | 120.0 | 16.0 | 0.51 | | | | | | |
| SWRC207 | Sewum | 64.0 | 66.0 | 2.0 | 0.23 | 521412 | 627878 | 138 | 120 | -55 | 84 |
| SWRC208 | Sewum | 0.0 | 17.0 | 17.0 | 0.57 | 521365 | 627824 | 148 | 120 | -55 | 98 |
| and | | 22.0 | 46.0 | 24.0 | 1.39 | | | | | | |
| including | | 26.0 | 30.0 | 4.0 | 6.56 | | | | | | |
| and | | 54.0 | 59.0 | 5.0 | 0.38 | | | | | | |
| and | | 74.0 | 79.0 | 5.0 | 0.37 | | | | | | |
| and | | 86.0 | 88.0 | 2.0 | 0.54 | | | | | | |
| SWRC209 | Sewum | 51.0 | 53.0 | 2.0 | 0.64 | 521412 | 627851 | 139 | 120 | -55 | 62 |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|-------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| SWRC210 | Sewum | 0.0 | 11.0 | 11.0 | 0.51 | 521254 | 627701 | 174 | 120 | -55 | 204 |
| and | | 26.0 | 27.0 | 1.0 | 0.33 | | | | | | |
| and | | 46.0 | 50.0 | 4.0 | 0.22 | | | | | | |
| and | | 69.0 | 81.0 | 12.0 | 0.21 | | | | | | |
| and | | 88.0 | 100.0 | 12.0 | 0.29 | | | | | | |
| and | | 149.0 | 153.0 | 4.0 | 0.28 | | | | | | |
| and | | 178.0 | 193.0 | 15.0 | 0.80 | | | | | | |
| SWRC211 | Sewum | 0.0 | 37.0 | 37.0 | 0.47 | 521385 | 627701 | 174 | 120 | -55 | 126 |
| and | | 54.0 | 69.0 | 15.0 | 0.38 | | | | | | |
| SWRC212 | Sewum | 0.0 | 81.0 | 81.0 | 0.40 | 521285 | 627757 | 172 | 120 | -55 | 221 |
| and | | 89.0 | 90.0 | 1.0 | 1.76 | | | | | | |
| and | | 111.0 | 120.0 | 9.0 | 0.40 | | | | | | |
| and | | 217.0 | 221.0 | 4.0 | 0.31 | | | | | | |
| SWRC213 | Sewum | 0.0 | 7.0 | 7.0 | 0.38 | 521325 | 627734 | 173 | 120 | -55 | 132 |
| and | | 12.0 | 32.0 | 20.0 | 0.70 | | | | | | |
| and | | 62.0 | 130.0 | 68.0 | 0.73 | | | | | | |
| SWRC214 | Sewum | 125.0 | 137.0 | 12.0 | 0.25 | 521262 | 627906 | 150 | 120 | -55 | 177 |
| and | | 146.0 | 156.0 | 10.0 | 0.51 | | | | | | |
| and | | 174.0 | 175.0 | 1.0 | 0.50 | | | | | | |
| SWRC215 | Sewum | 0.0 | 4.0 | 4.0 | 0.42 | 521312 | 627885 | 153 | 120 | -55 | 182 |
| and | | 7.0 | 8.0 | 1.0 | 0.20 | | | | | | |
| and | | 31.0 | 56.0 | 25.0 | 0.38 | | | | | | |
| and | | 61.0 | 62.0 | 1.0 | 0.21 | | | | | | |
| and | | 95.0 | 128.0 | 33.0 | 0.62 | | | | | | |
| and | | 132.0 | 133.0 | 1.0 | 0.54 | | | | | | |
| and | | 138.0 | 169.0 | 31.0 | 0.42 | | | | | | |
| and | | 174.0 | 176.0 | 2.0 | 2.05 | | | | | | |
| and | | 180.0 | 182.0 | 2.0 | 0.27 | | | | | | |
| SWRC216 | Sewum | 7.0 | 10.0 | 3.0 | 0.34 | 521391 | 627817 | 100 | 120 | -55 | 120 |
| and | | 33.0 | 48.0 | 15.0 | 0.72 | | | | | | |
| and | | 60.0 | 61.0 | 1.0 | 0.49 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|-------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| SWRC217 | Sewum | 1.0 | 2.0 | 1.0 | 1.78 | 521376 | 627840 | 141 | 120 | -55 | 120 |
| and | | 19.0 | 34.0 | 15.0 | 1.24 | | | | | | |
| and | | 90.0 | 120.0 | 30.0 | 1.00 | | | | | | |
| SWRC218 | Sewum | 20.0 | 28.0 | 8.0 | 0.22 | 519995 | 625747 | 137 | 120 | -55 | 70 |
| SWRC219 | Sewum | 1.0 | 10.0 | 9.0 | 0.71 | 520013 | 625771 | 139 | 120 | -55 | 62 |
| and | | 16.0 | 17.0 | 1.0 | 0.26 | | | | | | |
| and | | 25.0 | 30.0 | 5.0 | 0.69 | | | | | | |
| SWRC220 | Sewum | 13.0 | 15.0 | 2.0 | 0.48 | 520061 | 625801 | 140 | 120 | -55 | 60 |
| and | | 26.0 | 27.0 | 1.0 | 0.32 | | | | | | |
| SWRC221 | Sewum | 1.0 | 3.0 | 2.0 | 0.84 | 520043 | 625823 | 134 | 120 | -55 | 95 |
| and | | 51.0 | 53.0 | 2.0 | 0.19 | | | | | | |
| SWRC222 | Sewum | 0.0 | 38.0 | 38.0 | 0.59 | 520456 | 626210 | 154 | 120 | -55 | 60 |
| including | | 4.0 | 11.0 | 7.0 | 1.94 | | | | | | |
| SWRC223 | Sewum | 18.0 | 67.0 | 49.0 | 0.74 | 520431 | 626220 | 147 | 120 | -55 | 100 |
| including | | 42.0 | 53.0 | 11.0 | 1.57 | | | | | | |
| and | | 84.0 | 98.0 | 14.0 | 0.24 | | | | | | |
| SWRC224 | Sewum | 62.0 | 63.0 | 1.0 | 0.52 | 520673 | 626116 | 154 | 120 | -55 | 153 |
| and | | 69.0 | 89.0 | 20.0 | 1.24 | | | | | | |
| and | | 112.0 | 113.0 | 1.0 | 1.24 | | | | | | |
| and | | 138.0 | 139.0 | 1.0 | 0.67 | | | | | | |
| and | | 142.0 | 143.0 | 1.0 | 0.30 | | | | | | |
| SWRC225 | Sewum | 105.0 | 106.0 | 1.0 | 0.23 | 520646 | 626141 | 115 | 120 | -55 | 198 |
| and | | 110.0 | 111.0 | 1.0 | 0.49 | | | | | | |
| and | | 137.0 | 140.0 | 3.0 | 0.29 | | | | | | |
| and | | 153.0 | 155.0 | 2.0 | 0.23 | | | | | | |
| and | | 197.0 | 198.0 | 1.0 | 0.38 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|----------|------------------------|------------|----------|----------|-----------|-----------|-----------|-------|-----------------|
| SWRC226 | Sewum | 20.0 | 21.0 | 1.0 | 0.24 | 520707 | 626184 | 123 | 120 | -55 | 168 |
| and | | 77.0 | 85.0 | 8.0 | 0.65 | | | | | | |
| and | | 109.0 | 110.0 | 1.0 | 0.30 | | | | | | |
| and | | 117.0 | 128.0 | 11.0 | 0.47 | | | | | | |
| and | | 135.0 | 136.0 | 1.0 | 0.24 | | | | | | |
| and | | 148.0 | 150.0 | 2.0 | 0.39 | | | | | | |
| SWRC227 | Sewum | 16.0 | 18.0 | 2.0 | 0.77 | 520846 | 626317 | 139 | 120 | -55 | 120 |
| and | | 21.0 | 24.0 | 3.0 | 0.75 | | | | | | |
| and | | 31.0 | 35.0 | 4.0 | 1.59 | | | | | | |
| and | | 58.0 | 59.0 | 1.0 | 0.49 | | | | | | |
| and | | 68.0 | 69.0 | 1.0 | 0.41 | | | | | | |
| and | | 76.0 | 77.0 | 1.0 | 0.34 | | | | | | |
| SWRC228 | Sewum | 45.0 | 53.0 | 8.0 | 0.38 | 521672 | 627929 | 167 | 120 | -55 | 66 |
| SWRC229 | Sewum | 0.0 | 11.0 | 11.0 | 0.34 | 521689 | 627951 | 167 | 120 | -55 | 114 |
| and | | 64.0 | 66.0 | 2.0 | 0.28 | | | | | | |
| and | | 83.0 | 93.0 | 10.0 | 0.65 | | | | | | |
| and | | 110.0 | 111.0 | 1.0 | 0.26 | | | | | | |
| SWRC230 | Sewum | 54.0 | 60.0 | 6.0 | 0.15 | 521650 | 627968 | 169 | 120 | -55 | 144 |
| and | | 67.0 | 68.0 | 1.0 | 0.23 | | | | | | |
| and | | 78.0 | 84.0 | 6.0 | 0.54 | | | | | | |
| and | | 114.0 | 124.0 | 10.0 | 0.22 | | | | | | |
| and | | 132.0 | 133.0 | 1.0 | 0.20 | | | | | | |
| SWRC231 | Sewum | 2.0 | 6.0 | 4.0 | 0.46 | 521710 | 627996 | 144 | 120 | -55 | 78 |
| and | | 25.0 | 26.0 | 1.0 | 0.29 | | | | | | |
| SWRC232 | Sewum | 47.0 | 54.0 | 7.0 | 0.46 | 521680 | 628019 | 144 | 120 | -55 | 126 |
| and | | 113.0 | 120.0 | 7.0 | 0.30 | | | | | | |
| SWRC233 | Sewum | | No significant results | | | 520518 | 625923 | 107 | 120 | -55 | 120 |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|-------------|-------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| SWRC234 | Sewum | 34.0 | 35.0 | 1.0 | 0.27 | 520541 | 625900 | 125 | 120 | -55 | 90 |
| and | | 40.0 | 41.0 | 1.0 | 0.31 | | | | | | |
| and | | 51.0 | 54.0 | 3.0 | 0.42 | | | | | | |
| and | | 64.0 | 75.0 | 11.0 | 0.63 | | | | | | |
| and | | 85.0 | 86.0 | 1.0 | 0.24 | | | | | | |
| SWRC235 | Sewum | 16.0 | 17.0 | 1.0 | 0.20 | 520553 | 625967 | 97 | 120 | -55 | 112 |
| and | | 93.0 | 94.0 | 1.0 | 0.24 | | | | | | |
| and | | 98.0 | 99.0 | 1.0 | 2.13 | | | | | | |
| SWRC236 | Sewum | 1.0 | 15.0 | 14.0 | 0.45 | 521409 | 628682 | 194 | 120 | -60 | 72 |
| and | | 24.0 | 28.0 | 4.0 | 0.70 | | | | | | |
| and | | 40.0 | 69.0 | 29.0 | 0.67 | | | | | | |
| SWRC237 | Sewum | 1.0 | 10.0 | 9.0 | 0.42 | 521390 | 628697 | 194 | 120 | -60 | 90 |
| and | | 25.0 | 52.0 | 27.0 | 0.62 | | | | | | |
| including | | 42.0 | 49.0 | 7.0 | 1.45 | | | | | | |
| and | | 64.0 | 90.0 | 26.0 | 0.56 | | | | | | |
| including | | 85.0 | 90.0 | 5.0 | 2.00 | | | | | | |
| SWRC238 | Sewum | 4.0 | 29.0 | 25.0 | 0.35 | 521371 | 628711 | 194 | 120 | -60 | 84 |
| and | | 53.0 | 63.0 | 10.0 | 0.22 | | | | | | |
| and | | 83.0 | 84.0 | 1.0 | 0.25 | | | | | | |
| SWRC239 | Sewum | 0.0 | 26.0 | 26.0 | 0.37 | 521348 | 628726 | 194 | 120 | -60 | 96 |
| and | | 44.0 | 45.0 | 1.0 | 0.21 | | | | | | |
| and | | 60.0 | 63.0 | 3.0 | 0.58 | | | | | | |
| and | | 71.0 | 74.0 | 3.0 | 0.34 | | | | | | |
| and | | 91.0 | 93.0 | 2.0 | 0.57 | | | | | | |
| SWRC240 | Sewum | 2.0 | 41.0 | 39.0 | 0.22 | 521328 | 628740 | 195 | 120 | -60 | 66 |
| SWRC241 | Sewum | 3.0 | 18.0 | 15.0 | 0.53 | 521311 | 628745 | 195 | 120 | -60 | 60 |
| and | | 34.0 | 43.0 | 9.0 | 0.30 | | | | | | |
| SWRC242 | Sewum | 1.0 | 2.0 | 1.0 | 0.18 | 521422 | 628771 | 193 | 120 | -60 | 84 |
| SWRC243 | Sewum | 5.0 | 10.0 | 5.0 | 0.41 | 521402 | 628786 | 194 | 120 | -60 | 84 |
| and | | 63.0 | 64.0 | 1.0 | 0.44 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|-------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| SWRC244 | Sewum | 1.0 | 18.0 | 17.0 | 0.48 | 521385 | 628797 | 196 | 120 | -60 | 87 |
| and | | 36.0 | 37.0 | 1.0 | 0.57 | | | | | | |
| SWRC245 | Sewum | 2.0 | 18.0 | 16.0 | 0.23 | 521367 | 628805 | 196 | 120 | -60 | 108 |
| and | | 24.0 | 26.0 | 2.0 | 0.71 | | | | | | |
| and | | 31.0 | 33.0 | 2.0 | 0.29 | | | | | | |
| SWRC246 | Sewum | 0.0 | 30.0 | 30.0 | 0.36 | 521338 | 628822 | 196 | 120 | -60 | 108 |
| and | | 54.0 | 61.0 | 7.0 | 0.40 | | | | | | |
| SWRC247 | Sewum | 2.0 | 32.0 | 30.0 | 0.61 | 521449 | 628892 | 194 | 120 | -60 | 78 |
| including | | 3.0 | 10.0 | 7.0 | 1.40 | | | | | | |
| and | | 44.0 | 73.0 | 29.0 | 0.26 | | | | | | |
| SWRC248 | Sewum | 4.0 | 45.0 | 41.0 | 0.56 | 521431 | 628900 | 194 | 120 | -60 | 84 |
| including | | 9.0 | 16.0 | 7.0 | 1.67 | | | | | | |
| and | | 67.0 | 70.0 | 3.0 | 0.73 | | | | | | |
| and | | 82.0 | 83.0 | 1.0 | 0.27 | | | | | | |
| SWRC249 | Sewum | 0.0 | 8.0 | 8.0 | 0.31 | 521406 | 628914 | 194 | 120 | -60 | 102 |
| and | | 15.0 | 39.0 | 24.0 | 0.80 | | | | | | |
| and | | 46.0 | 61.0 | 15.0 | 0.54 | | | | | | |
| and | | 78.0 | 80.0 | 2.0 | 0.68 | | | | | | |
| and | | 92.0 | 93.0 | 1.0 | 0.35 | | | | | | |
| SWRC250 | Sewum | 2.0 | 10.0 | 8.0 | 0.22 | 521384 | 628932 | 194 | 120 | -60 | 102 |
| and | | 40.0 | 91.0 | 51.0 | 0.38 | | | | | | |
| SWRC251 | Sewum | 2.0 | 8.0 | 6.0 | 0.23 | 521361 | 628944 | 194 | 120 | -60 | 108 |
| and | | 18.0 | 19.0 | 1.0 | 0.30 | | | | | | |
| and | | 46.0 | 52.0 | 6.0 | 0.21 | | | | | | |
| and | | 59.0 | 100.0 | 41.0 | 0.51 | | | | | | |
| SWRC252 | Sewum | 0.0 | 34.0 | 34.0 | 0.39 | 521477 | 629081 | 195 | 120 | -60 | 60 |
| and | | 54.0 | 56.0 | 2.0 | 0.52 | | | | | | |
| SWRC253 | Sewum | 0.0 | 6.0 | 6.0 | 0.31 | 521456 | 629095 | 195 | 120 | -60 | 80 |
| and | | 12.0 | 22.0 | 10.0 | 0.22 | | | | | | |
| and | | 29.0 | 65.0 | 36.0 | 0.34 | | | | | | |
| and | | 73.0 | 74.0 | 1.0 | 0.33 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|-------------|-------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| SWRC254 | Sewum | 3.0 | 5.0 | 2.0 | 0.21 | 521434 | 629114 | 196 | 120 | -60 | 98 |
| and | | 33.0 | 34.0 | 1.0 | 0.45 | | | | | | |
| and | | 50.0 | 87.0 | 37.0 | 0.51 | | | | | | |
| SWRC255 | Sewum | 2.0 | 7.0 | 5.0 | 0.29 | 521411 | 629121 | 195 | 120 | -60 | 120 |
| and | | 48.0 | 56.0 | 8.0 | 0.43 | | | | | | |
| and | | 70.0 | 72.0 | 2.0 | 0.42 | | | | | | |
| and | | 75.0 | 76.0 | 1.0 | 0.38 | | | | | | |
| and | | 80.0 | 111.0 | 31.0 | 0.31 | | | | | | |
| and | | 114.0 | 115.0 | 1.0 | 0.37 | | | | | | |
| SWRC256 | Sewum | 3.0 | 6.0 | 3.0 | 0.24 | 521385 | 629136 | 194 | 120 | -60 | 138 |
| and | | 61.0 | 69.0 | 8.0 | 0.21 | | | | | | |
| and | | 79.0 | 80.0 | 1.0 | 0.26 | | | | | | |
| and | | 84.0 | 85.0 | 1.0 | 0.48 | | | | | | |
| and | | 100.0 | 109.0 | 9.0 | 0.22 | | | | | | |
| and | | 120.0 | 123.0 | 3.0 | 0.32 | | | | | | |
| SWRC257 | Sewum | 1.0 | 10.0 | 9.0 | 0.27 | 521362 | 629147 | 194 | 120 | -60 | 64 |
| and | | 36.0 | 39.0 | 3.0 | 2.79 | | | | | | |
| and | | 43.0 | 46.0 | 3.0 | 2.06 | | | | | | |
| and | | 57.0 | 59.0 | 2.0 | 0.26 | | | | | | |
| SWRC258 | Sewum | 1.0 | 34.0 | 33.0 | 0.89 | 521549 | 629252 | 197 | 120 | -60 | 66 |
| and | | 38.0 | 39.0 | 1.0 | 0.26 | | | | | | |
| and | | 41.0 | 43.0 | 2.0 | 0.21 | | | | | | |
| and | | 52.0 | 56.0 | 4.0 | 0.43 | | | | | | |
| SWRC259 | Sewum | 2.0 | 42.0 | 40.0 | 0.51 | 521529 | 629263 | 202 | 120 | -60 | 74 |
| and | | 47.0 | 53.0 | 6.0 | 0.31 | | | | | | |
| and | | 72.0 | 73.0 | 1.0 | 0.41 | | | | | | |
| SWRC260 | Sewum | 2.0 | 6.0 | 4.0 | 0.65 | 521504 | 629277 | 195 | 120 | -60 | 80 |
| and | | 16.0 | 18.0 | 2.0 | 0.20 | | | | | | |
| and | | 27.0 | 68.0 | 41.0 | 0.51 | | | | | | |
| including | | 55.0 | 61.0 | 6.0 | 1.66 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|----------|--------|------------|----------|----------|-----------|-----------|-----------|-------|-----------------|
| SWRC261 | Sewum | 3.0 | 5.0 | 2.0 | 0.20 | 521480 | 629288 | 195 | 120 | -60 | 108 |
| and | | 23.0 | 24.0 | 1.0 | 0.32 | | | | | | |
| and | | 32.0 | 36.0 | 4.0 | 0.70 | | | | | | |
| and | | 58.0 | 60.0 | 2.0 | 0.24 | | | | | | |
| and | | 78.0 | 96.0 | 18.0 | 0.61 | | | | | | |
| SWRC262 | Sewum | 0.0 | 7.0 | 7.0 | 0.24 | 521454 | 629299 | 194 | 120 | -60 | 120 |
| and | | 81.0 | 84.0 | 3.0 | 0.41 | | | | | | |
| and | | 93.0 | 101.0 | 8.0 | 1.16 | | | | | | |
| and | | 106.0 | 107.0 | 1.0 | 0.22 | | | | | | |
| SWRC263 | Sewum | 3.0 | 5.0 | 2.0 | 0.20 | 521435 | 629313 | 194 | 120 | -60 | 136 |
| and | | 87.0 | 90.0 | 3.0 | 0.20 | | | | | | |
| and | | 105.0 | 106.0 | 1.0 | 0.22 | | | | | | |
| and | | 117.0 | 124.0 | 7.0 | 0.88 | | | | | | |
| SWRC264 | Sewum | 45.0 | 46.0 | 1.0 | 0.53 | 521405 | 629332 | 193 | 120 | -60 | 60 |
| SWRC265 | Sewum | 0.0 | 12.0 | 12.0 | 0.44 | 521580 | 629359 | 198 | 120 | -60 | 60 |
| and | | 18.0 | 39.0 | 21.0 | 0.64 | | | | | | |
| SWRC266 | Sewum | 3.0 | 8.0 | 5.0 | 0.20 | 521555 | 629368 | 198 | 120 | -60 | 80 |
| and | | 20.0 | 26.0 | 6.0 | 0.56 | | | | | | |
| and | | 30.0 | 36.0 | 6.0 | 0.38 | | | | | | |
| and | | 49.0 | 60.0 | 11.0 | 0.70 | | | | | | |
| SWRC267 | Sewum | 0.0 | 21.0 | 21.0 | 0.40 | 521534 | 629380 | 200 | 120 | -60 | 100 |
| and | | 35.0 | 36.0 | 1.0 | 0.33 | | | | | | |
| and | | 66.0 | 78.0 | 12.0 | 0.78 | | | | | | |
| SWRC268 | Sewum | 1.0 | 6.0 | 5.0 | 0.29 | 521509 | 629393 | 195 | 120 | -60 | 120 |
| and | | 14.0 | 28.0 | 14.0 | 0.52 | | | | | | |
| and | | 40.0 | 42.0 | 2.0 | 0.23 | | | | | | |
| and | | 66.0 | 67.0 | 1.0 | 0.34 | | | | | | |
| and | | 88.0 | 99.0 | 11.0 | 0.28 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|--------------|--------------|-------------|--------------|----------|-----------|-----------|-----------|-------|-----------------|
| SWRC269 | Sewum | 2.0 | 8.0 | 6.0 | 3.98 | 521492 | 629402 | 194 | 120 | -60 | 60 |
| including | | 7.0 | 8.0 | 1.0 | 22.62 | | | | | | |
| and | | 39.0 | 41.0 | 2.0 | 5.50 | | | | | | |
| including | | 39.0 | 40.0 | 1.0 | 10.53 | | | | | | |
| and | | 54.0 | 55.0 | 1.0 | 0.93 | | | | | | |
| and | | 57.0 | 58.0 | 1.0 | 0.20 | | | | | | |
| SWRC270 | Sewum | 4.0 | 9.0 | 5.0 | 0.50 | 521469 | 629414 | 194 | 120 | -60 | 60 |
| and | | 33.0 | 38.0 | 5.0 | 0.38 | | | | | | |
| SWRC271 | Sewum | 0.0 | 14.0 | 14.0 | 0.46 | 521601 | 629348 | 192 | 120 | -60 | 60 |
| and | | 19.0 | 30.0 | 11.0 | 1.10 | | | | | | |
| and | | 34.0 | 36.0 | 2.0 | 0.45 | | | | | | |
| SWDD107 | Sewum | 0.0 | 8.3 | 8.3 | 0.48 | 521298 | 628974 | 186 | 120 | -60 | 218.4 |
| and | | 48.0 | 53.1 | 5.1 | 0.28 | | | | | | |
| and | | 60.0 | 68.0 | 8.0 | 0.61 | | | | | | |
| and | | 90.6 | 91.6 | 1.0 | 0.71 | | | | | | |
| and | | 127.0 | 133.0 | 6.0 | 0.40 | | | | | | |
| and | | 144.5 | 145.5 | 1.0 | 0.29 | | | | | | |
| and | | 147.5 | 163.0 | 15.5 | 1.59 | | | | | | |
| including | | 152.9 | 159.3 | 6.4 | 3.22 | | | | | | |
| and | | 180.0 | 182.0 | 2.0 | 0.22 | | | | | | |
| SWDD108 | Sewum | 0.0 | 8.0 | 8.0 | 0.23 | 521279 | 628978 | 186 | 120 | -60 | 236.1 |
| and | | 32.3 | 34.3 | 2.0 | 0.28 | | | | | | |
| and | | 141.5 | 182.5 | 41.0 | 0.48 | | | | | | |
| including | | 174.0 | 179.6 | 5.6 | 1.00 | | | | | | |
| and | | 189.5 | 208.0 | 18.5 | 0.82 | | | | | | |
| including | | 199.5 | 204.0 | 4.5 | 2.26 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|---------------|--------------|--------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| SWDD109 | Sewum | 0.0 | 4.4 | 4.4 | 0.42 | 521249 | 628998 | 184 | 120 | -60 | 278.2 |
| and | | 16.3 | 18.7 | 2.4 | 0.43 | | | | | | |
| and | | 77.3 | 80.0 | 2.7 | 1.40 | | | | | | |
| and | | 90.3 | 91.5 | 1.2 | 0.34 | | | | | | |
| and | | 108.6 | 110.3 | 1.7 | 0.24 | | | | | | |
| and | | 129.3 | 130.4 | 1.1 | 0.47 | | | | | | |
| and | | 145.95 | 157.0 | 11.05 | 0.93 | | | | | | |
| including | | 151.0 | 155.0 | 4.0 | 1.81 | | | | | | |
| and | | 164.2 | 166.7 | 2.5 | 0.33 | | | | | | |
| and | | 172.7 | 176.7 | 4.0 | 0.28 | | | | | | |
| and | | 187.0 | 188.9 | 1.9 | 0.59 | | | | | | |
| and | | 194.0 | 217.8 | 23.8 | 0.33 | | | | | | |
| including | | 215.1 | 217.8 | 2.7 | 0.97 | | | | | | |
| SWDD110 | Sewum | 0.0 | 8.6 | 8.6 | 0.33 | | | | | | |
| and | | 32.3 | 34.2 | 1.9 | 1.74 | | | | | | |
| and | | 80.3 | 81.3 | 1.0 | 0.23 | | | | | | |
| and | | 108.0 | 111.0 | 3.0 | 0.38 | | | | | | |
| and | | 170.0 | 171.0 | 1.0 | 0.27 | | | | | | |
| and | | 185.8 | 207.0 | 21.2 | 0.60 | | | | | | |
| including | | 186.8 | 189.3 | 2.4 | 1.10 | | | | | | |
| including | | 200.9 | 204.0 | 3.1 | 1.33 | | | | | | |
| and | | 209.8 | 216.2 | 6.4 | 0.27 | | | | | | |
| SWDD111 | Sewum | 0.0 | 2.0 | 2.0 | 0.30 | 521374 | 629343 | 184 | 120 | -55 | 155.6 |
| and | | 32.5 | 34.5 | 2.0 | 0.24 | | | | | | |
| and | | 60.8 | 63.5 | 2.7 | 0.18 | | | | | | |
| and | | 150.6 | 152.6 | 2.0 | 0.35 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|-----------------|--------------|--------------|--------------|-------------|--------------|----------|-----------|-----------|-----------|-------|-----------------|
| SWDD112 | Sewum | 0.0 | 10.5 | 10.5 | 1.00 | 521021 | 629065 | 132 | 120 | -70 | 185.5 |
| and | | 21.5 | 62.5 | 41.0 | 0.69 | | | | | | |
| including | | 46.5 | 50.5 | 4.0 | 1.41 | | | | | | |
| including | | 57.5 | 60.5 | 3.0 | 2.08 | | | | | | |
| and | | 88.8 | 96.5 | 7.7 | 0.59 | | | | | | |
| and | | 102.4 | 127.6 | 25.2 | 0.41 | | | | | | |
| including | | 104.3 | 107.0 | 2.7 | 1.39 | | | | | | |
| and | | 157.5 | 159.5 | 2.0 | 0.23 | | | | | | |
| and | | 175.0 | 180.0 | 5.0 | 0.81 | | | | | | |
| SWDD113A | Sewum | 0.0 | 12.9 | 12.9 | 0.26 | 521073 | 629138 | 157 | 0 | 90 | 126.1 |
| and | | 66.5 | 68.5 | 2.0 | 0.79 | | | | | | |
| and | | 75.9 | 92.7 | 16.8 | 0.81 | | | | | | |
| including | | 76.6 | 81.0 | 4.4 | 2.41 | | | | | | |
| and | | 114.0 | 115.0 | 1.0 | 0.51 | | | | | | |
| SWDD114 | Sewum | 173.0 | 180.7 | 7.7 | 0.69 | 521328 | 629299 | 174 | 120 | -58 | 260.5 |
| SWDD115 | Sewum | 1.8 | 8.1 | 6.3 | 0.16 | 521488 | 629554 | 190 | 120 | -52 | 371.4 |
| and | | 54.3 | 64.5 | 10.2 | 0.74 | | | | | | |
| and | | 69.5 | 70.5 | 1.0 | 1.12 | | | | | | |
| and | | 84.5 | 85.5 | 1.0 | 0.18 | | | | | | |
| and | | 238.0 | 241.9 | 3.9 | 0.29 | | | | | | |
| and | | 251.4 | 253.3 | 1.9 | 9.24 | | | | | | |
| including | | 251.4 | 252.4 | 1.0 | 17.36 | | | | | | |
| and | | 263.4 | 264.4 | 1.0 | 0.34 | | | | | | |
| and | | 290.7 | 291.7 | 1.0 | 0.37 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|-----------------|--------------|-------------|-------------|------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| SWDD117 | Sewum | 0.0 | 4.0 | 4.0 | 0.50 | 521138 | 629083 | 177 | 120 | -61 | 380.3 |
| and | | 26.0 | 29.0 | 3.0 | 0.41 | | | | | | |
| and | | 61.1 | 64.4 | 3.3 | 3.36 | | | | | | |
| and | | 94.0 | 95.0 | 1.0 | 2.46 | | | | | | |
| and | | 103.3 | 107.7 | 4.4 | 0.16 | | | | | | |
| and | | 130.0 | 133.0 | 3.0 | 0.40 | | | | | | |
| and | | 199.0 | 200.0 | 1.0 | 0.34 | | | | | | |
| and | | 211.0 | 214.0 | 3.0 | 0.46 | | | | | | |
| and | | 247.0 | 248.0 | 1.0 | 0.41 | | | | | | |
| and | | 270.0 | 314.0 | 44.0 | 0.30 | | | | | | |
| including | | 273.0 | 277.0 | 4.0 | 0.71 | | | | | | |
| and incl. | | 286.0 | 288.0 | 2.0 | 1.09 | | | | | | |
| and | | 354.0 | 358.0 | 4.0 | 0.56 | | | | | | |
| SWDD118A | Sewum | 0.0 | 1.5 | 1.5 | 0.18 | 521257 | 629294 | 146 | 120 | -60 | 272.2 |
| and | | 44.5 | 45.3 | 0.8 | 0.14 | | | | | | |
| and | | 147.0 | 148.0 | 1.0 | 1.03 | | | | | | |
| and | | 177.0 | 182.3 | 5.3 | 0.24 | | | | | | |
| and | | 190.0 | 196.4 | 6.4 | 0.50 | | | | | | |
| and | | 203.0 | 210.0 | 7.0 | 0.30 | | | | | | |
| and | | 215.0 | 219.0 | 4.0 | 0.20 | | | | | | |
| and | | 228.0 | 231.0 | 3.0 | 0.24 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|----------|--------|------------|----------|----------|-----------|-----------|-----------|-------|-----------------|
| SWDD119 | Sewum | 0.0 | 7.0 | 7.0 | 0.40 | 521144 | 628982 | 175 | 120 | -60 | 380.5 |
| and | | 23.0 | 24.0 | 1.0 | 0.10 | | | | | | |
| and | | 46.5 | 47.5 | 1.0 | 0.18 | | | | | | |
| and | | 124.0 | 130.0 | 6.0 | 0.51 | | | | | | |
| and | | 212.0 | 215.0 | 3.0 | 0.23 | | | | | | |
| and | | 251.0 | 254.0 | 3.0 | 0.20 | | | | | | |
| and | | 256.0 | 259.0 | 3.0 | 0.26 | | | | | | |
| and | | 270.0 | 282.0 | 12.0 | 0.48 | | | | | | |
| and | | 296.0 | 297.0 | 1.0 | 0.31 | | | | | | |
| and | | 310.0 | 316.0 | 6.0 | 0.21 | | | | | | |
| and | | 324.0 | 331.0 | 7.0 | 0.54 | | | | | | |
| and | | 355.0 | 356.0 | 1.0 | 0.24 | | | | | | |
| SWDD120 | Sewum | 0.0 | 1.5 | 1.5 | 0.14 | | | | | | |
| and | | 18.0 | 19.5 | 1.5 | 0.13 | | | | | | |
| and | | 51.5 | 54.5 | 3.0 | 0.11 | | | | | | |
| and | | 119.0 | 120.0 | 1.0 | 0.10 | | | | | | |
| and | | 127.0 | 131.0 | 4.0 | 0.33 | | | | | | |
| and | | 149.0 | 156.0 | 7.0 | 0.58 | | | | | | |
| and | | 171.0 | 174.0 | 3.0 | 0.37 | | | | | | |
| and | | 176.0 | 179.0 | 3.0 | 0.21 | | | | | | |
| and | | 203.0 | 209.0 | 6.0 | 0.57 | | | | | | |
| and | | 213.0 | 214.0 | 1.0 | 0.23 | | | | | | |
| and | | 220.0 | 221.0 | 1.0 | 0.25 | | | | | | |
| and | | 247.0 | 251.0 | 4.0 | 0.30 | | | | | | |
| and | | 260.0 | 264.0 | 4.0 | 0.27 | | | | | | |
| and | | 274.0 | 289.0 | 15.0 | 0.20 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|--------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| SWDD121 | Sewum | 0.0 | 9.0 | 9.0 | 0.21 | 521144 | 628942 | 158 | 120 | -65 | 356.4 |
| and | | 17.8 | 20.0 | 2.2 | 1.58 | | | | | | |
| and | | 30.0 | 46.5 | 16.5 | 0.55 | | | | | | |
| and | | 53.0 | 58.0 | 5.0 | 0.38 | | | | | | |
| and | | 79.7 | 90.0 | 10.3 | 0.55 | | | | | | |
| and | | 94.0 | 118.0 | 24.0 | 1.37 | | | | | | |
| including | | 103.0 | 115.0 | 12.0 | 1.93 | | | | | | |
| and | | 181.0 | 182.0 | 1.0 | 0.47 | | | | | | |
| and | | 207.0 | 208.0 | 1.0 | 0.47 | | | | | | |
| and | | 233.0 | 235.0 | 2.0 | 0.42 | | | | | | |
| and | | 260.0 | 262.0 | 2.0 | 0.16 | | | | | | |
| and | | 268.0 | 269.0 | 1.0 | 0.23 | | | | | | |
| and | | 275.0 | 287.0 | 12.0 | 0.62 | | | | | | |
| and | | 331.0 | 333.0 | 2.0 | 0.28 | | | | | | |
| NBRC108 | Nyam | 16.0 | 17.0 | 1.0 | 0.28 | 530218 | 637234 | 98 | 300 | -60 | 108 |
| and | | 33.0 | 34.0 | 1.0 | 0.91 | | | | | | |
| and | | 45.0 | 60.0 | 15.0 | 2.50 | | | | | | |
| and | | 75.0 | 77.0 | 2.0 | 0.96 | | | | | | |
| and | | 105.0 | 108.0 | 3.0 | 0.42 | | | | | | |
| NBRC109 | Nyam | 7.0 | 8.0 | 1.0 | 0.78 | 530243 | 637218 | 99 | 300 | -60 | 138 |
| and | | 63.0 | 77.0 | 14.0 | 0.37 | | | | | | |
| and | | 88.0 | 97.0 | 9.0 | 0.93 | | | | | | |
| and | | 111.0 | 114.0 | 3.0 | 0.97 | | | | | | |
| and | | 133.0 | 137.0 | 4.0 | 0.43 | | | | | | |
| NBRC110 | Nyam | 36.0 | 37.0 | 1.0 | 0.21 | 530293 | 637299 | 100 | 300 | -60 | 147 |
| and | | 52.0 | 53.0 | 1.0 | 0.49 | | | | | | |
| and | | 97.0 | 98.0 | 1.0 | 0.33 | | | | | | |
| and | | 104.0 | 114.0 | 10.0 | 3.00 | | | | | | |
| and | | 126.0 | 144.0 | 18.0 | 0.50 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|-------------|-------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| NBRC111 | Nyam | 9.0 | 23.0 | 14.0 | 0.51 | 530260 | 637325 | 97 | 300 | -60 | 84 |
| and | | 28.0 | 31.0 | 3.0 | 0.30 | | | | | | |
| and | | 36.0 | 38.0 | 2.0 | 0.55 | | | | | | |
| and | | 45.0 | 48.0 | 3.0 | 0.40 | | | | | | |
| and | | 53.0 | 76.0 | 23.0 | 0.27 | | | | | | |
| NBRC112 | Nyam | 48.0 | 54.0 | 6.0 | 0.76 | 530610 | 637824 | 104 | 300 | -60 | 80 |
| and | | 62.0 | 67.0 | 5.0 | 0.46 | | | | | | |
| NBRC113 | Nyam | 86.0 | 89.0 | 3.0 | 0.29 | 530604 | 637746 | 116 | 300 | -60 | 108 |
| and | | 100.0 | 101.0 | 1.0 | 0.34 | | | | | | |
| and | | 105.0 | 106.0 | 1.0 | 0.63 | | | | | | |
| NBRC114 | Nyam | 78.0 | 90.0 | 12.0 | 1.68 | 530615 | 637788 | 110 | 300 | -60 | 96 |
| NBRC115 | Nyam | 48.0 | 49.0 | 1.0 | 0.31 | 530792 | 638222 | 103 | 300 | -60 | 108 |
| and | | 57.0 | 69.0 | 12.0 | 0.49 | | | | | | |
| and | | 84.0 | 86.0 | 2.0 | 0.31 | | | | | | |
| and | | 97.0 | 104.0 | 7.0 | 0.43 | | | | | | |
| NBRC116 | Nyam | 41.0 | 48.0 | 7.0 | 1.00 | 530768 | 638196 | 107 | 300 | -60 | 120 |
| and | | 56.0 | 57.0 | 1.0 | 0.48 | | | | | | |
| and | | 61.0 | 66.0 | 5.0 | 0.44 | | | | | | |
| and | | 86.0 | 108.0 | 22.0 | 0.46 | | | | | | |
| and | | 117.0 | 119.0 | 2.0 | 0.41 | | | | | | |
| NBRC117 | Nyam | 6.0 | 7.0 | 1.0 | 0.65 | 530816 | 638271 | 99 | 300 | -60 | 102 |
| and | | 38.0 | 42.0 | 4.0 | 0.66 | | | | | | |
| and | | 47.0 | 78.0 | 31.0 | 0.51 | | | | | | |
| and | | 95.0 | 96.0 | 1.0 | 0.23 | | | | | | |
| NBRC118 | Nyam | 53.0 | 72.0 | 19.0 | 0.64 | 530837 | 638302 | 99 | 300 | -55 | 120 |
| and | | 80.0 | 85.0 | 5.0 | 1.12 | | | | | | |
| and | | 90.0 | 92.0 | 2.0 | 0.60 | | | | | | |
| NBRC119 | Nyam | 2.0 | 8.0 | 6.0 | 0.96 | 530170 | 637212 | 96 | 300 | -60 | 60 |
| and | | 12.0 | 19.0 | 7.0 | 0.32 | | | | | | |
| and | | 45.0 | 53.0 | 8.0 | 2.36 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|-----------------|--------------|-------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| NBRC120 | Nyam | 57.0 | 58.0 | 1.0 | 0.21 | 530209 | 637190 | 95 | 300 | -60 | 144 |
| and | | 71.0 | 72.0 | 1.0 | 2.00 | | | | | | |
| and | | 97.0 | 101.0 | 4.0 | 1.90 | | | | | | |
| and | | 113.0 | 120.0 | 7.0 | 0.87 | | | | | | |
| and | | 127.0 | 129.0 | 2.0 | 0.57 | | | | | | |
| KKRC085A | Kwakyekrom | 88.0 | 103.0 | 15.0 | 1.29 | 529000 | 635363 | 85 | 298 | -60 | 180 |
| and | | 108.0 | 109.0 | 1.0 | 0.23 | | | | | | |
| and | | 124.0 | 132.0 | 8.0 | 0.29 | | | | | | |
| KKRC086 | Kwakyekrom | 27.0 | 40.0 | 13.0 | 0.46 | 528942 | 635392 | 104 | 298 | -60 | 122 |
| and | | 43.0 | 44.0 | 1.0 | 0.30 | | | | | | |
| and | | 46.0 | 47.0 | 1.0 | 0.27 | | | | | | |
| and | | 55.0 | 61.0 | 6.0 | 0.22 | | | | | | |
| and | | 69.0 | 70.0 | 1.0 | 0.20 | | | | | | |
| KKRC087 | Kwakyekrom | 14.0 | 25.0 | 11.0 | 0.29 | 528929 | 635332 | 109 | 298 | -60 | 150 |
| and | | 132.0 | 133.0 | 1.0 | 0.29 | | | | | | |
| KKRC088 | Kwakyekrom | 39.0 | 41.0 | 2.0 | 0.24 | 528945 | 635255 | 102 | 298 | -60 | 174 |
| and | | 57.0 | 61.0 | 4.0 | 0.30 | | | | | | |
| and | | 67.0 | 68.0 | 1.0 | 0.34 | | | | | | |
| and | | 80.0 | 83.0 | 3.0 | 0.20 | | | | | | |
| and | | 93.0 | 103.0 | 10.0 | 0.96 | | | | | | |
| and | | 105.0 | 106.0 | 1.0 | 0.29 | | | | | | |
| and | | 142.0 | 145.0 | 3.0 | 0.52 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|-------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| KKRC089 | Kwakyekrom | 67.0 | 69.0 | 2.0 | 0.28 | 528968 | 635307 | 100 | 298 | -60 | 228 |
| and | | 79.0 | 83.0 | 4.0 | 0.39 | | | | | | |
| and | | 87.0 | 105.0 | 18.0 | 0.47 | | | | | | |
| and | | 114.0 | 117.0 | 3.0 | 0.53 | | | | | | |
| and | | 120.0 | 121.0 | 1.0 | 0.63 | | | | | | |
| and | | 126.0 | 127.0 | 1.0 | 0.43 | | | | | | |
| and | | 132.0 | 133.0 | 1.0 | 0.25 | | | | | | |
| and | | 138.0 | 139.0 | 1.0 | 1.00 | | | | | | |
| and | | 144.0 | 145.0 | 1.0 | 0.68 | | | | | | |
| and | | 148.0 | 151.0 | 3.0 | 0.52 | | | | | | |
| and | | 164.0 | 169.0 | 5.0 | 0.33 | | | | | | |
| and | | 178.0 | 180.0 | 2.0 | 0.39 | | | | | | |
| KKRC090 | Kwakyekrom | 30.0 | 31.0 | 1.0 | 0.20 | 528899 | 635167 | 102 | 298 | -60 | 240 |
| and | | 91.0 | 96.0 | 5.0 | 0.78 | | | | | | |
| and | | 101.0 | 102.0 | 1.0 | 0.22 | | | | | | |
| and | | 166.0 | 167.0 | 1.0 | 0.35 | | | | | | |
| and | | 169.0 | 170.0 | 1.0 | 0.24 | | | | | | |
| KKRC091 | Kwakyekrom | 1.0 | 2.0 | 1.0 | 0.23 | 528796 | 635102 | 112 | 298 | -60 | 120 |
| and | | 36.0 | 37.0 | 1.0 | 0.20 | | | | | | |
| KKRC092 | Kwakyekrom | 21.0 | 22.0 | 1.0 | 0.45 | 528633 | 634835 | 130 | 298 | -60 | 126 |
| and | | 26.0 | 31.0 | 5.0 | 0.39 | | | | | | |
| and | | 36.0 | 37.0 | 1.0 | 0.79 | | | | | | |
| and | | 41.0 | 50.0 | 9.0 | 0.49 | | | | | | |
| and | | 58.0 | 62.0 | 4.0 | 0.90 | | | | | | |
| and | | 72.0 | 73.0 | 1.0 | 0.22 | | | | | | |
| and | | 84.0 | 87.0 | 3.0 | 0.39 | | | | | | |
| and | | 91.0 | 97.0 | 6.0 | 0.84 | | | | | | |
| and | | 107.0 | 108.0 | 1.0 | 0.21 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|-----------------|--------------|--------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| KKRC093 | Kwakyekrom | 8.0 | 11.0 | 3.0 | 0.65 | 528695 | 634878 | 132 | 298 | -60 | 125 |
| and | | 24.0 | 28.0 | 4.0 | 0.85 | | | | | | |
| and | | 56.0 | 58.0 | 2.0 | 2.05 | | | | | | |
| and | | 72.0 | 73.0 | 1.0 | 0.50 | | | | | | |
| and | | 113.0 | 125.0 | 12.0 | 0.57 | | | | | | |
| KKRC094 | Kwakyekrom | 92.0 | 93.0 | 1.0 | 0.32 | 528762 | 634990 | 130 | 298 | -60 | 102 |
| KKRC095 | Kwakyekrom | 0.0 | 9.0 | 9.0 | 0.54 | 528771 | 634927 | 128 | 298 | -60 | 168 |
| and | | 13.0 | 14.0 | 1.0 | 0.48 | | | | | | |
| and | | 21.0 | 22.0 | 1.0 | 0.27 | | | | | | |
| and | | 119.0 | 120.0 | 1.0 | 0.60 | | | | | | |
| KKRC096 | Kwakyekrom | 34.0 | 36.0 | 2.0 | 0.23 | 528816 | 634982 | 117 | 298 | -60 | 180 |
| and | | 40.0 | 41.0 | 1.0 | 1.26 | | | | | | |
| KKRC097B | Kwakyekrom | 0.0 | 1.0 | 1.0 | 0.22 | 528779 | 634878 | 116 | 298 | -60 | 78 |
| and | | 17.0 | 19.0 | 2.0 | 0.28 | | | | | | |
| and | | 38.0 | 40.0 | 2.0 | 0.20 | | | | | | |
| and | | 62.0 | 63.0 | 1.0 | 0.21 | | | | | | |
| KKRC098 | Kwakyekrom | 15.0 | 16.0 | 1.0 | 0.91 | 528890 | 635212 | 101 | 298 | -60 | 220 |
| and | | 25.0 | 40.0 | 15.0 | 0.60 | | | | | | |
| including | | 33.0 | 37.0 | 4.0 | 1.65 | | | | | | |
| and | | 87.0 | 88.0 | 1.0 | 0.49 | | | | | | |
| and | | 136.0 | 154.0 | 18.0 | 0.39 | | | | | | |
| including | | 137.0 | 142.0 | 5.0 | 0.89 | | | | | | |
| and | 214.0 | 215.0 | 1.0 | 6.41 | | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|--------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| KKRC099 | Kwakyekrom | 19.0 | 25.0 | 6.0 | 0.68 | 528934 | 635195 | 104 | 298 | -60 | 240 |
| and | | 30.0 | 31.0 | 1.0 | 0.31 | | | | | | |
| and | | 35.0 | 36.0 | 1.0 | 1.08 | | | | | | |
| and | | 112.0 | 134.0 | 22.0 | 1.08 | | | | | | |
| including | | 126.0 | 133.0 | 7.0 | 2.78 | | | | | | |
| and | | 170.0 | 171.0 | 1.0 | 0.21 | | | | | | |
| and | | 182.0 | 183.0 | 1.0 | 0.20 | | | | | | |
| and | | 191.0 | 225.0 | 34.0 | 0.23 | | | | | | |
| and | | 234.0 | 236.0 | 2.0 | 0.29 | | | | | | |
| and | | 239.0 | 240.0 | 1.0 | 0.33 | | | | | | |
| KKRC100 | Kwakyekrom | 8.0 | 19.0 | 11.0 | 1.39 | 528748 | 634846 | 126 | 298 | -60 | 226 |
| and | | 23.0 | 24.0 | 1.0 | 0.46 | | | | | | |
| and | | 109.0 | 114.0 | 5.0 | 0.97 | | | | | | |
| and | | 117.0 | 118.0 | 1.0 | 0.35 | | | | | | |
| and | | 126.0 | 127.0 | 1.0 | 0.20 | | | | | | |
| and | | 136.0 | 138.0 | 2.0 | 0.37 | | | | | | |
| and | | 150.0 | 153.0 | 3.0 | 0.44 | | | | | | |
| and | | 176.0 | 177.0 | 1.0 | 0.44 | | | | | | |
| KKRC101 | Kwakyekrom | 16.0 | 17.0 | 1.0 | 0.20 | 528521 | 634486 | 102 | 298 | -60 | 192 |
| and | | 36.0 | 37.0 | 1.0 | 0.33 | | | | | | |
| and | | 43.0 | 45.0 | 2.0 | 0.40 | | | | | | |
| and | | 63.0 | 64.0 | 1.0 | 0.38 | | | | | | |
| and | | 73.0 | 75.0 | 2.0 | 0.20 | | | | | | |
| and | | 108.0 | 112.0 | 4.0 | 0.79 | | | | | | |
| and | | 116.0 | 117.0 | 1.0 | 0.32 | | | | | | |
| and | | 136.0 | 140.0 | 4.0 | 0.84 | | | | | | |
| and | | 180.0 | 181.0 | 1.0 | 1.62 | | | | | | |
| and | | 186.0 | 187.0 | 1.0 | 1.69 | | | | | | |
| KKRC102 | Kwakyekrom | 25.0 | 35.0 | 10.0 | 0.42 | 528458 | 634419 | 115 | 298 | -60 | 114 |
| and | | 60.0 | 80.0 | 20.0 | 0.29 | | | | | | |
| and | | 108.0 | 109.0 | 1.0 | 0.24 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|-------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| KKRC103 | Kwakyekrom | 33.0 | 36.0 | 3.0 | 0.72 | 528430 | 634374 | 121 | 298 | -60 | 132 |
| and | | 39.0 | 40.0 | 1.0 | 0.27 | | | | | | |
| and | | 50.0 | 51.0 | 1.0 | 0.25 | | | | | | |
| and | | 59.0 | 60.0 | 1.0 | 0.60 | | | | | | |
| and | | 68.0 | 74.0 | 6.0 | 0.19 | | | | | | |
| and | | 78.0 | 83.0 | 5.0 | 0.20 | | | | | | |
| and | | 94.0 | 99.0 | 5.0 | 0.55 | | | | | | |
| and | | 102.0 | 103.0 | 1.0 | 0.22 | | | | | | |
| and | | 109.0 | 110.0 | 1.0 | 0.24 | | | | | | |
| and | | 125.0 | 126.0 | 1.0 | 0.46 | | | | | | |
| KKRC104 | Kwakyekrom | 30.0 | 31.0 | 1.0 | 0.65 | 528415 | 634306 | 130 | 298 | -60 | 150 |
| and | | 42.0 | 47.0 | 5.0 | 0.40 | | | | | | |
| and | | 51.0 | 52.0 | 1.0 | 0.35 | | | | | | |
| and | | 55.0 | 58.0 | 3.0 | 0.90 | | | | | | |
| and | | 67.0 | 85.0 | 18.0 | 0.35 | | | | | | |
| and | | 91.0 | 113.0 | 22.0 | 0.34 | | | | | | |
| KKRC105 | Kwakyekrom | 43.0 | 45.0 | 2.0 | 0.32 | 528387 | 634272 | 137 | 298 | -60 | 150 |
| KKRC106 | Kwakyekrom | 40.0 | 52.0 | 12.0 | 0.24 | 528353 | 634248 | 147 | 298 | -60 | 132 |
| KKRC107 | Kwakyekrom | 53.0 | 54.0 | 1.0 | 2.46 | 528390 | 634223 | 148 | 298 | -60 | 180 |
| and | | 62.0 | 68.0 | 6.0 | 0.85 | | | | | | |
| and | | 87.0 | 89.0 | 2.0 | 0.29 | | | | | | |
| and | | 92.0 | 94.0 | 2.0 | 0.31 | | | | | | |
| KKRC108 | Kwakyekrom | 1.0 | 10.0 | 9.0 | 0.43 | 528786 | 635064 | 127 | 298 | -60 | 114 |
| and | | 50.0 | 52.0 | 2.0 | 0.39 | | | | | | |
| and | | 74.0 | 80.0 | 6.0 | 0.37 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|-------------|--------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| KJRC025 | Kojina Hill | 12.0 | 14.0 | 2.0 | 0.40 | 529138 | 637394 | 98 | 120 | -55 | 100 |
| and | | 24.0 | 26.0 | 2.0 | 0.20 | | | | | | |
| and | | 31.0 | 32.0 | 1.0 | 3.53 | | | | | | |
| and | | 44.0 | 45.0 | 1.0 | 0.34 | | | | | | |
| and | | 51.0 | 53.0 | 2.0 | 0.26 | | | | | | |
| and | | 79.0 | 80.0 | 1.0 | 0.29 | | | | | | |
| and | | 96.0 | 97.0 | 1.0 | 0.22 | | | | | | |
| KJRC026 | Kojina Hill | 25.0 | 26.0 | 1.0 | 0.32 | 528814 | 637355 | 105 | 120 | -55 | 130 |
| and | | 60.0 | 62.0 | 2.0 | 0.33 | | | | | | |
| and | | 69.0 | 106.0 | 37.0 | 0.67 | | | | | | |
| including | | 70.0 | 90.0 | 20.0 | 1.05 | | | | | | |
| KJRC027 | Kojina Hill | 87.0 | 89.0 | 2.0 | 0.25 | 528806 | 637083 | 186 | 120 | -55 | 180 |
| KJRC028 | Kojina Hill | 15.0 | 17.0 | 2.0 | 0.23 | 528833 | 636835 | 173 | 120 | -55 | 150 |
| and | | 44.0 | 46.0 | 2.0 | 0.46 | | | | | | |
| and | | 72.0 | 77.0 | 5.0 | 0.34 | | | | | | |
| KJRC029 | Kojina Hill | 12.0 | 14.0 | 2.0 | 0.53 | 528579 | 636781 | 118 | 120 | -55 | 132 |
| and | | 75.0 | 76.0 | 1.0 | 0.30 | | | | | | |
| KJRC030 | Kojina Hill | 1.0 | 8.0 | 7.0 | 0.45 | 528475 | 636835 | 126 | 120 | -55 | 108 |
| and | | 15.0 | 26.0 | 11.0 | 0.29 | | | | | | |
| and | | 45.0 | 49.0 | 4.0 | 0.57 | | | | | | |
| and | | 57.0 | 59.0 | 2.0 | 0.44 | | | | | | |
| and | | 82.0 | 83.0 | 1.0 | 1.04 | | | | | | |
| KJRC031 | Kojina Hill | 0.0 | 1.0 | 1.0 | 0.20 | 528423 | 636863 | 117 | 120 | -55 | 144 |
| and | | 5.0 | 7.0 | 2.0 | 6.80 | | | | | | |
| and | | 9.0 | 10.0 | 1.0 | 0.29 | | | | | | |
| and | | 14.0 | 16.0 | 2.0 | 0.22 | | | | | | |
| and | | 32.0 | 33.0 | 1.0 | 0.27 | | | | | | |
| and | | 50.0 | 58.0 | 8.0 | 0.69 | | | | | | |
| and | | 64.0 | 68.0 | 4.0 | 0.41 | | | | | | |
| and | | 102.0 | 103.0 | 1.0 | 0.22 | | | | | | |
| and | | 115.0 | 136.0 | 21.0 | 0.49 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|--------------|--------------|-------------|---------------|----------|-----------|-----------|-----------|-------|-----------------|
| KJRC032 | Kojina Hill | 24.0 | 25.0 | 1.0 | 0.38 | 528853 | 637334 | 108 | 120 | -60 | 110 |
| and | | 45.0 | 49.0 | 4.0 | 0.46 | | | | | | |
| and | | 83.0 | 94.0 | 11.0 | 0.48 | | | | | | |
| and | | 96.0 | 97.0 | 1.0 | 0.20 | | | | | | |
| and | | 100.0 | 110.0 | 10.0 | 0.69 | | | | | | |
| KJRC033 | Kojina Hill | 36.0 | 37.0 | 1.0 | 0.45 | 528780 | 637345 | 110 | 120 | -60 | 162 |
| and | | 49.0 | 52.0 | 3.0 | 0.21 | | | | | | |
| and | | 59.0 | 60.0 | 1.0 | 0.20 | | | | | | |
| and | | 70.0 | 74.0 | 4.0 | 0.91 | | | | | | |
| and | | 93.0 | 102.0 | 9.0 | 0.41 | | | | | | |
| and | | 124.0 | 126.0 | 2.0 | 0.75 | | | | | | |
| and | | 126.0 | 127.0 | 1.0 | 183.86 | | | | | | |
| and | | 127.0 | 134.0 | 7.0 | 1.08 | | | | | | |
| and | | 138.0 | 148.0 | 10.0 | 0.57 | | | | | | |
| KJRC034 | | Kojina Hill | 0.0 | 13.0 | 13.0 | | | | | | |
| including | 2.0 | | 5.0 | 3.0 | 8.09 | | | | | | |
| including | 9.0 | | 12.0 | 3.0 | 4.59 | | | | | | |
| and | 27.0 | | 30.0 | 3.0 | 0.29 | | | | | | |
| and | 116.0 | | 117.0 | 1.0 | 1.10 | | | | | | |
| KJRC035 | Kojina Hill | 12.0 | 18.0 | 6.0 | 0.55 | 528862 | 637264 | 139 | 300 | -60 | 144 |
| and | | 41.0 | 47.0 | 6.0 | 0.52 | | | | | | |
| and | | 56.0 | 67.0 | 11.0 | 0.42 | | | | | | |
| including | | 61.0 | 63.0 | 2.0 | 1.53 | | | | | | |
| and | | 70.0 | 71.0 | 1.0 | 0.67 | | | | | | |
| and | | 74.0 | 75.0 | 1.0 | 0.20 | | | | | | |
| and | | 80.0 | 83.0 | 3.0 | 0.63 | | | | | | |
| and | | 106.0 | 114.0 | 8.0 | 0.58 | | | | | | |
| and | | 121.0 | 122.0 | 1.0 | 0.23 | | | | | | |
| and | | 140.0 | 141.0 | 1.0 | 0.69 | | | | | | |

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated June 30, 2026



| Hole ID | Zone/Deposit | From (m) | To (m) | Length (m) | Au (g/t) | UTM East | UTM North | Elevation | Azimuth ° | Dip ° | Hole Length (m) |
|----------------|--------------|-------------|-------------|-------------|-------------|----------|-----------|-----------|-----------|-------|-----------------|
| KJRC036 | Kojina Hill | 0.0 | 14.0 | 14.0 | 0.58 | 528823 | 637288 | 140 | 300 | -60 | 102 |
| and | | 24.0 | 43.0 | 19.0 | 0.43 | | | | | | |
| and | | 100.0 | 102.0 | 2.0 | 0.31 | | | | | | |
| KJRC037 | Kojina Hill | 13.0 | 16.0 | 3.0 | 0.21 | 528841 | 637253 | 143 | 300 | -60 | 108 |
| and | | 20.0 | 49.0 | 29.0 | 0.57 | | | | | | |
| including | | 21.0 | 27.0 | 6.0 | 1.29 | | | | | | |
| and | | 84.0 | 86.0 | 2.0 | 0.68 | | | | | | |
| KJRC038 | Kojina Hill | 181.0 | 184.0 | 3.0 | 0.47 | 528765 | 637392 | 99 | 120 | -60 | 194 |

1. Intervals reported are hole lengths with true width estimated to be 65 - 85%.

2. Length-weighted averages from uncut assays.

3. All drilling completed by independent contractor.

4. All drilling samples sealed on site and delivered directly to independent lab Intertek Mineral Limited located in Tarkwa, Ghana for preparation and 50g Fire Assay with AAS finish.

5. QA/QC procedures include industry standard inclusion of standards, blanks, and duplicates in all sample batches.