

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Drill Results Released July 29, 2026

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
NBDD087	Nyam	19.5	20.5	1.0	0.45	530320	637235	112	300	-57	274.3
and		134.0	135.0	1.0	0.97						
and		152.0	155.0	3.0	0.71						
and		162.0	170.6	8.6	0.14						
and		186.0	200.0	14.0	1.18						
and		210.0	216.0	6.0	0.50						
and		227.0	229.0	2.0	0.42						
and		236.0	239.0	3.0	0.57						
and		251.0	252.0	1.0	0.45						
and		260.0	264.0	4.0	0.13						
NBDD088	Nyam	87.0	90.0	3.0	0.37	530383	637190	105	300	-56	388.0
and		153.0	155.0	2.0	0.38						
and		159.0	160.0	1.0	0.22						
and		164.0	165.0	1.0	0.20						
and		170.0	171.0	1.0	1.16						
and		232.0	233.0	1.0	0.30						
and		287.0	296.0	9.0	0.21						
and		307.7	333.0	25.3	3.67						
and		340.0	341.0	1.0	0.17						
and		343.0	351.7	8.7	0.18						
NBDD089	Nyam	118.0	119.0	1.0	0.33	530358	637314	98	300	-60	268.0
and		132.0	133.0	1.0	0.78						
and		167.0	169.0	2.0	0.30						
and		204.0	207.0	3.0	0.41						
and		221.0	244.0	23.0	0.47						
including		232.0	241.0	9.0	0.96						
and		250.0	254.0	4.0	0.65						
and		264.0	265.0	1.0	0.32						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
NBDD090	Nyam	106.0	112.8	6.8	0.27	530387	637439	89	300	-61	216.2
and		166.0	188.4	22.4	0.72						
including		178.0	188.4	10.4	1.21						
and		194.2	195.2	1.0	1.13						
NBDD091	Nyam	172.0	173.0	1.0	0.74	530580	637565	89	300	-55	342.5
and		192.0	194.0	2.0	0.22						
and		254.0	289.0	35.0	0.43						
including		271.0	277.0	6.0	0.81						
and		300.0	318.0	18.0	1.26						
including		300.0	309.0	9.0	2.31						
and		328.0	333.0	5.0	0.64						
and		341.7	342.5	0.8	0.38						

1. Intervals reported are hole lengths with true width estimated to be 75 - 85%.

2. Length-weighted averages from uncut assays.

3. All drilling completed by independent contractor.

4. All drilling samples sealed on site and delivered directly to independent lab Intertek Mineral Limited located in Tarkwa, Ghana for preparation and 50g Fire Assay with AAS finish.

5. QA/QC procedures include industry standard inclusion of standards, blanks, and duplicates in all sample batches.

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Previously Released Drill Results

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC288	Boin	86.0	87.0	1.0	0.85	519558	634796	132	114	-60	201
and		93.0	98.0	5.0	0.47						
and		139.0	201.0	62.0	1.96						
including		139.0	164.0	25.0	2.31						
including		171.0	199.0	28.0	2.23						
KBRC289	Boin	0.0	3.0	3.0	0.17	519608	634766	132	114	-60	151
and		17.0	18.0	1.0	0.25						
and		66.0	77.0	11.0	0.65						
and		97.0	107.0	10.0	1.46						
KBRC290	Boin	33.0	38.0	5.0	0.40	519453	634446	130	114	-60	103
KBRC291	Boin	11.0	17.0	6.0	1.16	519374	634438	132	114	-60	140
and		49.0	50.0	1.0	0.18						
and		56.0	63.0	7.0	0.77						
and		98.0	100.0	2.0	0.27						
and		102.0	103.0	1.0	0.42						
and		118.0	119.0	1.0	1.61						
and		122.0	139.0	17.0	0.56						
KBRC292	Boin	8.0	10.0	2.0	0.30	519415	634419	133	114	-60	110
and		55.0	62.0	7.0	0.50						
KBRC293	Boin	10.0	29.0	19.0	0.46	519452	634401	133	114	-60	101
including		10.0	14.0	4.0	1.28						
including		23.0	28.0	5.0	0.56						
and		33.0	34.0	1.0	0.21						
and		43.0	47.0	4.0	0.62						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC294	Boin	107.0	113.0	6.0	3.24	519498	634729	125	114	-55	204
including		109.0	110.0	1.0	16.52						
and		120.0	121.0	1.0	0.27						
and		139.0	141.0	2.0	0.35						
and		150.0	204.0	54.0	0.94						
including		151.0	158.0	7.0	2.11						
including		170.0	181.0	11.0	2.08						
KBRC295	Boin	45.0	47.0	2.0	0.34	519533	634699	127	114	-60	157
and		54.0	56.0	2.0	0.31						
and		83.0	91.0	8.0	0.19						
and		113.0	115.0	2.0	0.30						
and		127.0	128.0	1.0	0.97						
and		130.0	154.0	24.0	1.25						
KBRC296	Boin	31.0	56.0	25.0	1.44	519553	634666	125	114	-60	103
and		67.0	74.0	7.0	2.26						
and		90.0	93.0	3.0	0.37						
KBRC297	Boin	0.0	7.0	7.0	0.95	519581	634684	127	114	-60	100
and		12.0	26.0	14.0	0.45						
and		33.0	34.0	1.0	0.22						
and		64.0	68.0	4.0	0.57						
KBRC298	Boin	55.0	67.0	12.0	0.43	519301	634381	130	114	-55	220
and		76.0	78.0	2.0	0.24						
and		154.0	155.0	1.0	0.24						
and		159.0	220.0	61.0	0.53						
including		173.0	185.0	12.0	1.07						
KBRC299	Boin	1.0	3.0	2.0	0.21	519399	634338	136	114	-60	60
and		16.0	24.0	8.0	0.48						
and		32.0	34.0	2.0	0.89						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC300	Boin	38.0	41.0	3.0	0.85	519344	634361	135	114	-60	140
and		51.0	52.0	1.0	0.20						
and		62.0	68.0	6.0	2.34						
and		72.0	74.0	2.0	0.79						
and		98.0	102.0	4.0	0.69						
and		126.0	128.0	2.0	0.27						
KBRC301	Boin	59.0	60.0	1.0	204.27	519281	634351	132	114	-60	193
and		60.0	62.0	2.0	1.46						
and		64.0	66.0	2.0	0.22						
and		79.0	85.0	6.0	0.22						
and		98.0	99.0	1.0	0.33						
and		133.0	134.0	1.0	0.51						
and		161.0	163.0	2.0	1.77	519261	634273	138	114	-60	220
and		181.0	183.0	2.0	0.19						
KBRC302	Boin	0.0	1.0	1.0	0.22						
and		39.0	42.0	3.0	0.78						
and		111.0	112.0	1.0	0.51						
and		116.0	125.0	9.0	0.43						
and		130.0	131.0	1.0	0.40						
and		139.0	150.0	11.0	0.40						
and		185.0	186.0	1.0	0.40						
and		199.0	201.0	2.0	0.68	519293	634294	130	114	-60	200
KBRC303A	Boin	52.0	54.0	2.0	0.67						
and		68.0	70.0	2.0	0.44						
and		80.0	82.0	2.0	0.21						
and		114.0	145.0	31.0	0.94						
and		160.0	181.0	21.0	0.46						
and		187.0	189.0	2.0	0.20						
and		196.0	197.0	1.0	0.29						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC304	Boin	20.0	24.0	4.0	0.71	519090	634045	134	114	-50	81
and		35.0	36.0	1.0	0.35						
and		41.0	59.0	18.0	0.73						
KBRC305	Boin	68.0	70.0	2.0	0.21	519248	634321	135	114	-55	252
and		105.0	115.0	10.0	0.61						
and		121.0	123.0	2.0	0.43						
and		151.0	199.0	48.0	1.01						
including		173.0	187.0	14.0	1.86						
and		212.0	229.0	17.0	0.86						
KBRC306	Boin	190.0	204.0	14.0	0.82	519192	634299	147	114	-55	250
and		236.0	237.0	1.0	0.32						
and		242.0	247.0	5.0	1.64						
KBRC307A	Boin	17.0	25.0	8.0	0.74	519252	634200	139	114	-60	190
and		35.0	36.0	1.0	0.61						
and		57.0	66.0	9.0	0.27						
and		120.0	148.0	28.0	3.36						
including		132.0	143.0	11.0	7.76						
and incl.		133.0	135.0	2.0	37.58						
and		156.0	190.0	34.0	0.33						
KBRC308	Boin	132.0	153.0	21.0	1.04	519205	634212	135	114	-60	222
including		139.0	141.0	2.0	2.66						
and		164.0	202.0	38.0	0.50						
including		197.0	201.0	4.0	2.03						
and		207.0	209.0	2.0	0.49						
and		214.0	217.0	3.0	0.51						
KBRC309A	Boin	63.0	65.0	2.0	0.50	519178	634148	119	114	-60	220
and		110.0	119.0	9.0	0.32						
and		126.0	152.0	26.0	0.59						
and		171.0	179.0	8.0	0.29						
and		183.0	185.0	2.0	0.31						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC310	Boin	16.0	17.0	1.0	0.59	519161	634010	126	114	-60	200
and		39.0	40.0	1.0	0.34						
and		97.0	99.0	2.0	0.47						
and		101.0	104.0	3.0	0.41						
and		108.0	110.0	2.0	0.27						
and		116.0	118.0	2.0	0.30						
and		191.0	193.0	2.0	0.39						
KBRC311	Boin	143.0	146.0	3.0	0.19	519171	634107	127	114	-60	200
and		159.0	161.0	2.0	1.25						
KBRC312	Boin	86.0	87.0	1.0	0.28	519119	633968	133	114	-50	210
and		93.0	109.0	16.0	1.04						
and		115.0	117.0	2.0	0.30						
and		130.0	210.0	80.0	0.54						
KBRC313	Boin	127.0	208.0	81.0	1.06	518956	633618	154	0	-90	240
including		132.0	149.0	17.0	2.50						
including		184.0	191.0	7.0	2.15						
and		215.0	217.0	2.0	0.22						
and		229.0	237.0	8.0	0.29						
KBRC314	Boin	141.0	143.0	2.0	0.50	518935	633580	156	0	-90	230
and		151.0	154.0	3.0	0.99						
and		161.0	223.0	62.0	0.86						
including		210.0	219.0	9.0	2.24						
KBRC315	Boin	139.0	190.0	51.0	0.58	518914	633556	154	0	-90	240
including		144.0	148.0	4.0	1.71						
and		203.0	240.0	37.0	1.32						
KBRC316	Boin	100.0	196.0	96.0	0.97	518900	633506	133	0	-90	220
including		163.0	173.0	10.0	2.05						
and		200.0	202.0	2.0	0.52						
and		217.0	219.0	2.0	0.35						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC317	Boin	88.0	89.0	1.0	0.30	518874	633478	133	0	-90	200
and		109.0	182.0	73.0	0.70						
and		192.0	199.0	7.0	1.52						
KBRC318	Boin	65.0	72.0	7.0	1.17	518804	633406	137	114	-50	100
KBRC319	Boin	33.0	52.0	19.0	0.94	519535	634589	122	114	-60	78
KBRC320	Boin	57.0	58.0	1.0	0.20	519496	634605	122	114	-60	150
and		85.0	98.0	13.0	0.67						
and		108.0	146.0	38.0	0.70						
KBRC321	Boin	4.0	17.0	13.0	0.86	518801	633303	132	114	-50	60
and		28.0	29.0	1.0	0.37						
KBRC322	Boin	19.0	20.0	1.0	0.24	518741	633324	140	114	-50	166
and		23.0	36.0	13.0	0.86						
and		60.0	62.0	2.0	0.38						
KBRC323	Boin	0.0	5.0	5.0	0.23	519502	634511	135	114	-60	90
and		14.0	21.0	7.0	0.57						
and		35.0	37.0	2.0	0.33						
KBRC324	Boin	18.0	20.0	2.0	0.25	519475	634523	133	114	-60	120
and		47.0	49.0	2.0	0.76						
and		64.0	120.0	56.0	0.50						
KBRC325	Boin	37.0	45.0	8.0	0.84	519657	634877	120	114	-60	180
and		60.0	79.0	19.0	0.54						
and		83.0	84.0	1.0	0.20						
and		101.0	103.0	2.0	0.23						
and		113.0	117.0	4.0	0.67						
and		132.0	180.0	48.0	0.43						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC326	Boin	6.0	15.0	9.0	0.64	519708	634856	120	114	-60	144
and		21.0	25.0	4.0	0.38						
and		29.0	30.0	1.0	0.58						
and		35.0	51.0	16.0	1.03						
and		69.0	70.0	1.0	0.26						
and		72.0	74.0	2.0	0.22						
and		90.0	91.0	1.0	0.29						
and		95.0	96.0	1.0	0.31						
and		112.0	113.0	1.0	0.22						
and		125.0	126.0	1.0	0.30						
and		136.0	144.0	8.0	0.33						
KBRC327	Boin	76.0	77.0	1.0	0.46	519754	634955	105	114	-60	132
and		81.0	89.0	8.0	0.79						
and		96.0	100.0	4.0	0.59						
and		110.0	119.0	9.0	0.26						
KBRC328	Boin	9.0	72.0	63.0	1.28	519773	634942	110	114	-60	96
and		78.0	96.0	18.0	0.76						
KBRC329	Boin	No significant results				519786	635002	105	114	-60	60
KBRC330	Boin	46.0	47.0	1.0	0.29	519815	635023	107	114	-60	64
KBRC331	Boin	No significant results				520017	635043	120	114	-60	60
KBRC332	Boin	41.0	46.0	5.0	0.41	519948	635072	120	114	-60	72
and		54.0	58.0	4.0	0.64						
KBRC333	Boin	45.0	46.0	1.0	0.22	520064	635075	125	114	-60	90
and		71.0	72.0	1.0	0.23						
and		80.0	82.0	2.0	0.21						
KBRC334	Boin	32.0	34.0	2.0	0.25	520092	635118	127	114	-60	66
KBRC335	Boin	6.0	29.0	23.0	2.18	520035	635135	127	114	-60	66
including		16.0	24.0	8.0	5.58						
KBRC336	Boin	30.0	35.0	5.0	0.80	518507	632990	123	114	-50	70

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC337	Boin	12.0	13.0	1.0	0.21	518467	633006	130	114	-50	126
and		79.0	126.0	47.0	1.06						
KBRC338	Boin	11.0	18.0	7.0	0.56	518449	632888	124	114	-60	72
and		28.0	40.0	12.0	0.43						
KBRC339	Boin	59.0	60.0	1.0	0.27	518421	632912	123	114	-60	120
and		82.0	84.0	2.0	1.31						
and		90.0	106.0	16.0	1.06						
and		112.0	114.0	2.0	0.37						
KBRC340	Boin	14.0	34.0	20.0	0.61	518396	632821	125	114	-60	50
KBRC341	Boin	51.0	120.0	69.0	0.64	518366	632833	125	114	-60	120
KBRC342	Boin	177.0	183.0	6.0	0.50	518885	633671	158	114	-65	233
and		190.0	228.0	38.0	1.74						
including		218.0	225.0	7.0	3.67						
KBRC343	Boin	69.0	80.0	11.0	0.27	518932	633604	166	114	-60	156
and		95.0	151.0	56.0	0.65						
KBRC344	Boin	104.0	176.0	72.0	1.16	518955	633720	154	114	-55	200
including		114.0	124.0	10.0	3.06						
and		180.0	181.0	1.0	0.35						
and		186.0	189.0	3.0	0.43						
and		192.0	195.0	3.0	0.26						
and		198.0	200.0	2.0	0.35						
KBRC345	Boin	82.0	85.0	3.0	0.29	518983	633747	155	114	-60	174
and		108.0	120.0	12.0	0.73						
and		133.0	142.0	9.0	0.79						
KBRC346	Boin	98.0	168.0	70.0	0.67	519062	633856	155	114	-62	168
KBRC348	Boin	1.0	11.0	10.0	0.20	519658	634788	148	114	-60	90
and		36.0	43.0	7.0	1.19						
and		57.0	67.0	10.0	0.30						
KBRC349	Boin	40.0	56.0	16.0	0.65	519689	634837	145	114	-60	90
and		74.0	76.0	2.0	0.34						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC350	Boin	19.0	31.0	12.0	0.26	519656	634848	146	114	-60	144
and		94.0	102.0	8.0	0.63						
and		113.0	115.0	2.0	0.74						
and		126.0	131.0	5.0	0.25						
and		133.0	135.0	2.0	0.21						
KBRC351	Boin	21.0	44.0	23.0	0.23	519689	634865	138	114	-60	168
and		54.0	65.0	11.0	0.74						
and		74.0	78.0	4.0	0.57						
and		92.0	99.0	7.0	0.23						
and		108.0	133.0	25.0	0.21						
and		144.0	168.0	24.0	0.37						
KBRC352	Boin	63.0	64.0	1.0	0.21	519630	634866	147	114	-60	186
and		96.0	152.0	56.0	2.25						
including		122.0	137.0	15.0	3.83						
and		160.0	186.0	26.0	0.79	519651	634761	146	114	-60	80
KBRC353	Boin	0.0	24.0	24.0	2.15						
and		38.0	40.0	2.0	0.30						
and		51.0	54.0	3.0	0.53	519779	634979	135	114	-55	96
KBRC354	Boin	18.0	20.0	2.0	1.13						
and		31.0	32.0	1.0	0.34						
and		34.0	35.0	1.0	0.36						
and		63.0	64.0	1.0	0.31						
and		69.0	74.0	5.0	0.46						
KBRC355	Boin	22.0	23.0	1.0	0.57	519744	634923	127	114	-55	66
and		26.0	55.0	29.0	2.13						
KBRC356	Boin	136.0	137.0	1.0	0.29	519482	634747	117	114	-55	204
and		168.0	177.0	9.0	1.20						
and		194.0	197.0	3.0	0.64						
and		194.0	197.0	3.0	0.64						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC347B	Boin	31.0	32.0	1.0	0.26	519323	634242	118	114	-65	180
and		42.0	59.0	17.0	0.58						
and		90.0	91.0	1.0	0.29						
and		134.0	172.0	38.0	1.05						
KBRC357	Boin	113.0	121.0	8.0	1.07	519546	634737	145	114	-55	168
and		126.0	150.0	24.0	4.41						
including		132.0	142.0	10.0	9.08						
and		163.0	164.0	1.0	0.35						
KBRC358	Boin	109.0	117.0	8.0	1.25	519586	634795	158	114	-60	186
and		142.0	161.0	19.0	0.47						
and		166.0	179.0	13.0	1.05						
KBRC359	Boin	11.0	15.0	4.0	0.30	519612	634809	148	114	-60	148
and		28.0	40.0	12.0	0.33						
and		77.0	79.0	2.0	0.28						
and		86.0	88.0	2.0	0.35						
and		110.0	144.0	34.0	0.87						
KBRC360	Boin	75.0	127.0	52.0	1.58	519588	634823	145	114	-60	177
including		96.0	112.0	16.0	3.04						
and		137.0	139.0	2.0	0.49						
and		152.0	153.0	1.0	0.26						
and		155.0	177.0	22.0	0.62						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC361	Boin	0.0	1.0	1.0	0.24	519726	634714	117	294	-55	250
and		83.0	84.0	1.0	0.27						
and		109.0	110.0	1.0	0.79						
and		131.0	134.0	3.0	1.00						
and		141.0	142.0	1.0	0.41						
and		148.0	149.0	1.0	0.43						
and		157.0	170.0	13.0	2.13						
and		174.0	175.0	1.0	0.29						
and		181.0	182.0	1.0	0.54						
and		185.0	191.0	6.0	0.57						
and		206.0	213.0	7.0	0.76						
and		218.0	219.0	1.0	0.32						
and		224.0	237.0	13.0	0.33						
KBRC362	Boin	59.0	64.0	5.0	0.78	519197	634054	133	114	-55	210
and		84.0	117.0	33.0	0.25						
and		127.0	129.0	2.0	0.66						
and		134.0	136.0	2.0	0.23						
and		141.0	148.0	7.0	0.41						
and		158.0	210.0	52.0	0.66						
KBRC363	Boin	102.0	106.0	4.0	0.83	519205	634182	115	114	-60	210
and		120.0	133.0	13.0	1.15						
and		137.0	143.0	6.0	0.50						
and		160.0	170.0	10.0	0.42						
and		189.0	210.0	21.0	0.99						
KBRC364	Boin	48.0	49.0	1.0	0.32	519223	634082	125	114	-60	174
and		57.0	58.0	1.0	0.24						
and		65.0	66.0	1.0	0.29						
and		69.0	70.0	1.0	0.37						
and		79.0	80.0	1.0	0.26						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC365	Boin	19.0	20.0	1.0	0.43	518844	633393	139	114	-60	84
and		52.0	54.0	2.0	0.34						
KBRC366	Boin	192.0	203.0	11.0	2.01	519241	634342	130	114	-60	255
KBRC367	Boin	8.0	11.0	3.0	0.21	519212	635995	117	294	-60	84
and		21.0	22.0	1.0	0.25						
and		82.0	84.0	2.0	2.59						
KBRC368	Boin	2.0	5.0	3.0	0.71	519377	636140	118	294	-60	54
and		16.0	32.0	16.0	0.78						
including		31.0	32.0	1.0	8.17						
KBRC369	Boin	44.0	62.0	18.0	0.51	519415	636122	126	294	-60	100
including		44.0	46.0	2.0	3.29						
and		71.0	74.0	3.0	0.54						
and		78.0	79.0	1.0	0.42						
KBRC370	Boin	14.0	15.0	1.0	0.32	519443	636168	122	294	-60	80
and		24.0	26.0	2.0	0.40						
and		43.0	44.0	1.0	1.42						
and		51.0	56.0	5.0	0.40						
and		62.0	65.0	3.0	3.16						
and		68.0	72.0	4.0	0.36						
and		76.0	77.0	1.0	1.90						
KBRC371	Boin	24.0	25.0	1.0	0.91	519464	636158	124	294	-60	132
and		52.0	58.0	6.0	0.89						
including		52.0	54.0	2.0	2.37						
and		72.0	75.0	3.0	1.12						
and		83.0	86.0	3.0	0.64						
and		93.0	101.0	8.0	0.35						
including		93.0	96.0	3.0	0.72						
and		106.0	117.0	11.0	0.31						
and		122.0	130.0	8.0	0.47						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC372	Boin	11.0	12.0	1.0	0.38	519474	636213	124	294	-60	100
and		14.0	17.0	3.0	1.65						
and		32.0	35.0	3.0	0.18						
and		45.0	56.0	11.0	0.47						
and		71.0	72.0	1.0	0.20						
KBDD088	Boin	190.0	206.5	16.5	2.03	518740	633481	145	114	-55	213.3
including		195.0	199.0	4.0	3.90						
KBDD095	Boin	183.0	185.0	2.0	1.04	518773	633637	146	114	-60	372.6
and		238.4	251.0	12.6	0.51						
including		247.8	249.9	2.1	1.37						
and		263.0	264.0	1.0	0.99						
and		267.0	268.0	1.0	0.63						
and		271.0	279.5	8.5	2.34						
including		272.0	274.5	2.5	7.50						
and		284.5	288.5	4.0	0.31						
and		292.5	294.0	1.5	0.22						
and		297.0	299.0	2.0	1.00						
and		303.0	305.0	2.0	0.28						
and		307.0	309.0	2.0	0.37						
and		314.6	316.6	2.0	0.36						
and		333.3	336.0	2.7	0.19						
and		341.0	344.0	3.0	0.25						
and		361.0	363.0	2.0	0.39						
and		367.0	369.0	2.0	1.24						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBDD096	Boin	296.0	298.0	2.0	1.33	518773	633637	146	114	-75	435.4
and		302.0	304.0	2.0	0.52						
and		319.2	319.9	0.7	0.96						
and		324.0	342.0	18.0	0.68						
including		340.1	342.0	1.9	2.42						
and		351.0	358.0	7.0	0.97						
including		352.0	354.0	2.0	2.60						
and		363.0	399.5	36.5	0.69						
including		385.0	387.0	2.0	2.34						
and		412.0	414.0	2.0	0.83						
KBDD097	Boin	187.0	190.0	3.0	1.57	519511	634814	140	114	-60	320.2
and		226.0	245.0	19.0	0.62						
including		232.0	234.0	2.0	1.67						
and		253.0	276.0	23.0	3.54						
including		256.0	264.0	8.0	6.92						
KBDD098	Boin	244.0	246.0	2.0	0.58	518835	633693	160	114	-65	357.6
and		264.0	265.0	1.0	173.75						
and		266.0	269.0	3.0	0.18						
and		298.3	301.0	2.7	0.36						
and		315.0	317.0	2.0	1.03						
and		320.7	323.2	2.5	3.00						
KBDD099	Boin	174.4	193.6	19.2	0.44	519447	634743	115	114	-55	341.3
including		189.6	191.6	2.0	1.42						
and		203.0	205.0	2.0	0.66						
and		216.0	223.5	7.5	0.32						
and		229.3	237.3	8.0	0.42						
and		243.0	257.1	14.1	0.78						
including		243.0	247.0	4.0	1.86						
and		271.6	278.5	6.9	0.39						
and		308.3	309.3	1.0	0.99						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBDD100	Boin	243.0	245.0	2.0	0.27	518742	633544	149	114	-60	321.4
and		251.1	254.0	2.9	0.44						
and		257.0	262.9	5.9	1.63						
and		266.8	269.1	2.3	0.81						
and		270.8	274.0	3.2	0.37						
and		290.0	292.0	2.0	0.65						
and		295.6	301.0	5.4	1.61						
and		308.2	310.0	1.8	0.51						
and		310.0	311.0	1.0	147.50						
and		311.0	313.0	2.0	0.40						
KBDD101	Boin	166.0	174.0	8.0	0.67	519591	634889	136	114	-60	311.0
including		168.0	170.0	2.0	1.59						
and		202.0	218.0	16.0	1.26						
including		202.0	209.0	7.0	2.22						
and		234.0	235.0	1.0	0.59						
KBDD102	Boin	222.2	232.0	9.8	0.92	519207	634347	144	114	-65	366.4
and		239.0	243.3	4.3	1.10						
and		266.0	274.0	8.0	0.90						
and		277.0	280.0	3.0	0.39						
and		285.0	310.5	25.5	1.70						
and		313.5	320.2	6.7	0.40						
and		327.0	344.0	17.0	3.22						
and		351.0	353.0	2.0	0.29						
KBDD103	Boin	237.0	238.0	1.0	1.00	519619	634957	127	114	-60	280.6
and		275.0	276.0	1.0	0.25						
and		278.0	279.0	1.0	0.59						
KBDD104	Boin	207.3	210.0	2.7	0.63	519190	634263	127	114	-60	309.6
and		217.0	228.0	11.0	0.82						
including		218.0	223.0	5.0	1.41						
and		231.0	235.0	4.0	1.80						
and		244.0	246.0	2.0	0.79						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBDD106	Boin	113.0	120.0	7.0	0.31	519156	634052	126	114	-55	264.4
and		177.0	182.0	5.0	0.63						
and		192.0	198.0	6.0	0.33						
and		231.0	240.2	9.2	0.16						
KBDD107	Boin	209.0	213.0	4.0	0.55	519068	634166	133	114	-60	380.0
and		220.0	222.0	2.0	0.59						
and		234.0	235.0	1.0	0.31						
and		252.0	254.0	2.0	0.31						
and		297.0	308.0	11.0	0.41						
and		318.0	330.0	12.0	0.36						
and		337.0	370.0	33.0	1.23						
including		357.0	370.0	13.0	2.16						
KBDD108	Boin	207.8	208.9	1.1	1.50	518695	633507	138	114	-56	339.4
and		244.8	249.1	4.3	0.55						
and		260.9	266.0	5.1	0.58						
including		260.9	263.0	2.1	1.05						
including		265.0	266.0	1.0	0.58						
and		270.0	272.0	2.0	1.09						
and		280.0	281.0	1.0	0.66						
and		287.0	288.0	1.0	1.47						
and		300.0	303.0	3.0	1.10						
and		320.0	322.0	2.0	0.49						
KBDD109	Boin	143.0	144.0	1.0	0.71	519015	633881	165	114	-60	245.0
and		148.0	151.0	3.0	0.21						
and		248.0	249.0	1.0	0.27						
and		252.9	264.0	11.1	1.56						
including		259.0	263.0	4.0	2.84						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBDD110	Boin	216.0	217.0	1.0	0.29	519166	634241	133	114	-60	339.3
and		225.0	232.4	7.4	0.66						
and		240.0	251.9	11.9	0.44						
and		312.9	313.8	0.9	1.06						
and		331.0	336.0	5.0	0.89						
KBDD111	Boin	178.0	179.0	1.0	0.20	519535	634846	134	114	-52	279.5
and		182.0	183.0	1.0	0.25						
and		188.0	189.0	1.0	0.62						
and		193.0	208.0	15.0	1.38						
including		204.0	207.0	3.0	5.99						
and		217.0	226.8	9.8	0.51						
and		248.0	257.0	9.0	0.26						
KBDD112	Boin	312.0	314.0	2.0	0.68	519491	634826	120	114	-70	450.6
and		319.0	321.0	2.0	0.59						
and		361.0	363.0	2.0	1.11						
and		380.0	390.0	10.0	0.38						
KBDD113	Boin	268.0	270.0	2.0	0.32	519552	634906	127	114	-73	423.7
and		287.0	288.0	1.0	0.25						
and		308.0	310.0	2.0	0.23						
and		312.0	313.2	1.2	0.26						
and		315.0	316.0	1.0	0.20						
and		331.0	340.0	9.0	0.54						
including		331.0	333.0	2.0	1.44						
and		353.0	377.0	24.0	0.64						
including		354.0	359.5	5.5	1.39						
and		381.0	402.0	21.0	0.45						
including		400.0	402.0	2.0	1.38						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBDD114A	Boin	347.0	348.0	1.0	0.41	519183	634365	156	114	-75	460.0
and		422.0	423.0	1.0	0.42						
and		438.0	440.0	2.0	0.45						
KBDD115A	Boin	243.0	245.0	2.0	0.52	518669	633524	144	114	-61	471.6
and		271.0	274.0	3.0	0.28						
and		280.0	282.0	2.0	0.48						
and		299.0	303.0	4.0	0.53						
and		308.0	310.0	2.0	1.93						
and		316.0	325.0	9.0	1.21						
including		316.0	319.3	3.3	2.30						
and		338.0	340.0	2.0	0.39						
and		347.0	349.0	2.0	1.65						
SWRC171	Sewum	1.0	4.0	3.0	0.21	521265	628718	225	120	-50	78
and		8.0	11.0	3.0	0.19						
and		56.0	74.0	18.0	0.60						
SWRC172	Sewum	1.0	27.0	26.0	0.61	521293	628770	225	120	-50	70
including		12.0	21.0	9.0	1.09						
and		30.0	31.0	1.0	0.29						
and		53.0	57.0	4.0	0.33						
SWRC173	Sewum	25.0	33.0	8.0	0.49	521320	628836	233	120	-60	60
and		44.0	45.0	1.0	0.22						
and		52.0	53.0	1.0	0.36						
SWRC174	Sewum	2.0	6.0	4.0	0.25	521304	628813	232	120	-60	60
and		24.0	30.0	6.0	0.23						
SWRC175	Sewum	1.0	8.0	7.0	0.50	521491	628830	228	120	-60	60
and		23.0	29.0	6.0	0.25						
and		35.0	47.0	12.0	0.45						
SWRC176	Sewum	12.0	57.0	45.0	0.30	521475	628780	220	120	-60	72
including		12.0	21.0	9.0	0.51						
including		48.0	55.0	7.0	0.49						
and		62.0	64.0	2.0	0.89						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC177	Sewum	12.0	13.0	1.0	0.18	521446	628754	221	120	-60	72
SWRC178	Sewum	0.0	9.0	9.0	0.78	521482	628875	235	120	-50	80
and		13.0	16.0	3.0	0.57						
and		20.0	24.0	4.0	0.53						
and		35.0	41.0	6.0	0.34						
SWRC179	Sewum	2.0	12.0	10.0	0.32	521450	628801	227	120	-60	84
and		36.0	51.0	15.0	0.46						
and		64.0	83.0	19.0	0.35						
SWRC180	Sewum	0.0	26.0	26.0	0.66	521321	628958	235	120	-50	80
including		16.0	23.0	7.0	1.46						
and		35.0	41.0	6.0	0.19						
SWRC181	Sewum	1.0	9.0	8.0	0.24	521341	629045	240	120	-50	60
and		56.0	57.0	1.0	0.21						
SWRC182	Sewum	7.0	8.0	1.0	0.21	521411	629166	235	120	-50	80
and		13.0	14.0	1.0	0.30						
and		52.0	62.0	10.0	2.45						
including		52.0	55.0	3.0	7.44						
and		66.0	68.0	2.0	0.35						
SWRC183	Sewum	0.0	2.0	2.0	0.17	521719	629772	234	120	-60	102
and		26.0	27.0	1.0	0.29						
and		30.0	32.0	2.0	0.21						
and		42.0	43.0	1.0	0.22						
and		74.0	77.0	3.0	0.24						
and		91.0	92.0	1.0	0.37						
and		98.0	100.0	2.0	0.31						
SWRC184	Sewum	12.0	14.0	2.0	0.20	521764	629828	233	120	-60	105
and		74.0	80.0	6.0	0.37						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC185	Sewum	45.0	47.0	2.0	0.74	521730	629842	234	120	-60	144
and		59.0	62.0	3.0	0.19						
and		96.0	97.0	1.0	0.20						
and		100.0	108.0	8.0	0.32						
and		134.0	136.0	2.0	0.69						
SWRC186	Sewum	2.0	5.0	3.0	0.26	521392	629219	235	120	-60	80
SWRC187	Sewum	2.0	4.0	2.0	0.19	521365	629237	230	120	-60	80
SWRC188	Sewum	29.0	31.0	2.0	0.27	521365	629197	220	120	-50	80
and		70.0	71.0	1.0	0.22						
SWRC189	Sewum	47.0	50.0	3.0	0.65	521749	629765	222	120	-60	72
and		54.0	57.0	3.0	0.22						
SWRC190	Sewum	28.0	29.0	1.0	0.30	521804	629833	216	120	-50	72
and		33.0	35.0	2.0	0.66						
and		50.0	51.0	1.0	0.25						
SWRC191	Sewum	42.0	44.0	2.0	0.26	521791	629797	220	120	-60	60
SWRC192	Sewum	10.0	14.0	4.0	0.31	521772	629848	225	120	-50	120
and		59.0	60.0	1.0	0.28						
and		64.0	67.0	3.0	0.44						
and		78.0	80.0	2.0	0.20						
SWRC193	Sewum	2.0	17.0	15.0	0.33	521435	628727	218	120	-60	90
and		25.0	27.0	2.0	0.29						
and		47.0	48.0	1.0	0.33						
SWRC194	Sewum	1.0	63.0	62.0	1.85	521352	627847	158	120	-50	167
including		13.0	23.0	10.0	8.36						
and		74.0	79.0	5.0	0.23						
and		99.0	167.0	68.0	0.75						
including		102.0	116.0	14.0	1.15						
SWRC195	Sewum	0.0	9.0	9.0	0.77	521289	627794	172	120	-50	66
and		20.0	58.0	38.0	0.80						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC196	Sewum	21.0	23.0	2.0	0.64	520826	626252	156	120	-55	96
and		63.0	66.0	3.0	2.31						
and		78.0	82.0	4.0	0.24						
and		90.0	91.0	1.0	0.20						
SWRC197	Sewum	No significant results				520771	626290	147	120	-55	108
SWRC198	Sewum	25.0	26.0	1.0	0.37	520670	626267	155	120	-55	90
SWRC199	Sewum	53.0	57.0	4.0	0.56	520759	626222	160	120	-55	120
and		72.0	76.0	4.0	1.24						
and		97.0	98.0	1.0	0.22						
and		102.0	104.0	2.0	0.30						
and		108.0	111.0	3.0	0.21						
and		115.0	116.0	1.0	0.25						
SWRC200	Sewum	20.0	34.0	14.0	0.81	520741	626162	161	120	-55	126
and		81.0	83.0	2.0	0.23						
and		91.0	92.0	1.0	0.27						
and		107.0	108.0	1.0	1.87						
and		118.0	121.0	3.0	1.58						
SWRC201	Sewum	20.0	24.0	4.0	0.56	520704	626103	158	120	-55	102
and		45.0	48.0	3.0	0.38						
and		72.0	99.0	27.0	1.07						
including		73.0	81.0	8.0	2.82						
SWRC202	Sewum	0.0	5.0	5.0	1.65	520648	626033	131	120	-55	78
and		28.0	41.0	13.0	2.39						
and		48.0	49.0	1.0	0.23						
and		60.0	76.0	16.0	0.39						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC203	Sewum	11.0	12.0	1.0	0.20	521761	629918	222	120	-50	108
and		20.0	25.0	5.0	0.76						
and		45.0	48.0	3.0	0.32						
and		51.0	56.0	5.0	0.39						
and		72.0	73.0	1.0	0.25						
and		77.0	79.0	2.0	0.29						
and		84.0	90.0	6.0	0.42						
SWRC204	Sewum	18.0	19.0	1.0	0.24	521330	627665	167	120	-55	132
and		54.0	58.0	4.0	0.29						
and		62.0	64.0	2.0	0.22						
and		77.0	78.0	1.0	0.23						
and		92.0	93.0	1.0	0.41						
and		116.0	119.0	3.0	0.22						
and		126.0	128.0	2.0	0.21						
SWRC205	Sewum	85.0	87.0	2.0	0.24	521297	627683	173	120	-55	168
and		124.0	168.0	44.0	0.38						
including		142.0	156.0	14.0	0.81						
SWRC206	Sewum	1.0	5.0	4.0	0.61	521365	627644	166	120	-55	120
and		10.0	24.0	14.0	0.66						
and		70.0	72.0	2.0	0.23						
and		93.0	94.0	1.0	0.26						
and		104.0	120.0	16.0	0.51						
SWRC207	Sewum	64.0	66.0	2.0	0.23	521412	627878	138	120	-55	84
SWRC208	Sewum	0.0	17.0	17.0	0.57	521365	627824	148	120	-55	98
and		22.0	46.0	24.0	1.39						
including		26.0	30.0	4.0	6.56						
and		54.0	59.0	5.0	0.38						
and		74.0	79.0	5.0	0.37						
and		86.0	88.0	2.0	0.54						
SWRC209	Sewum	51.0	53.0	2.0	0.64	521412	627851	139	120	-55	62

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC210	Sewum	0.0	11.0	11.0	0.51	521254	627701	174	120	-55	204
and		26.0	27.0	1.0	0.33						
and		46.0	50.0	4.0	0.22						
and		69.0	81.0	12.0	0.21						
and		88.0	100.0	12.0	0.29						
and		149.0	153.0	4.0	0.28						
and		178.0	193.0	15.0	0.80						
SWRC211	Sewum	0.0	37.0	37.0	0.47	521385	627701	174	120	-55	126
and		54.0	69.0	15.0	0.38						
SWRC212	Sewum	0.0	81.0	81.0	0.40	521285	627757	172	120	-55	221
and		89.0	90.0	1.0	1.76						
and		111.0	120.0	9.0	0.40						
and		217.0	221.0	4.0	0.31						
SWRC213	Sewum	0.0	7.0	7.0	0.38	521325	627734	173	120	-55	132
and		12.0	32.0	20.0	0.70						
and		62.0	130.0	68.0	0.73						
SWRC214	Sewum	125.0	137.0	12.0	0.25	521262	627906	150	120	-55	177
and		146.0	156.0	10.0	0.51						
and		174.0	175.0	1.0	0.50						
SWRC215	Sewum	0.0	4.0	4.0	0.42	521312	627885	153	120	-55	182
and		7.0	8.0	1.0	0.20						
and		31.0	56.0	25.0	0.38						
and		61.0	62.0	1.0	0.21						
and		95.0	128.0	33.0	0.62						
and		132.0	133.0	1.0	0.54						
and		138.0	169.0	31.0	0.42						
and		174.0	176.0	2.0	2.05						
and		180.0	182.0	2.0	0.27						
SWRC216	Sewum	7.0	10.0	3.0	0.34	521391	627817	100	120	-55	120
and		33.0	48.0	15.0	0.72						
and		60.0	61.0	1.0	0.49						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC217	Sewum	1.0	2.0	1.0	1.78	521376	627840	141	120	-55	120
and		19.0	34.0	15.0	1.24						
and		90.0	120.0	30.0	1.00						
SWRC218	Sewum	20.0	28.0	8.0	0.22	519995	625747	137	120	-55	70
SWRC219	Sewum	1.0	10.0	9.0	0.71	520013	625771	139	120	-55	62
and		16.0	17.0	1.0	0.26						
and		25.0	30.0	5.0	0.69						
SWRC220	Sewum	13.0	15.0	2.0	0.48	520061	625801	140	120	-55	60
and		26.0	27.0	1.0	0.32						
SWRC221	Sewum	1.0	3.0	2.0	0.84	520043	625823	134	120	-55	95
and		51.0	53.0	2.0	0.19						
SWRC222	Sewum	0.0	38.0	38.0	0.59	520456	626210	154	120	-55	60
including		4.0	11.0	7.0	1.94						
SWRC223	Sewum	18.0	67.0	49.0	0.74	520431	626220	147	120	-55	100
including		42.0	53.0	11.0	1.57						
and		84.0	98.0	14.0	0.24						
SWRC224	Sewum	62.0	63.0	1.0	0.52	520673	626116	154	120	-55	153
and		69.0	89.0	20.0	1.24						
and		112.0	113.0	1.0	1.24						
and		138.0	139.0	1.0	0.67						
and		142.0	143.0	1.0	0.30						
SWRC225	Sewum	105.0	106.0	1.0	0.23	520646	626141	115	120	-55	198
and		110.0	111.0	1.0	0.49						
and		137.0	140.0	3.0	0.29						
and		153.0	155.0	2.0	0.23						
and		197.0	198.0	1.0	0.38						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC226	Sewum	20.0	21.0	1.0	0.24	520707	626184	123	120	-55	168
and		77.0	85.0	8.0	0.65						
and		109.0	110.0	1.0	0.30						
and		117.0	128.0	11.0	0.47						
and		135.0	136.0	1.0	0.24						
and		148.0	150.0	2.0	0.39						
SWRC227	Sewum	16.0	18.0	2.0	0.77	520846	626317	139	120	-55	120
and		21.0	24.0	3.0	0.75						
and		31.0	35.0	4.0	1.59						
and		58.0	59.0	1.0	0.49						
and		68.0	69.0	1.0	0.41						
and		76.0	77.0	1.0	0.34						
SWRC228	Sewum	45.0	53.0	8.0	0.38	521672	627929	167	120	-55	66
SWRC229	Sewum	0.0	11.0	11.0	0.34	521689	627951	167	120	-55	114
and		64.0	66.0	2.0	0.28						
and		83.0	93.0	10.0	0.65						
and		110.0	111.0	1.0	0.26						
SWRC230	Sewum	54.0	60.0	6.0	0.15	521650	627968	169	120	-55	144
and		67.0	68.0	1.0	0.23						
and		78.0	84.0	6.0	0.54						
and		114.0	124.0	10.0	0.22						
and		132.0	133.0	1.0	0.20						
SWRC231	Sewum	2.0	6.0	4.0	0.46	521710	627996	144	120	-55	78
and		25.0	26.0	1.0	0.29						
SWRC232	Sewum	47.0	54.0	7.0	0.46	521680	628019	144	120	-55	126
and		113.0	120.0	7.0	0.30						
SWRC233	Sewum	No significant results				520518	625923	107	120	-55	120

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC234	Sewum	34.0	35.0	1.0	0.27	520541	625900	125	120	-55	90
and		40.0	41.0	1.0	0.31						
and		51.0	54.0	3.0	0.42						
and		64.0	75.0	11.0	0.63						
and		85.0	86.0	1.0	0.24						
SWRC235	Sewum	16.0	17.0	1.0	0.20	520553	625967	97	120	-55	112
and		93.0	94.0	1.0	0.24						
and		98.0	99.0	1.0	2.13						
SWRC236	Sewum	1.0	15.0	14.0	0.45	521409	628682	194	120	-60	72
and		24.0	28.0	4.0	0.70						
and		40.0	69.0	29.0	0.67						
SWRC237	Sewum	1.0	10.0	9.0	0.42	521390	628697	194	120	-60	90
and		25.0	52.0	27.0	0.62						
including		42.0	49.0	7.0	1.45						
and		64.0	90.0	26.0	0.56						
including		85.0	90.0	5.0	2.00						
SWRC238	Sewum	4.0	29.0	25.0	0.35	521371	628711	194	120	-60	84
and		53.0	63.0	10.0	0.22						
and		83.0	84.0	1.0	0.25						
SWRC239	Sewum	0.0	26.0	26.0	0.37	521348	628726	194	120	-60	96
and		44.0	45.0	1.0	0.21						
and		60.0	63.0	3.0	0.58						
and		71.0	74.0	3.0	0.34						
and		91.0	93.0	2.0	0.57						
SWRC240	Sewum	2.0	41.0	39.0	0.22	521328	628740	195	120	-60	66
SWRC241	Sewum	3.0	18.0	15.0	0.53	521311	628745	195	120	-60	60
and		34.0	43.0	9.0	0.30						
SWRC242	Sewum	1.0	2.0	1.0	0.18	521422	628771	193	120	-60	84
SWRC243	Sewum	5.0	10.0	5.0	0.41	521402	628786	194	120	-60	84
and		63.0	64.0	1.0	0.44						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC244	Sewum	1.0	18.0	17.0	0.48	521385	628797	196	120	-60	87
and		36.0	37.0	1.0	0.57						
SWRC245	Sewum	2.0	18.0	16.0	0.23	521367	628805	196	120	-60	108
and		24.0	26.0	2.0	0.71						
and		31.0	33.0	2.0	0.29						
SWRC246	Sewum	0.0	30.0	30.0	0.36	521338	628822	196	120	-60	108
and		54.0	61.0	7.0	0.40						
SWRC247	Sewum	2.0	32.0	30.0	0.61	521449	628892	194	120	-60	78
including		3.0	10.0	7.0	1.40						
and		44.0	73.0	29.0	0.26						
SWRC248	Sewum	4.0	45.0	41.0	0.56	521431	628900	194	120	-60	84
including		9.0	16.0	7.0	1.67						
and		67.0	70.0	3.0	0.73						
and		82.0	83.0	1.0	0.27						
SWRC249	Sewum	0.0	8.0	8.0	0.31	521406	628914	194	120	-60	102
and		15.0	39.0	24.0	0.80						
and		46.0	61.0	15.0	0.54						
and		78.0	80.0	2.0	0.68						
and		92.0	93.0	1.0	0.35						
SWRC250	Sewum	2.0	10.0	8.0	0.22	521384	628932	194	120	-60	102
and		40.0	91.0	51.0	0.38						
SWRC251	Sewum	2.0	8.0	6.0	0.23	521361	628944	194	120	-60	108
and		18.0	19.0	1.0	0.30						
and		46.0	52.0	6.0	0.21						
and		59.0	100.0	41.0	0.51						
SWRC252	Sewum	0.0	34.0	34.0	0.39	521477	629081	195	120	-60	60
and		54.0	56.0	2.0	0.52						
SWRC253	Sewum	0.0	6.0	6.0	0.31	521456	629095	195	120	-60	80
and		12.0	22.0	10.0	0.22						
and		29.0	65.0	36.0	0.34						
and		73.0	74.0	1.0	0.33						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC254	Sewum	3.0	5.0	2.0	0.21	521434	629114	196	120	-60	98
and		33.0	34.0	1.0	0.45						
and		50.0	87.0	37.0	0.51						
SWRC255	Sewum	2.0	7.0	5.0	0.29	521411	629121	195	120	-60	120
and		48.0	56.0	8.0	0.43						
and		70.0	72.0	2.0	0.42						
and		75.0	76.0	1.0	0.38						
and		80.0	111.0	31.0	0.31						
and		114.0	115.0	1.0	0.37						
SWRC256	Sewum	3.0	6.0	3.0	0.24	521385	629136	194	120	-60	138
and		61.0	69.0	8.0	0.21						
and		79.0	80.0	1.0	0.26						
and		84.0	85.0	1.0	0.48						
and		100.0	109.0	9.0	0.22						
and		120.0	123.0	3.0	0.32						
SWRC257	Sewum	1.0	10.0	9.0	0.27	521362	629147	194	120	-60	64
and		36.0	39.0	3.0	2.79						
and		43.0	46.0	3.0	2.06						
and		57.0	59.0	2.0	0.26						
SWRC258	Sewum	1.0	34.0	33.0	0.89	521549	629252	197	120	-60	66
and		38.0	39.0	1.0	0.26						
and		41.0	43.0	2.0	0.21						
and		52.0	56.0	4.0	0.43						
SWRC259	Sewum	2.0	42.0	40.0	0.51	521529	629263	202	120	-60	74
and		47.0	53.0	6.0	0.31						
and		72.0	73.0	1.0	0.41						
SWRC260	Sewum	2.0	6.0	4.0	0.65	521504	629277	195	120	-60	80
and		16.0	18.0	2.0	0.20						
and		27.0	68.0	41.0	0.51						
including		55.0	61.0	6.0	1.66						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC261	Sewum	3.0	5.0	2.0	0.20	521480	629288	195	120	-60	108
and		23.0	24.0	1.0	0.32						
and		32.0	36.0	4.0	0.70						
and		58.0	60.0	2.0	0.24						
and		78.0	96.0	18.0	0.61						
SWRC262	Sewum	0.0	7.0	7.0	0.24	521454	629299	194	120	-60	120
and		81.0	84.0	3.0	0.41						
and		93.0	101.0	8.0	1.16						
and		106.0	107.0	1.0	0.22						
SWRC263	Sewum	3.0	5.0	2.0	0.20	521435	629313	194	120	-60	136
and		87.0	90.0	3.0	0.20						
and		105.0	106.0	1.0	0.22						
and		117.0	124.0	7.0	0.88						
SWRC264	Sewum	45.0	46.0	1.0	0.53	521405	629332	193	120	-60	60
SWRC265	Sewum	0.0	12.0	12.0	0.44	521580	629359	198	120	-60	60
and		18.0	39.0	21.0	0.64						
SWRC266	Sewum	3.0	8.0	5.0	0.20	521555	629368	198	120	-60	80
and		20.0	26.0	6.0	0.56						
and		30.0	36.0	6.0	0.38						
and		49.0	60.0	11.0	0.70						
SWRC267	Sewum	0.0	21.0	21.0	0.40	521534	629380	200	120	-60	100
and		35.0	36.0	1.0	0.33						
and		66.0	78.0	12.0	0.78						
SWRC268	Sewum	1.0	6.0	5.0	0.29	521509	629393	195	120	-60	120
and		14.0	28.0	14.0	0.52						
and		40.0	42.0	2.0	0.23						
and		66.0	67.0	1.0	0.34						
and		88.0	99.0	11.0	0.28						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC269	Sewum	2.0	8.0	6.0	3.98	521492	629402	194	120	-60	60
including		7.0	8.0	1.0	22.62						
and		39.0	41.0	2.0	5.50						
including		39.0	40.0	1.0	10.53						
and		54.0	55.0	1.0	0.93						
and		57.0	58.0	1.0	0.20						
SWRC270	Sewum	4.0	9.0	5.0	0.50	521469	629414	194	120	-60	60
and		33.0	38.0	5.0	0.38						
SWRC271	Sewum	0.0	14.0	14.0	0.46	521601	629348	192	120	-60	60
and		19.0	30.0	11.0	1.10						
and		34.0	36.0	2.0	0.45						
SWDD107	Sewum	0.0	8.3	8.3	0.48	521298	628974	186	120	-60	218.4
and		48.0	53.1	5.1	0.28						
and		60.0	68.0	8.0	0.61						
and		90.6	91.6	1.0	0.71						
and		127.0	133.0	6.0	0.40						
and		144.5	145.5	1.0	0.29						
and		147.5	163.0	15.5	1.59						
including		152.9	159.3	6.4	3.22						
and		180.0	182.0	2.0	0.22						
SWDD108	Sewum	0.0	8.0	8.0	0.23	521279	628978	186	120	-60	236.1
and		32.3	34.3	2.0	0.28						
and		141.5	182.5	41.0	0.48						
including		174.0	179.6	5.6	1.00						
and		189.5	208.0	18.5	0.82						
including		199.5	204.0	4.5	2.26						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWDD109	Sewum	0.0	4.4	4.4	0.42	521249	628998	184	120	-60	278.2
and		16.3	18.7	2.4	0.43						
and		77.3	80.0	2.7	1.40						
and		90.3	91.5	1.2	0.34						
and		108.6	110.3	1.7	0.24						
and		129.3	130.4	1.1	0.47						
and		145.95	157.0	11.05	0.93						
including		151.0	155.0	4.0	1.81						
and		164.2	166.7	2.5	0.33						
and		172.7	176.7	4.0	0.28						
and		187.0	188.9	1.9	0.59						
and		194.0	217.8	23.8	0.33						
including		215.1	217.8	2.7	0.97						
SWDD110	Sewum	0.0	8.6	8.6	0.33	521256	629035	186	120	-60	225.0
and		32.3	34.2	1.9	1.74						
and		80.3	81.3	1.0	0.23						
and		108.0	111.0	3.0	0.38						
and		170.0	171.0	1.0	0.27						
and		185.8	207.0	21.2	0.60						
including		186.8	189.3	2.4	1.10						
including		200.9	204.0	3.1	1.33						
and		209.8	216.2	6.4	0.27						
SWDD111	Sewum	0.0	2.0	2.0	0.30	521374	629343	184	120	-55	155.6
and		32.5	34.5	2.0	0.24						
and		60.8	63.5	2.7	0.18						
and		150.6	152.6	2.0	0.35						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWDD112	Sewum	0.0	10.5	10.5	1.00	521021	629065	132	120	-70	185.5
and		21.5	62.5	41.0	0.69						
including		46.5	50.5	4.0	1.41						
including		57.5	60.5	3.0	2.08						
and		88.8	96.5	7.7	0.59						
and		102.4	127.6	25.2	0.41						
including		104.3	107.0	2.7	1.39						
and		157.5	159.5	2.0	0.23						
and		175.0	180.0	5.0	0.81						
SWDD113A	Sewum	0.0	12.9	12.9	0.26	521073	629138	157	0	90	126.1
and		66.5	68.5	2.0	0.79						
and		75.9	92.7	16.8	0.81						
including		76.6	81.0	4.4	2.41						
and		114.0	115.0	1.0	0.51						
SWDD114	Sewum	173.0	180.7	7.7	0.69	521328	629299	174	120	-58	260.5
SWDD115	Sewum	1.8	8.1	6.3	0.16	521488	629554	190	120	-52	371.4
and		54.3	64.5	10.2	0.74						
and		69.5	70.5	1.0	1.12						
and		84.5	85.5	1.0	0.18						
and		238.0	241.9	3.9	0.29						
and		251.4	253.3	1.9	9.24						
including		251.4	252.4	1.0	17.36						
and		263.4	264.4	1.0	0.34						
and		290.7	291.7	1.0	0.37						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWDD117	Sewum	0.0	4.0	4.0	0.50	521138	629083	177	120	-61	380.3
and		26.0	29.0	3.0	0.41						
and		61.1	64.4	3.3	3.36						
and		94.0	95.0	1.0	2.46						
and		103.3	107.7	4.4	0.16						
and		130.0	133.0	3.0	0.40						
and		199.0	200.0	1.0	0.34						
and		211.0	214.0	3.0	0.46						
and		247.0	248.0	1.0	0.41						
and		270.0	314.0	44.0	0.30						
including		273.0	277.0	4.0	0.71						
and incl.		286.0	288.0	2.0	1.09						
and		354.0	358.0	4.0	0.56						
SWDD118A	Sewum	0.0	1.5	1.5	0.18	521257	629294	146	120	-60	272.2
and		44.5	45.3	0.8	0.14						
and		147.0	148.0	1.0	1.03						
and		177.0	182.3	5.3	0.24						
and		190.0	196.4	6.4	0.50						
and		203.0	210.0	7.0	0.30						
and		215.0	219.0	4.0	0.20						
and		228.0	231.0	3.0	0.24						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWDD119	Sewum	0.0	7.0	7.0	0.40	521144	628982	175	120	-60	380.5
and		23.0	24.0	1.0	0.10						
and		46.5	47.5	1.0	0.18						
and		124.0	130.0	6.0	0.51						
and		212.0	215.0	3.0	0.23						
and		251.0	254.0	3.0	0.20						
and		256.0	259.0	3.0	0.26						
and		270.0	282.0	12.0	0.48						
and		296.0	297.0	1.0	0.31						
and		310.0	316.0	6.0	0.21						
and		324.0	331.0	7.0	0.54						
and		355.0	356.0	1.0	0.24						
SWDD120	Sewum	0.0	1.5	1.5	0.14	521176	628905	147	120	-50	308.4
and		18.0	19.5	1.5	0.13						
and		51.5	54.5	3.0	0.11						
and		119.0	120.0	1.0	0.10						
and		127.0	131.0	4.0	0.33						
and		149.0	156.0	7.0	0.58						
and		171.0	174.0	3.0	0.37						
and		176.0	179.0	3.0	0.21						
and		203.0	209.0	6.0	0.57						
and		213.0	214.0	1.0	0.23						
and		220.0	221.0	1.0	0.25						
and		247.0	251.0	4.0	0.30						
and		260.0	264.0	4.0	0.27						
and		274.0	289.0	15.0	0.20						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWDD121	Sewum	0.0	9.0	9.0	0.21	521144	628942	158	120	-65	356.4
and		17.8	20.0	2.2	1.58						
and		30.0	46.5	16.5	0.55						
and		53.0	58.0	5.0	0.38						
and		79.7	90.0	10.3	0.55						
and		94.0	118.0	24.0	1.37						
including		103.0	115.0	12.0	1.93						
and		181.0	182.0	1.0	0.47						
and		207.0	208.0	1.0	0.47						
and		233.0	235.0	2.0	0.42						
and		260.0	262.0	2.0	0.16						
and		268.0	269.0	1.0	0.23						
and		275.0	287.0	12.0	0.62						
and		331.0	333.0	2.0	0.28						
NBRC108	Nyam	16.0	17.0	1.0	0.28	530218	637234	98	300	-60	108
and		33.0	34.0	1.0	0.91						
and		45.0	60.0	15.0	2.50						
and		75.0	77.0	2.0	0.96						
and		105.0	108.0	3.0	0.42						
NBRC109	Nyam	7.0	8.0	1.0	0.78	530243	637218	99	300	-60	138
and		63.0	77.0	14.0	0.37						
and		88.0	97.0	9.0	0.93						
and		111.0	114.0	3.0	0.97						
and		133.0	137.0	4.0	0.43						
NBRC110	Nyam	36.0	37.0	1.0	0.21	530293	637299	100	300	-60	147
and		52.0	53.0	1.0	0.49						
and		97.0	98.0	1.0	0.33						
and		104.0	114.0	10.0	3.00						
and		126.0	144.0	18.0	0.50						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
NBRC111	Nyam	9.0	23.0	14.0	0.51	530260	637325	97	300	-60	84
and		28.0	31.0	3.0	0.30						
and		36.0	38.0	2.0	0.55						
and		45.0	48.0	3.0	0.40						
and		53.0	76.0	23.0	0.27						
NBRC112	Nyam	48.0	54.0	6.0	0.76	530610	637824	104	300	-60	80
and		62.0	67.0	5.0	0.46						
NBRC113	Nyam	86.0	89.0	3.0	0.29	530604	637746	116	300	-60	108
and		100.0	101.0	1.0	0.34						
and		105.0	106.0	1.0	0.63						
NBRC114	Nyam	78.0	90.0	12.0	1.68	530615	637788	110	300	-60	96
NBRC115	Nyam	48.0	49.0	1.0	0.31	530792	638222	103	300	-60	108
and		57.0	69.0	12.0	0.49						
and		84.0	86.0	2.0	0.31						
and		97.0	104.0	7.0	0.43						
NBRC116	Nyam	41.0	48.0	7.0	1.00	530768	638196	107	300	-60	120
and		56.0	57.0	1.0	0.48						
and		61.0	66.0	5.0	0.44						
and		86.0	108.0	22.0	0.46						
and		117.0	119.0	2.0	0.41						
NBRC117	Nyam	6.0	7.0	1.0	0.65	530816	638271	99	300	-60	102
and		38.0	42.0	4.0	0.66						
and		47.0	78.0	31.0	0.51						
and		95.0	96.0	1.0	0.23						
NBRC118	Nyam	53.0	72.0	19.0	0.64	530837	638302	99	300	-55	120
and		80.0	85.0	5.0	1.12						
and		90.0	92.0	2.0	0.60						
NBRC119	Nyam	2.0	8.0	6.0	0.96	530170	637212	96	300	-60	60
and		12.0	19.0	7.0	0.32						
and		45.0	53.0	8.0	2.36						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
NBRC120	Nyam	57.0	58.0	1.0	0.21	530209	637190	95	300	-60	144
and		71.0	72.0	1.0	2.00						
and		97.0	101.0	4.0	1.90						
and		113.0	120.0	7.0	0.87						
and		127.0	129.0	2.0	0.57						
NBDD070	Nyam	214.0	218.0	4.0	0.50	530735	637795	116	300	-60	450.9
and		284.5	307.5	23.0	0.46						
including		292.0	293.0	1.0	1.77						
including		299.0	301.0	2.0	1.37						
NBDD071	Nyam	89.5	94.5	5.0	0.20	530583	637742	103	300	-75	374.8
and		95.5	96.5	1.0	0.24						
and		120.8	123.5	2.7	0.66						
and		224.0	261.5	37.5	0.50						
including		226.0	229.0	3.0	1.18						
including		247.5	249.5	2.0	0.99						
including		259.5	260.5	1.0	1.68						
and		263.5	264.5	1.0	0.34						
and		273.0	275.0	2.0	0.34						
and		283.0	294.0	11.0	0.79						
including		283.0	285.0	2.0	1.51						
including		293.0	294.0	1.0	2.77						
and		298.0	300.0	2.0	0.28						
and		313.0	316.0	3.0	0.25						
and		327.0	338.0	11.0	0.96						
including		327.0	332.0	5.0	1.67						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
NBDD072B	Nyam	172.0	177.0	5.0	0.82	530716	637831	96	300	-60	431.0
including		176.0	177.0	1.0	3.14						
and		187.0	191.5	4.5	0.34						
and		239.0	244.0	5.0	0.55						
and		250.0	252.0	2.0	0.73						
and		257.5	265.5	8.0	0.35						
and		272.4	289.0	16.6	0.33						
including		280.0	282.0	2.0	1.23						
NBDD079A	Nyam	299.6	310.4	10.8	0.68	530729	637772	103	300	-60	433.9
including		304.9	306.9	2.0	1.47						
and		340.0	356.4	16.4	0.31						
NBDD080	Nyam	300.0	301.0	1.0	0.20	530413	637260	104	300	-60	452.0
and		307.0	309.0	2.0	0.23						
and		317.0	338.0	21.0	1.40						
including		319.0	330.0	11.0	2.08						
and		347.0	349.0	2.0	0.23						
and		354.0	360.0	6.0	2.18						
and		362.0	364.0	2.0	1.19						
and		364.0	365.0	1.0	1.26						
NBDD081	Nyam	48.5	49.5	1.0	0.22	530328	637137	108	300	-60	417.0
and		51.5	52.5	1.0	0.43						
and		104.0	107.0	3.0	0.52						
and		121.0	126.0	5.0	0.64						
and		149.5	150.5	1.0	0.46						
and		163.0	164.0	1.0	0.23						
and		227.0	229.0	2.0	0.58						
and		254.0	282.0	28.0	0.98						
including		258.0	266.0	8.0	1.61						
including		277.0	282.0	5.0	2.19						
and		298.0	300.0	2.0	0.22						
and		304.0	313.0	9.0	0.33						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
NBDD082	Nyam	227.0	250.0	23.0	0.20	530525	637463	119	300	-55	340.0
and		264.8	265.7	0.9	1.77						
and		271.4	275.0	3.6	0.28						
and		280.0	283.0	3.0	0.31						
NBDD083	Nyam	120.0	136.0	16.0	0.17	530776	638081	124	300	-60	267.0
and		142.0	145.0	3.0	0.57						
and		178.0	180.0	2.0	0.92						
NBDD084	Nyam	10.6	13.5	2.9	0.24	530819	638179	90	300	-60	252.6
and		120.0	123.0	3.0	1.20						
and		132.0	133.0	1.0	0.20						
and		137.0	146.0	9.0	0.16						
and		152.0	154.0	2.0	0.98						
NBDD085	Nyam	278.0	292.0	14.0	1.61	530343	637168	40	300	-60	369.2
including		284.0	291.0	7.0	2.94						
and		298.0	313.9	15.9	0.60						
including		307.0	310.0	3.0	1.92						
and		335.0	344.0	9.0	1.46						
including		339.0	341.0	2.0	5.61						
NBDD086	Nyam	105.0	107.2	2.2	0.19	530315	637180	103	300	-54	335.0
and		200.0	201.0	1.0	1.47						
and		223.4	230.0	6.6	0.16						
and		237.0	240.0	3.0	0.34						
and		245.0	266.0	21.0	3.51						
including		251.0	260.0	9.0	5.91						
and		275.0	276.0	1.0	0.47						
and		280.0	286.0	6.0	0.49						
and		290.0	293.6	3.6	0.26						
and		296.6	299.3	2.7	0.33						
KKRC085A	Kwakyekrom	88.0	103.0	15.0	1.29	529000	635363	85	298	-60	180
and		108.0	109.0	1.0	0.23						
and		124.0	132.0	8.0	0.29						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KKRC086	Kwakyekrom	27.0	40.0	13.0	0.46	528942	635392	104	298	-60	122
and		43.0	44.0	1.0	0.30						
and		46.0	47.0	1.0	0.27						
and		55.0	61.0	6.0	0.22						
and		69.0	70.0	1.0	0.20						
KKRC087	Kwakyekrom	14.0	25.0	11.0	0.29	528929	635332	109	298	-60	150
and		132.0	133.0	1.0	0.29						
KKRC088	Kwakyekrom	39.0	41.0	2.0	0.24	528945	635255	102	298	-60	174
and		57.0	61.0	4.0	0.30						
and		67.0	68.0	1.0	0.34						
and		80.0	83.0	3.0	0.20						
and		93.0	103.0	10.0	0.96						
and		105.0	106.0	1.0	0.29						
and		142.0	145.0	3.0	0.52						
KKRC089	Kwakyekrom	67.0	69.0	2.0	0.28	528968	635307	100	298	-60	228
and		79.0	83.0	4.0	0.39						
and		87.0	105.0	18.0	0.47						
and		114.0	117.0	3.0	0.53						
and		120.0	121.0	1.0	0.63						
and		126.0	127.0	1.0	0.43						
and		132.0	133.0	1.0	0.25						
and		138.0	139.0	1.0	1.00						
and		144.0	145.0	1.0	0.68						
and		148.0	151.0	3.0	0.52						
and		164.0	169.0	5.0	0.33						
and		178.0	180.0	2.0	0.39						
KKRC090	Kwakyekrom	30.0	31.0	1.0	0.20	528899	635167	102	298	-60	240
and		91.0	96.0	5.0	0.78						
and		101.0	102.0	1.0	0.22						
and		166.0	167.0	1.0	0.35						
and		169.0	170.0	1.0	0.24						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KKRC091	Kwakyekrom	1.0	2.0	1.0	0.23	528796	635102	112	298	-60	120
and		36.0	37.0	1.0	0.20						
KKRC092	Kwakyekrom	21.0	22.0	1.0	0.45	528633	634835	130	298	-60	126
and		26.0	31.0	5.0	0.39						
and		36.0	37.0	1.0	0.79						
and		41.0	50.0	9.0	0.49						
and		58.0	62.0	4.0	0.90						
and		72.0	73.0	1.0	0.22						
and		84.0	87.0	3.0	0.39						
and		91.0	97.0	6.0	0.84						
and		107.0	108.0	1.0	0.21						
KKRC093	Kwakyekrom	8.0	11.0	3.0	0.65	528695	634878	132	298	-60	125
and		24.0	28.0	4.0	0.85						
and		56.0	58.0	2.0	2.05						
and		72.0	73.0	1.0	0.50						
and		110.0	111.0	1.0	0.22						
and		113.0	125.0	12.0	0.57						
KKRC094	Kwakyekrom	92.0	93.0	1.0	0.32	528762	634990	130	298	-60	102
KKRC095	Kwakyekrom	0.0	9.0	9.0	0.54	528771	634927	128	298	-60	168
and		13.0	14.0	1.0	0.48						
and		21.0	22.0	1.0	0.27						
and		119.0	120.0	1.0	0.60						
KKRC096	Kwakyekrom	34.0	36.0	2.0	0.23	528816	634982	117	298	-60	180
and		40.0	41.0	1.0	1.26						
KKRC097B	Kwakyekrom	0.0	1.0	1.0	0.22	528779	634878	116	298	-60	78
and		17.0	19.0	2.0	0.28						
and		38.0	40.0	2.0	0.20						
and		62.0	63.0	1.0	0.21						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KKRC098	Kwakyekrom	15.0	16.0	1.0	0.91	528890	635212	101	298	-60	220
and		25.0	40.0	15.0	0.60						
including		33.0	37.0	4.0	1.65						
and		87.0	88.0	1.0	0.49						
and		136.0	154.0	18.0	0.39						
including		137.0	142.0	5.0	0.89						
and		214.0	215.0	1.0	6.41						
KKRC099	Kwakyekrom	19.0	25.0	6.0	0.68	528934	635195	104	298	-60	240
and		30.0	31.0	1.0	0.31						
and		35.0	36.0	1.0	1.08						
and		112.0	134.0	22.0	1.08						
including		126.0	133.0	7.0	2.78						
and		170.0	171.0	1.0	0.21						
and		182.0	183.0	1.0	0.20						
and		191.0	225.0	34.0	0.23						
and		234.0	236.0	2.0	0.29						
and		239.0	240.0	1.0	0.33						
KKRC100	Kwakyekrom	8.0	19.0	11.0	1.39	528748	634846	126	298	-60	226
and		23.0	24.0	1.0	0.46						
and		109.0	114.0	5.0	0.97						
and		117.0	118.0	1.0	0.35						
and		126.0	127.0	1.0	0.20						
and		136.0	138.0	2.0	0.37						
and		150.0	153.0	3.0	0.44						
and		176.0	177.0	1.0	0.44						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KKRC101	Kwakyekrom	16.0	17.0	1.0	0.20	528521	634486	102	298	-60	192
and		36.0	37.0	1.0	0.33						
and		43.0	45.0	2.0	0.40						
and		63.0	64.0	1.0	0.38						
and		73.0	75.0	2.0	0.20						
and		108.0	112.0	4.0	0.79						
and		116.0	117.0	1.0	0.32						
and		136.0	140.0	4.0	0.84						
and		180.0	181.0	1.0	1.62						
and		186.0	187.0	1.0	1.69						
KKRC102	Kwakyekrom	25.0	35.0	10.0	0.42	528458	634419	115	298	-60	114
and		60.0	80.0	20.0	0.29						
and		108.0	109.0	1.0	0.24						
KKRC103	Kwakyekrom	33.0	36.0	3.0	0.72	528430	634374	121	298	-60	132
and		39.0	40.0	1.0	0.27						
and		50.0	51.0	1.0	0.25						
and		59.0	60.0	1.0	0.60						
and		68.0	74.0	6.0	0.19						
and		78.0	83.0	5.0	0.20						
and		94.0	99.0	5.0	0.55						
and		102.0	103.0	1.0	0.22						
and		109.0	110.0	1.0	0.24						
and		125.0	126.0	1.0	0.46						
KKRC104	Kwakyekrom	30.0	31.0	1.0	0.65	528415	634306	130	298	-60	150
and		42.0	47.0	5.0	0.40						
and		51.0	52.0	1.0	0.35						
and		55.0	58.0	3.0	0.90						
and		67.0	85.0	18.0	0.35						
and		91.0	113.0	22.0	0.34						
KKRC105	Kwakyekrom	43.0	45.0	2.0	0.32	528387	634272	137	298	-60	150
KKRC106	Kwakyekrom	40.0	52.0	12.0	0.24	528353	634248	147	298	-60	132

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KKRC107	Kwakyekrom	53.0	54.0	1.0	2.46	528390	634223	148	298	-60	180
and		62.0	68.0	6.0	0.85						
and		87.0	89.0	2.0	0.29						
and		92.0	94.0	2.0	0.31						
KKRC108	Kwakyekrom	1.0	10.0	9.0	0.43	528786	635064	127	298	-60	114
and		50.0	52.0	2.0	0.39						
and		74.0	80.0	6.0	0.37						
KJRC025	Kojina Hill	12.0	14.0	2.0	0.40	529138	637394	98	120	-55	100
and		24.0	26.0	2.0	0.20						
and		31.0	32.0	1.0	3.53						
and		44.0	45.0	1.0	0.34						
and		51.0	53.0	2.0	0.26						
and		79.0	80.0	1.0	0.29						
and		96.0	97.0	1.0	0.22						
KJRC026	Kojina Hill	25.0	26.0	1.0	0.32	528814	637355	105	120	-55	130
and		60.0	62.0	2.0	0.33						
and		69.0	106.0	37.0	0.67						
including		70.0	90.0	20.0	1.05						
KJRC027	Kojina Hill	87.0	89.0	2.0	0.25	528806	637083	186	120	-55	180
KJRC028	Kojina Hill	15.0	17.0	2.0	0.23	528833	636835	173	120	-55	150
and		44.0	46.0	2.0	0.46						
and		72.0	77.0	5.0	0.34						
KJRC029	Kojina Hill	12.0	14.0	2.0	0.53	528579	636781	118	120	-55	132
and		75.0	76.0	1.0	0.30						
KJRC030	Kojina Hill	1.0	8.0	7.0	0.45	528475	636835	126	120	-55	108
and		15.0	26.0	11.0	0.29						
and		45.0	49.0	4.0	0.57						
and		57.0	59.0	2.0	0.44						
and		82.0	83.0	1.0	1.04						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KJRC031	Kojina Hill	0.0	1.0	1.0	0.20	528423	636863	117	120	-55	144
and		5.0	7.0	2.0	6.80						
and		9.0	10.0	1.0	0.29						
and		14.0	16.0	2.0	0.22						
and		32.0	33.0	1.0	0.27						
and		50.0	58.0	8.0	0.69						
and		64.0	68.0	4.0	0.41						
and		102.0	103.0	1.0	0.22						
and		115.0	136.0	21.0	0.49						
KJRC032	Kojina Hill	24.0	25.0	1.0	0.38	528853	637334	108	120	-60	110
and		45.0	49.0	4.0	0.46						
and		83.0	94.0	11.0	0.48						
and		96.0	97.0	1.0	0.20						
and		100.0	110.0	10.0	0.69						
KJRC033	Kojina Hill	36.0	37.0	1.0	0.45	528780	637345	110	120	-60	162
and		49.0	52.0	3.0	0.21						
and		59.0	60.0	1.0	0.20						
and		70.0	74.0	4.0	0.91						
and		93.0	102.0	9.0	0.41						
and		124.0	126.0	2.0	0.75						
and		126.0	127.0	1.0	183.86						
and		127.0	134.0	7.0	1.08						
and		138.0	148.0	10.0	0.57						
KJRC034	Kojina Hill	0.0	13.0	13.0	3.06	528810	637223	150	300	-60	150
including		2.0	5.0	3.0	8.09						
including		9.0	12.0	3.0	4.59						
and		27.0	30.0	3.0	0.29						
and		116.0	117.0	1.0	1.10						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2026 Drill Results

Table accompanies news release dated July 29, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KJRC035	Kojina Hill	12.0	18.0	6.0	0.55	528862	637264	139	300	-60	144
and		41.0	47.0	6.0	0.52						
and		56.0	67.0	11.0	0.42						
including		61.0	63.0	2.0	1.53						
and		70.0	71.0	1.0	0.67						
and		74.0	75.0	1.0	0.20						
and		80.0	83.0	3.0	0.63						
and		106.0	114.0	8.0	0.58						
and		121.0	122.0	1.0	0.23						
and		140.0	141.0	1.0	0.69						
KJRC036	Kojina Hill	0.0	14.0	14.0	0.58	528823	637288	140	300	-60	102
and		24.0	43.0	19.0	0.43						
and		100.0	102.0	2.0	0.31						
KJRC037	Kojina Hill	13.0	16.0	3.0	0.21	528841	637253	143	300	-60	108
and		20.0	49.0	29.0	0.57						
including		21.0	27.0	6.0	1.29						
and		84.0	86.0	2.0	0.68						
KJRC038	Kojina Hill	181.0	184.0	3.0	0.47	528765	637392	99	120	-60	194

1. Intervals reported are hole lengths with true width estimated to be 65 - 85%.

2. Length-weighted averages from uncut assays.

3. All drilling completed by independent contractor.

4. All drilling samples sealed on site and delivered directly to independent lab Intertek Mineral Limited located in Tarkwa, Ghana for preparation and 50g Fire Assay with AAS finish.

5. QA/QC procedures include industry standard inclusion of standards, blanks, and duplicates in all sample batches.